



Centerra Gold Inc. - Kumtor Project

Diamond Drill Hole Locations

Period: July 1, 2019 to September 30, 2019

Hole ID	Latitude	Longitude	Elevation (m)	Length (m)	Collar Azimuth	Collar Dip	Purpose
D1931A	41.847061	78.190281	3,812.21	322.0	319	-56	Hockey Stick
D1932	41.847802	78.186719	3,847.32	220.0	319	-47	Hockey Stick
D1932A	41.847785	78.186687	3,847.62	21.6	319	-47	Hockey Stick
D1934	41.847920	78.191841	3,728.18	331.0	319	-83	Hockey Stick
D1935A	41.847798	78.185520	3,858.30	360.6	139	-78	Hockey Stick
D1936	41.845907	78.185627	3,970.20	500.0	260	-65	Hockey Stick
D1938	41.848335	78.189697	3,745.10	293.5	319	-83	Hockey Stick
D1939	41.846826	78.191217	3,806.00	403.4	319	-63	Hockey Stick
D1941	41.847056	78.190281	3,813.28	361.0	319	-74	Hockey Stick
D1942	41.849703	78.184127	3,861.20	96.4	319	-90	Hockey Stick
D1942A	41.849651	78.184166	3,861.79	262.6	139	-90	Hockey Stick
D1943	41.847212	78.189612	3,819.60	403.1	319	-60	Hockey Stick
D1944	41.847589	78.187969	3,836.20	218.7	319	-50	Hockey Stick
D1944A	41.847593	78.187948	3,812.21	403.6	319	-50	Hockey Stick
D1945	41.847802	78.185517	3,858.00	390.7	319	-90	Hockey Stick
D1947	41.847061	78.190282	3,813.60	386.2	319	-84	Hockey Stick
D1948	41.848065	78.191066	3,735.66	252.0	319	-69	Hockey Stick
D1949	41.847710	78.187246	3,847.62	403.0	319	-81	Hockey Stick
D1951	41.847224	78.189610	3,819.23	141.5	319	-50	Hockey Stick
D1951A	41.847208	78.189580	3,728.18	150.0	319	-50	Hockey Stick
D1952	41.845746	78.188035	3,858.30	421.2	325	-75	Hockey Stick
D1953	41.847309	78.188877	3,970.20	347.2	319	-73	Hockey Stick
D1954	41.849444	78.184514	3,745.10	220.0	139	-90	Hockey Stick
D1955	41.847255	78.187879	3,806.00	400.0	293	-84	Hockey Stick
D1957	41.845740	78.188037	3,813.28	501.5	335	-83	Hockey Stick
D1958	41.847208	78.189562	3,861.20	340.5	319	-72	Hockey Stick
D1959	41.847306	78.188866	3,861.79	155.5	319	-83	Hockey Stick
D1959A	41.847320	78.188907	3,819.60	351.5	319	-83	Hockey Stick
D1960	41.849697	78.184728	3,836.20	342.5	139	-75	Hockey Stick
D1961	41.847820	78.186119	3,852.50	339.0	332	-55	Hockey Stick
D1962	41.848180	78.184518	3,813.60	335.6	319	-90	Hockey Stick
D1963	41.847571	78.187958	3,735.66	419.6	319	-77	Hockey Stick
D1964	41.849251	78.186426	3,845.47	214.6	319	-80	Hockey Stick
D1966	41.849245	78.186436	3,771.20	179.5	139	-80	Hockey Stick
D1967	41.847568	78.187958	3,835.50	421.0	319	-90	Hockey Stick
D1968	41.847808	78.186717	3,847.67	344.7	319	-60	Hockey Stick
D1969	41.847281	78.188935	3,826.10	340.0	139	-87	Hockey Stick
D1970	41.848520	78.184148	3,871.20	293.7	319	-90	Hockey Stick
D1971	41.849198	78.186479	3,771.44	157.7	285	-68	Hockey Stick
D1972	41.847202	78.189606	3,819.75	169.7	319	-50	Hockey Stick



Centerra Gold Inc. - Kumtor Project

Diamond Drill Hole Locations

Period: July 1, 2019 to September 30, 2019

Hole ID	Latitude	Longitude	Elevation (m)	Length (m)	Collar Azimuth	Collar Dip	Purpose
D1973	41.866331	78.208374	4,212.47	301.0	295	-52	NE Wall
D1974	41.849165	78.184622	3,864.98	214.6	139	-90	Hockey Stick
D1975	41.848022	78.184059	3,875.30	326.0	139	-85	Hockey Stick
D1976	41.849700	78.184713	3,862.10	304.7	319	-90	Hockey Stick
D1981	41.866363	78.208285	4,211.72	110.0	303	-45	NE Wall
DR1940	41.848057	78.173773	3934.41	216.0	319	-90	South-West
DR1946	41.848166	78.176067	3918.14	154.0	319	-90	Hockey Stick
DR1946A	41.848134	78.176626	3918.37	169.0	319	-90	Hockey Stick
SR-19-212	41.839010	78.155664	4048.46	204.0	360	-90	Sarytor
SR-19-213	41.837580	78.157149	4063.565	334.5	25	-66	Sarytor
SR-19-213A	41.837575	78.157144	4,064.02	319.5	25	-66	Sarytor
SR-19-214	41.837854	78.156757	4061.56	371.1	25	-67	Sarytor
SR-19-215	41.837164	78.157899	4065.56	465.0	25	-75	Sarytor
SR-19-216	41.837438	78.157481	4064.83	401.5	25	-68	Sarytor
SR-19-217	41.837170	78.157903	4065.21	442.8	25	-63	Sarytor
SR-19-218	41.837039	78.158365	4064.58	402.5	25	-78	Sarytor
SR-19-219	41.836561	78.159808	4056.32	466.5	25	-57	Sarytor
SR-19-220	41.838988	78.155672	4049.30	283.5	25	-70	Sarytor

Notes: This information should be read together with our news release of October 30, 2019.
Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.

Projection: WGS 84
Azimuth: Magnetic



Centerra Gold Inc. - Kumtor Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)
D1923	Hockey Stick Zone	Section -42. Test mineralization zone.	339.0	349.0	10.0	1.59
D1925	Hockey Stick Zone	Section -70. Test mineralization zone.	No significant intercept			
D1931A	Hockey Stick Zone	Section -46. Test mineralization zone.	No significant intercept			
D1932	Hockey Stick Zone	Section -66. Test mineralization zone.	195.0 <i>including</i> 196.3	220.0 203.7	25.0 7.4	7.76 15.89
D1932A	Hockey Stick Zone	Section -66. Test mineralization zone.	Stop due technical problem, no samples			
D1933	Hockey Stick Zone	Section -38. Test mineralization zone.	No significant intercept			
D1934	Hockey Stick Zone	Section -30. Test mineralization zone.	166.0	171.0	5.0	1.86
D1935A	Hockey Stick Zone	Section -74. Test mineralization zone.	No significant intercept			
D1936	Hockey Stick Zone	Section -86. Test mineralization zone.	No significant intercept			
D1938	Hockey Stick Zone	Section -42. Test mineralization zone.	160.7 <i>including</i> 160.7	179.3 164.7	18.6 4.0	3.93 8.50
D1939	Hockey Stick Zone	Section -42. Test mineralization zone.	No significant intercept			
DR1940	Hockey Stick Zone	Section -150. Test mineralization zone.	No significant intercept			
D1941	Hockey Stick Zone	Section -46. Test mineralization zone.	No significant intercept			
D1942	Hockey Stick Zone	Section -70. Test mineralization zone.	Stop due technical problem, no samples			
D1942A	Hockey Stick Zone	Section -70. Test mineralization zone.	No significant intercept			
D1943	Hockey Stick Zone	Section -50. Test mineralization zone.	253.6 268.0	259.0 279.2	5.4 11.2	1.02 1.09
D1944	Hockey Stick Zone	Section -58. Test mineralization zone.	167.0 <i>including</i> 172.4 <i>including</i> 179.3	191.9 176.8 183.2	24.9 4.4 3.9	7.19 15.78 16.91
D1944A	Hockey Stick Zone	Section -58. Test mineralization zone.	174.9 <i>including</i> 178.8 220.8 269.2 347.0	203.6 185.5 227.2 275.9 358.5	28.7 6.7 6.4 6.7 11.5	3.83 7.81 1.35 4.74 1.01
D1945	Hockey Stick Zone	Section -74. Test mineralization zone.	No significant intercept			
DR1946	Central Pit	Section -134. Test mineralization zone.	Stop due technical problem, no significant intercept			
DR1946A	Central Pit	Section -134. Test mineralization zone.	Stop due technical problem, no samples			
D1947	Hockey Stick Zone	Section -46. Test mineralization zone.	No significant intercept			
D1948	Hockey Stick Zone	Section -34. Test mineralization zone.	No significant intercept			



Centerra Gold Inc. - Kumtor Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)
D1949	Hockey Stick Zone	Section -62. Test mineralization zone.	150.7	182.0	31.3	7.41
			<i>including</i> 154.5	168.0	13.5	14.91
			188.0	208.0	20.0	1.61
			213.8	241.5	27.7	1.49
			247.0	254.0	7.0	1.58
			295.5	299.5	4.0	1.45
D1951	Hockey Stick Zone	Section -50. Test mineralization zone.	<i>Stop due technical problem, no significant intercept</i>			
D1951A	Hockey Stick Zone	Section -50. Test mineralization zone.	<i>Stop due technical problem, no samples</i>			
D1952	Hockey Stick Zone	Section -70. Test mineralization zone.	<i>No significant intercept</i>			
D1953	Hockey Stick Zone	Section -54. Test mineralization zone.	194.7	200.5	5.8	4.38
D1954	Hockey Stick Zone	Section -70. Test mineralization zone.	<i>No significant intercept</i>			
D1955	Hockey Stick Zone	Section -62. Test mineralization zone.	180.5	200.5	20.0	4.50
			<i>including</i> 180.5	187.4	6.9	9.68
			227.0	235.6	8.6	1.00
D1957	Hockey Stick Zone	Section -70. Test mineralization zone.	365.6	377.2	11.6	2.82
			388.2	392.2	4.0	1.30
D1958	Hockey Stick Zone	Section -50. Test mineralization zone.	<i>No significant intercept</i>			
D1959	Hockey Stick Zone	Section -54. Test mineralization zone.	<i>Stop due technical problem, no samples</i>			
D1959A	Hockey Stick Zone	Section -54. Test mineralization zone.	<i>No significant intercept</i>			
D1960	Hockey Stick Zone	Section -66. Test mineralization zone.	109.1	134.2	25.1	3.42
			<i>including</i> 119.0	126.0	7.0	6.90
			139.9	144.1	4.2	2.87
			180.6	198.0	17.4	1.32
D1961	Hockey Stick Zone	Section -66. Test mineralization zone.	<i>Results are pending</i>			
D1962	Hockey Stick Zone	Section -78. Test mineralization zone.	185.9	196.2	10.3	18.99
D1963	Hockey Stick Zone	Section -58. Test mineralization zone.	155.3	179.2	23.9	2.55
			<i>including</i> 171.0	176.5	5.5	5.25
D1964	Hockey Stick Zone	Section -58. Test mineralization zone.	9.00	14.0	5.00	1.13
D1966	Hockey Stick Zone	Section -58. Test mineralization zone.	13.40	20.60	7.2	1.12
			43.80	57.00	13.2	1.45
			69.00	74.00	5.0	1.22
D1967	Hockey Stick Zone	Section -58. Test mineralization zone.	<i>Results are pending</i>			
D1968	Hockey Stick	Section -66. Test mineralization zone.	<i>Results are pending</i>			
D1969	Hockey Stick	Section -54. Test mineralization zone.	<i>Results are pending</i>			



Centerra Gold Inc. - Kumtor Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)
D1970	Hockey Stick	Section -78. Test mineralization zone.	<i>Results are pending</i>			
D1971	Hockey Stick	Section -62. Test mineralization zone.	<i>Results are pending</i>			
D1972	Hockey Stick	Section -50. Test mineralization zone.	<i>Stop due technical problem, no samples</i>			
D1973	NE Wall	Section 198. Test mineralization zone.	<i>Results are pending</i>			
D1974	Hockey Stick	Section -70. Test mineralization zone.	<i>Results are pending</i>			
D1975	Hockey Stick	Section -82. Test mineralization zone.	<i>Results are pending</i>			
D1976	Hockey Stick	Section -66. Test mineralization zone.	<i>Results are pending</i>			
D1981	NE Wall	Section 198. Test mineralization zone.	<i>Stop due technical problem, no samples</i>			

Notes: Individual assays are top cut to 60 g/t Au prior to composite calculation
 The Au grade in the higher grade sub-intervals is at least twice higher than the average grade in the main interval
 Reported intervals are longer than 4.0 m, grade greater than 1.0 g/t Au and include maximum internal waste of 5.0 m where it exists.
 This information should be read together with our news release of October 30, 2019.
 Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.




Centerra Gold Inc. - Kumtor Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)
SR-19-212	Sarytor	Section 236. Test mineralization zone.	168.0	189.7	21.7	2.16
SR-19-213	Sarytor	Section 220. Test mineralization zone.	<i>Stop due technical problem, no significant intercept</i>			
SR-19-213A	Sarytor	Section 220. Test mineralization zone.	<i>Stop due technical problem, no significant intercept</i>			
SR-19-214	Sarytor	Section 224. Test mineralization zone.	307.0	319.2	12.2	1.89
			326.1	350.8	24.7	3.51
			<i>incl</i> 341.1	350.8	9.7	7.22
			362.1	366.9	4.8	1.51
SR-19-215	Sarytor	Section 212. Test mineralization zone.	398.1	410.8	12.7	4.24
			<i>incl</i> 407.4	410.8	3.4	9.27
SR-19-216	Sarytor	Section 216. Test mineralization zone.	350.1	356.3	6.2	6.84
			<i>Stop due technical problem</i>			
SR-19-217	Sarytor	Section 212. Test mineralization zone.	<i>Results are pending</i>			
SR-19-218	Sarytor	Section 208. Test mineralization zone.	<i>Stop due technical problem, results are pending</i>			
SR-19-219	Sarytor	Section 196. Test mineralization zone.	<i>Results are pending</i>			
SR-19-220	Sarytor	Section 240. Test mineralization zone.	<i>Results are pending</i>			

Notes: Individual assays are top cut to 30 g/t Au prior to composite calculation
 The Au grade in the higher grade sub-intervals is at least twice higher than the average grade in the main interval
 Reported intervals are longer than 4.0 m, grade greater than 1.0 g/t Au and include maximum internal waste of 5.0 m where it exists.
 This information should be read together with our news release of October 30, 2019.
 Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.

Kumtor project, Kyrgyzstan


KUMTOR EXPLORATION
GOLD GRADE * THICKNESS MAP
Q3 2019 DRILL HOLE LOCATION MAP



This information should be read together with our news release of October 30, 2019. Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.


Kumtor project, Kyrgyzstan

KUMTOR EXPLORATION
GOLD GRADE x THICKNESS
Longitudinal Section
Kumtor Trend



This information should be read together with our news release of October 30, 2019. Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.


Kumtor project, Kyrgyzstan



This information should be read together with our news release of October 30, 2019.


Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.

Kumtor project, Kyrgyzstan



This information should be read together with our news release of October 30, 2019. Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.


Kumtor project, Kyrgyzstan



This information should be read together with our news release of October 30, 2019.

Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.


Kumtor project, Kyrgyzstan



This information should be read together with our news release of October 30, 2019.


Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.

Kumtor project, Kyrgyzstan



This information should be read together with our news release of October 30, 2019. Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.


Kumtor project, Kyrgyzstan



This information should be read together with our news release of October 30, 2019.

Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.


Kumtor project, Kyrgyzstan



This information should be read together with our news release of October 30, 2019.

Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.


Kumtor project, Kyrgyzstan



This information should be read together with our news release of October 30, 2019.

Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.


Kumtor project, Kyrgyzstan



This information should be read together with our news release of October 30, 2019.


Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.

Kumtor project, Kyrgyzstan




This information should be read together with our news release of October 30, 2019. Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.

Kumtor project, Kyrgyzstan



This information should be read together with our news release of October 30, 2019. Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.


Kumtor project, Kyrgyzstan



This information should be read together with our news release of October 30, 2019.

Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.

Kumtor project, Kyrgyzstan



This information should be read together with our news release of October 30, 2019.

Boris Kotlyar, a member with the American Institute of Professional Geologists (AIPG) is Centerra's is the qualified person for the purpose of National Instrument 43-101.



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm	
19-1149*	Southern Star Zone	Section 6108650 N. Resource infill.	19.22	64.00	44.78	0.223	0.161	0.8	
			70.00	164.00	94.00	0.201	0.115	0.7	
			<i>Including</i>	<i>85.00</i>	<i>87.00</i>	<i>2.00</i>	<i>2.120</i>	<i>0.092</i>	<i>0.9</i>
			170.00	234.00	64.00	0.185	0.234	1.1	
			246.00	254.00	8.00	0.105	0.043	0.5	
			260.50	315.00	54.50	0.267	0.295	1.2	
			324.00	332.00	8.00	0.109	0.133	0.3	
			355.00	361.00	6.00	0.146	0.164	1.1	
388.00	391.00	3.00	0.145	0.199	0.6				
19-1151*	Saddle Zone	Section 6108750. Resource infill.	30.48	71.55	41.07	0.427	0.245	1.3	
			83.86	106.00	22.14	0.330	0.294	0.9	
			124.38	135.25	10.87	0.146	0.164	0.6	
			142.38	146.70	4.32	0.797	0.713	2.0	
			<i>Including</i>	<i>145.20</i>	<i>146.70</i>	<i>1.50</i>	<i>1.478</i>	<i>1.110</i>	<i>2.5</i>
			154.00	201.00	47.00	0.363	0.342	1.3	
			<i>Including</i>	<i>172.00</i>	<i>173.04</i>	<i>1.04</i>	<i>1.103</i>	<i>0.552</i>	<i>1.2</i>
			220.00	230.00	10.00	0.148	0.270	7.1	
252.00	260.00	8.00	0.119	0.069	0.9				
265.14	270.36	5.22	0.177	0.170	1.3				
19-1153	Southern Star Zone	Section 6108500 N. Test for mineralization up-dip of 90-761.	3.80	12.60	8.80	0.112	0.054	0.5	
			18.00	75.00	57.00	0.389	0.176	1.0	
			<i>Including</i>	<i>56.00</i>	<i>58.00</i>	<i>2.00</i>	<i>1.889</i>	<i>0.221</i>	<i>1.7</i>
			<i>Including</i>	<i>67.64</i>	<i>69.00</i>	<i>1.36</i>	<i>2.388</i>	<i>1.050</i>	<i>3.8</i>
			113.00	129.00	16.00	0.320	0.277	0.9	
			139.84	209.00	69.16	0.355	0.229	0.8	
			<i>Including</i>	<i>163.00</i>	<i>166.00</i>	<i>3.00</i>	<i>1.193</i>	<i>0.517</i>	<i>1.9</i>
			<i>Including</i>	<i>201.57</i>	<i>203.00</i>	<i>1.43</i>	<i>3.430</i>	<i>0.296</i>	<i>2.0</i>
			236.00	252.00	16.00	0.229	0.232	1.2	
			256.03	258.32	2.29	0.180	0.238	1.1	
288.00	292.00	4.00	3.499	0.027	1.4				
<i>Including</i>	<i>288.00</i>	<i>290.00</i>	<i>2.00</i>	<i>6.827</i>	<i>0.032</i>	<i>2.5</i>			
19-1154	Saddle Zone	Section 6108800 N. Infill between 07-984 and 90-760.	16.15	94.00	77.85	0.250	0.349	1.4	
			131.00	134.00	3.00	0.380	0.458	1.6	
			204.50	208.50	4.00	0.350	0.249	0.7	
			220.50	224.50	4.00	0.142	0.278	0.7	
			240.50	249.00	8.50	0.199	0.248	1.0	
			259.50	264.40	4.90	0.091	0.138	0.6	
			279.00	314.00	35.00	0.171	0.236	1.0	
345.00	352.00	7.00	0.289	0.104	0.8				
19-1155	Goldmark Zone	Section 6109450 N. Test shallow geophysical targets and for extension of gold mineralization.	8.84	17.00	8.16	0.108	0.093	0.6	
			23.00	28.65	5.65	0.152	0.092	0.9	
			87.00	91.00	4.00	0.488	0.018	0.3	
			149.00	153.00	4.00	0.155	0.012	0.2	
			182.00	186.00	4.00	0.140	0.009	0.1	
			191.00	192.35	1.35	3.619	0.074	1.1	
			204.34	205.68	1.34	12.600	0.187	19.2	
216.50	220.10	3.60	0.162	0.020	0.3				



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm	
19-1156	Southern Star Zone	Section 6108150 N. Resource infill.		3.75	242.00	238.25	0.248	0.168	1.3
				248.00	274.00	26.00	0.312	0.267	1.4
			<i>Including</i>	265.00	267.00	2.00	1.362	0.591	1.6
				294.45	310.00	15.55	0.149	0.144	1.0
				318.00	336.00	18.00	0.148	0.188	0.9
19-1157	Goldmark Zone	Section 6109300 N. Test for shallow gold, and down-dip extension of Goldmark stock.		3.96	9.90	5.94	0.127	0.012	0.2
				77.00	78.33	1.33	2.259	0.070	16.9
				320.96	325.22	4.26	0.101	0.089	4.8
				368.34	396.00	27.66	0.173	0.132	3.4
				439.00	446.00	7.00	0.106	0.041	2.2
	462.00	469.00	7.00	0.148	0.130	0.4			
19-1158	Saddle Zone	Section 6108850 N. Infill between 07-986 and 90-760, and test down-dip of 07-986.		5.79	28.00	22.21	0.851	0.078	1.6
			<i>Including</i>	10.80	12.30	1.50	7.727	0.063	10.6
				39.93	58.00	18.07	0.147	0.221	1.2
				64.00	140.75	76.75	0.318	0.375	1.5
			<i>Including</i>	128.00	130.00	2.00	1.217	1.150	4.2
				153.00	178.79	25.79	0.207	0.236	1.0
				185.00	190.00	5.00	0.133	0.113	1.0
				199.00	211.26	12.26	0.103	0.118	0.6
				222.00	235.00	13.00	0.104	0.171	0.5
				260.08	267.80	7.72	0.130	0.141	0.5
				312.00	343.20	31.20	0.227	0.313	0.9
				349.04	353.03	3.99	0.138	0.122	0.5
				367.24	383.00	15.76	0.186	0.178	0.7
	391.70	406.91	15.21	0.199	0.153	0.6			
19-1159	Southern Star Zone	Section 6108150 N. Resource infill.		10.00	34.00	24.00	0.156	0.116	0.8
				38.80	70.05	31.25	0.244	0.057	1.3
				80.00	90.00	10.00	0.140	0.138	0.9
				96.00	159.00	63.00	0.291	0.177	1.1
				168.00	202.00	34.00	0.196	0.191	2.1
				208.00	260.00	52.00	0.154	0.168	0.9
				275.38	294.00	18.62	0.102	0.094	0.7
				299.00	310.33	11.33	0.135	0.041	0.6
19-1160	Goldmark Zone	Section 6109350 N. Test a fault block west of Goldmark stock for offset mineralization.		18.70	22.00	3.30	0.346	0.046	0.9
				63.00	67.00	4.00	0.577	0.033	1.4
				84.00	90.00	6.00	0.151	0.006	0.2
				96.00	100.00	4.00	0.132	0.008	0.2
				109.00	115.00	6.00	0.131	0.010	0.2
				121.00	141.78	20.78	0.201	0.011	0.3
				168.00	186.00	18.00	0.535	0.012	1.7
			<i>Including</i>	170.44	171.85	1.41	1.210	0.024	8.3
			<i>Including</i>	179.63	180.82	1.19	4.120	0.031	8.7
				228.21	232.04	3.83	0.103	0.148	1.8
				328.00	361.05	33.05	0.449	0.136	2.2
			<i>Including</i>	329.43	332.37	2.94	1.400	0.062	2.1
			<i>and</i>	338.00	341.00	3.00	1.816	0.066	3.1
<i>and</i>	382.00	384.00	2.00	1.660	0.183	14.9			
	377.00	394.00	17.00	0.336	0.115	3.1			



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
19-1160 Cont.			400.00	402.60	2.60	0.120	0.095	0.9
			465.00	468.00	3.00	0.239	0.019	0.4
19-1161	King Richard Zone (Saddle West)	Section 6108800 N. Test shallow geophysical target and aeromagnetic anomaly.	142.00	148.29	6.29	0.184	0.183	2.0
			217.00	218.54	1.54	3.892	0.015	0.2
19-1162	Southern Star Zone	Section 6108050 N. Test for extension of mineralization in the SS stock footwall.	48.00	54.18	6.18	0.117	0.038	0.5
			60.00	74.00	14.00	0.117	0.093	0.9
			80.00	130.00	50.00	0.266	0.123	2.4
			<i>Including</i> 98.00	<i>101.00</i>	<i>3.00</i>	<i>1.901</i>	<i>0.144</i>	<i>3.8</i>
			144.00	148.00	4.00	0.448	0.065	1.5
			162.00	166.00	4.00	0.131	0.103	0.3
			180.00	247.00	67.00	0.148	0.100	0.8
			261.00	313.00	52.00	0.239	0.147	1.2
19-1163	Goldmark Zone	Section 6109450 N. Test shallow geophysical anomaly between 18-1086 and 18-1089.	15.00	19.00	4.00	0.176	0.111	0.6
			29.00	35.00	6.00	0.155	0.078	1.2
			42.38	67.00	24.62	0.249	0.107	1.9
			<i>Including</i> 43.42	<i>45.00</i>	<i>1.58</i>	<i>1.675</i>	<i>0.063</i>	<i>2.6</i>
			141.00	148.00	7.00	0.245	0.007	0.1
			162.00	171.00	9.00	0.304	0.032	0.6
			<i>Including</i> 165.09	<i>166.00</i>	<i>0.91</i>	<i>1.178</i>	<i>0.066</i>	<i>1.8</i>
			177.00	180.00	3.00	0.144	0.012	0.2
19-1164	King Richard Zone (Saddle West)	Section 6108800 N. Test shallow geophysical target and aeromagnetic anomaly.	<i>Till sampled to 87.33 m. Hole abandoned.</i>					
19-1165	Southern Star Zone	Section 6108200 N. Test for extension of mineralization in the SS stock footwall.	32.00	35.00	3.00	0.125	0.044	0.4
			120.00	146.00	26.00	0.114	0.215	2.4
			155.00	195.00	40.00	0.148	0.095	0.9
			206.00	210.00	4.00	0.101	0.070	1.1
			247.00	281.00	34.00	0.150	0.229	1.4
			287.00	301.00	14.00	0.197	0.145	0.8
			311.00	361.00	50.00	0.163	0.185	1.1
			380.00	411.00	31.00	0.174	0.147	1.1
			419.00	430.00	11.00	0.133	0.209	1.0
			438.00	474.00	36.00	0.116	0.128	0.8
479.00	481.00	2.00	0.156	0.075	0.4			
489.00	552.00	63.00	0.129	0.161	0.6			
19-1166	Goldmark Zone	Section 6109550 N. Test shallow target near Oliver Fault and down- dip extension of Goldmark stock.	71.00	98.00	27.00	0.156	0.014	0.1
			104.00	127.00	23.00	0.112	0.014	0.1
			190.83	206.91	16.08	0.292	0.022	0.4
			<i>Including</i> 190.83	<i>192.00</i>	<i>1.17</i>	<i>1.242</i>	<i>0.035</i>	<i>0.8</i>
			250.00	262.00	12.00	2.498	0.169	8.3
			<i>Including</i> 252.07	<i>253.00</i>	<i>0.93</i>	<i>30.000</i>	<i>0.254</i>	<i>33.5</i>
			289.00	301.00	12.00	0.507	0.191	2.6
			<i>Including</i> 295.00	<i>297.00</i>	<i>2.00</i>	<i>2.452</i>	<i>0.147</i>	<i>2.4</i>
306.00	316.00	10.00	0.323	0.135	4.6			
326.00	343.00	17.00	0.328	0.187	7.0			



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
19-1166 cont.			<i>Including</i> 328.00	329.55	1.55	1.386	0.244	20.0
			353.00	358.00	5.00	0.155	0.099	2.8
			365.00	370.00	5.00	0.132	0.185	2.9
			376.00	407.35	31.35	0.183	0.264	2.5
			413.04	418.41	5.37	0.441	0.346	4.8
			424.00	435.66	11.66	0.169	0.151	2.2
			452.00	463.00	11.00	0.134	0.185	0.5
			479.00	496.00	17.00	0.221	0.194	4.3
19-1167	King Richard Zone (Saddle West)	Section 6108950 N Test shallow geophysical target sub- parallel to the Saddle fault.	110.00	138.45	28.45	0.123	0.024	0.7
			145.39	149.05	3.66	0.133	0.053	6.2
			160.00	163.20	3.20	0.185	0.018	0.2
			235.00	245.00	10.00	0.410	0.111	19.0
19-1168	Southern Star Zone	Section 6108450 N. Test for extension of mineralization in the Southern Star stock footwall.	76.00	80.00	4.00	0.166	0.271	4.2
			87.00	108.00	21.00	0.123	0.166	1.1
			130.75	167.00	36.25	0.217	0.076	0.6
			<i>Including</i> 159.00	161.00	2.00	1.644	0.029	0.4
			192.90	198.70	5.80	0.114	0.057	0.4
			244.00	257.00	13.00	0.250	0.360	5.0
			272.50	275.15	2.65	0.119	0.077	1.8
			332.00	342.00	10.00	0.164	0.103	0.7
			355.00	359.00	4.00	0.120	0.068	0.5
			375.00	381.00	6.00	0.162	0.153	0.8
393.00	404.00	11.00	0.276	0.203	0.7			
412.00	418.00	6.00	0.253	0.145	0.5			
432.00	439.00	7.00	0.159	0.021	0.1			
19-1169	Great Eastern Fault Zone	Section 6108950 N. Infill in the Great Eastern fault footwall.	99.53	103.00	3.47	0.122	0.026	0.6
			111.00	153.88	42.88	0.215	0.226	1.6
			177.00	183.00	6.00	0.211	0.003	1.0
			195.00	202.00	7.00	0.183	0.017	2.0
			240.60	244.00	3.40	0.687	0.011	1.4
			<i>Including</i> 242.00	244.00	2.00	1.049	0.010	1.4
			256.50	280.90	24.40	0.181	0.015	0.9
			303.52	313.40	9.88	0.153	0.022	1.0
330.80	334.00	3.20	0.306	0.036	3.2			
19-1170	Saddle Zone	Section 6108880 N. Infill and test for mineralization associated with deeper monzonite porphyry.	22.50	34.00	11.50	0.794	0.058	2.2
			<i>Including</i> 26.50	30.20	3.70	2.185	0.095	4.0
			41.76	45.00	3.24	0.117	0.103	0.6
			54.00	59.00	5.00	0.108	0.107	0.4
			64.80	84.95	20.15	0.130	0.111	0.6
			101.00	125.79	24.79	0.284	0.278	1.7
			<i>Including</i> 120.03	122.10	2.07	1.501	0.436	2.8
			131.50	206.50	75.00	0.359	0.300	3.8
			<i>Including</i> 152.00	156.98	4.98	1.141	0.179	10.2
			<i>and</i> 163.00	163.52	0.52	4.421	0.321	16.8
			<i>and</i> 168.96	169.59	0.63	7.721	0.160	14.2
212.50	324.91	112.41	0.259	0.271	2.2			
330.51	338.04	7.53	0.339	0.215	6.8			



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm	
19-1170 cont.			342.99	358.55	15.56	0.454	0.118	9.9	
			<i>Including</i>	357.05	358.55	1.50	1.392	0.087	58.7
				366.00	396.68	30.68	0.175	0.059	6.4
				416.00	419.79	3.79	0.129	0.031	0.2
				467.00	472.00	5.00	0.246	0.036	2.0
19-1171	Goldmark Zone	Section 6109350 N. Test shallow geophysical anomaly, historical gold zone in 89-271 (58m at 1.03g/t Au), and fault intersections.	72.24	75.21	2.97	0.126	0.103	2.6	
				125.00	143.68	18.68	0.425	0.036	1.8
			<i>Including</i>	142.62	143.68	1.06	3.243	0.049	8.9
				160.50	175.04	14.54	0.213	0.024	3.3
				242.75	250.32	7.57	1.105	0.051	15.8
			<i>Including</i>	242.75	245.00	2.25	2.677	0.044	35.9
				256.00	265.18	9.18	1.547	0.109	16.0
			<i>Including</i>	258.00	265.18	7.18	1.838	0.118	18.0
19-1172	Great Eastern Fault Zone	Section 6108950 N. Infill in the Great Eastern fault footwall.	219.00	228.90	9.90	0.306	0.031	1.8	
				262.00	296.00	34.00	0.119	0.001	1.6
19-1173	Saddle Zone	Section 6108900 N. Infill and test for mineralization associated with deper monzonite porphyry.	3.91	18.77	14.86	0.294	0.034	0.4	
			<i>Including</i>	3.91	5.50	1.59	1.390	0.043	0.5
				39.00	46.00	7.00	0.204	0.185	0.8
				51.00	63.00	12.00	0.497	0.089	10.5
			<i>Including</i>	52.30	53.60	1.30	1.238	0.130	76.4
				80.58	123.50	42.92	0.610	0.224	2.0
			<i>Including</i>	83.58	85.95	2.37	1.619	0.048	2.1
			<i>and</i>	102.50	106.50	4.00	2.166	0.700	2.4
			<i>and</i>	112.00	116.00	4.00	1.673	0.437	7.3
				131.00	157.00	26.00	0.164	0.200	0.8
				162.10	177.50	15.40	0.175	0.117	0.7
				184.90	196.00	11.10	0.159	0.180	0.5
				200.50	238.92	38.42	0.168	0.216	0.6
			<i>Including</i>	246.00	339.75	93.75	0.344	0.338	5.8
				322.80	326.20	3.40	1.180	0.336	79.8
				354.58	362.10	7.52	0.125	0.110	0.6
				383.00	400.54	17.54	0.171	0.046	1.3
	427.00	428.04	1.04	3.900	0.079	129.0			
	448.00	451.68	3.68	0.836	0.053	1.4			
<i>Including</i>	450.00	451.68	1.68	1.656	0.038	2.4			
	456.00	461.07	5.07	0.104	0.003	0.8			
19-1174	Heidi Zone	Section 6109360 N. Test Heidi Stock magnetic anomaly and infill shallow Cu mineralization.	46.00	50.00	4.00	0.023	0.163	2.4	
				87.00	91.00	4.00	0.021	0.127	2.6
				114.74	127.10	12.36	0.031	0.202	3.5
				149.40	198.00	48.60	0.034	0.120	1.3
				265.00	307.00	42.00	0.013	0.109	2.0
19-1175	Southern Star Zone	Section 6108600 N. Infill in ultimate pit and test for extension of mineralization in Southern Star stock footwall.	23.47	54.00	30.53	0.177	0.088	1.6	
				61.00	77.00	16.00	0.137	0.054	0.6
				83.00	86.00	3.00	0.199	0.106	0.9
				91.00	119.94	28.94	0.161	0.128	0.7
				139.00	249.00	110.00	0.222	0.261	1.2



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
19-1175 cont.			284.00	295.00	11.00	0.124	0.118	0.6
			319.00	321.80	2.80	0.173	0.254	1.2
			347.00	360.00	13.00	0.281	0.316	1.3
			372.80	390.00	17.20	0.168	0.201	0.5
			398.00	404.67	6.67	0.143	0.164	0.4
19-1176	Saddle Zone	Section 6108950 N. Infill and test for mineralization associated with deeper monzonite porphyry.	20.70	24.00	3.30	0.115	0.064	0.4
			30.78	40.58	9.80	0.173	0.130	1.0
			45.90	49.00	3.10	0.114	0.127	0.8
			79.00	85.60	6.60	0.150	0.083	0.5
			90.40	96.50	6.10	0.241	0.075	0.4
			144.50	176.60	32.10	0.133	0.112	0.7
			193.00	322.50	129.50	0.212	0.199	0.9
			<i>Including</i> 234.00	235.00	1.00	1.109	0.722	4.1
			<i>Including</i> 261.07	261.82	0.75	1.027	0.735	2.3
			<i>Including</i> 344.50	373.99	29.49	0.579	0.047	0.4
<i>Including</i> 351.00	352.66	1.66	5.325	0.063	0.6			
19-1177	Saddle Zone	Section 6108950 N. Infill and test for mineralization associated with deeper monzonite porphyry units.	4.27	14.00	9.73	0.103	0.046	0.2
			30.00	71.00	41.00	0.303	0.094	1.2
			<i>Including</i> 48.00	50.00	2.00	2.074	0.091	13.9
			90.00	105.00	15.00	0.117	0.096	1.2
			110.50	141.00	30.50	0.445	0.159	0.8
			<i>Including</i> 111.70	113.33	1.63	3.917	0.163	1.0
			<i>Including</i> 133.70	134.70	1.00	1.245	0.743	3.0
			154.00	199.00	45.00	0.145	0.162	0.5
			205.00	273.00	68.00	0.207	0.149	0.8
			239.80	273.00	33.20	0.185	0.106	0.4
			<i>Including</i> 251.50	252.25	0.75	2.284	0.069	2.3
			291.00	308.00	17.00	0.120	0.027	0.1
			314.00	328.00	14.00	0.128	0.026	0.1
336.00	340.00	4.00	0.238	0.025	0.2			
19-1178	Southern Star Zone	Section 6108600 N. Resource infill.	118.00	137.00	19.00	0.151	0.038	1.6
			214.21	218.00	3.79	0.271	0.069	0.7
19-1179	Heidi Zone	Section 6109450 N. Test aeromag high and for Cu mineralization related to Heidi stock.	24.00	107.73	83.73	0.048	0.154	3.9
			<i>Including</i> 24.00	29.51	5.51	0.302	0.268	8.5
			<i>and</i> 56.00	64.00	8.00	0.087	0.182	2.6
			214.00	218.00	4.00	0.029	0.124	1.5
19-1180	Saddle Zone	Section 6109000 N. Infill and test for mineralization associated with deeper monzonite porphyry units.	12.19	57.00	44.81	0.218	0.073	0.9
			<i>Including</i> 52.00	54.00	2.00	1.732	0.008	2.5
			73.20	76.69	3.49	1.272	0.042	3.0
			<i>Including</i> 73.20	74.85	1.65	2.528	0.031	5.3
			89.51	137.93	48.42	0.795	0.101	2.0
			<i>Including</i> 95.00	96.50	1.50	1.570	0.149	9.3
			<i>and</i> 104.00	112.00	8.00	3.393	0.070	2.0
			<i>and</i> 151.00	153.00	2.00	3.550	0.184	11.6
			143.00	157.00	14.00	0.747	0.108	3.4
165.00	178.87	13.87	0.294	0.083	2.8			



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm	
19-1180 cont.			211.35	221.00	9.65	0.802	0.046	8.6	
			<i>Including</i>	214.50	217.75	3.25	1.482	0.019	15.8
				277.00	279.93	2.93	0.124	0.115	0.5
				285.00	306.00	21.00	0.182	0.137	0.6
				312.00	410.00	98.00	0.268	0.251	1.8
			<i>Including</i>	343.00	344.00	1.00	1.145	0.574	1.9
			<i>and</i>	387.00	388.00	1.00	1.489	0.173	6.3
	415.60	426.00	10.40	0.189	0.157	3.8			
19-1181	MBX Zone	Section 6109300 N. Resource infill.	6.17	81.00	74.83	0.343	0.210	0.8	
			<i>Including</i>	79.00	81.00	2.00	1.244	0.194	8.8
				86.00	182.00	96.00	0.507	0.215	6.1
			<i>Including</i>	114.00	115.00	1.00	2.619	0.545	6.1
			<i>and</i>	120.00	132.00	12.00	1.161	0.322	31.2
			<i>and</i>	142.00	144.00	2.00	1.166	0.360	20.3
				194.00	229.00	35.00	0.268	0.198	3.3
				308.00	318.00	10.00	0.142	0.110	2.1
				334.00	364.52	30.52	0.130	0.117	0.7
	370.00	416.51	46.51	0.224	0.198	0.7			
19-1182	Heidi Zone	Section 6109150 N. Test aeromag high and for Cu mineralization related to Heidi stock.	210.00	216.00	6.00	0.023	0.101	2.4	
19-1183	Saddle Zone	6109000 N. Test location of Harris Fault and for mineralization west of the fault.	3.05	31.68	28.63	0.119	0.095	0.2	
				37.68	47.19	9.51	0.101	0.055	0.3
				161.69	165.69	4.00	0.298	0.047	0.2
				189.00	202.83	13.83	0.133	0.107	0.4
			<i>Including</i>	210.00	265.03	55.03	0.233	0.165	0.6
				231.83	232.83	1.00	1.032	0.457	1.4
				273.03	286.55	13.52	0.157	0.109	0.3
	294.55	298.83	4.28	0.100	0.082	0.3			
19-1184	Heidi Zone	Section 6109450 N. Test aeromag high and for Cu mineralization related to Heidi stock.	<i>No significant results.</i>						
19-1185	King Richard Zone (Saddle West)	Section 6109850 N. Test for shallow vein system and down-dip extension of Saddle zone mineralization.	7.32	19.65	12.33	0.160	0.103	1.6	
			<i>Including</i>	19.00	19.65	0.65	1.275	0.820	17.3
				30.00	34.00	4.00	0.139	0.051	2.7
				56.00	60.00	4.00	1.097	0.094	6.1
			<i>Including</i>	56.00	58.00	2.00	1.863	0.132	9.9
				97.08	112.00	14.92	2.135	0.263	22.0
			<i>Including</i>	99.00	106.07	7.07	4.293	0.449	42.9
				116.70	130.00	13.30	0.125	0.073	0.8
				136.00	146.00	10.00	0.131	0.062	1.1
				177.14	201.52	24.38	0.119	0.057	0.7
	283.00	293.80	10.80	0.187	0.226	1.0			



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
19-1185 cont.			363.80	383.78	19.98	0.198	0.214	1.7
			398.87	429.00	30.13	0.156	0.144	0.6
			449.00	452.70	3.70	0.113	0.081	0.5
			507.00	520.23	13.23	0.093	0.056	0.3
			542.00	545.00	3.00	0.236	0.129	1.3
			654.25	657.00	2.75	0.567	0.045	0.7
19-1186	MBX Zone	Section 6109400 N. Resource infill.	6.10	17.00	10.90	0.169	0.138	0.5
			21.04	98.00	76.96	0.433	0.198	4.4
			<i>Including</i> 32.61	<i>42.00</i>	<i>9.39</i>	<i>1.934</i>	<i>0.212</i>	<i>19.1</i>
			102.25	109.85	7.60	0.149	0.111	0.8
			132.00	136.00	4.00	0.123	0.062	1.5
			142.00	151.00	9.00	0.156	0.059	1.6
			160.00	164.00	4.00	0.283	0.083	1.0
			200.60	255.00	54.40	0.212	0.174	0.8
			273.00	286.00	13.00	0.145	0.132	1.6
			337.00	341.00	4.00	0.382	0.045	1.5
			347.00	350.00	3.00	0.118	0.066	1.1
			373.30	419.71	46.41	0.353	0.179	0.8
<i>Including</i> 415.00	<i>417.00</i>	<i>2.00</i>	<i>1.134</i>	<i>0.484</i>	<i>1.6</i>			
19-1187	South Boundary Zone	Section 6107500 N Test for southern extension of mineralization along axial trend of the porphyry stocks.	267.56	281.00	13.44	0.308	0.039	1.3
			<i>Including</i> 279.35	281.00	1.65	1.871	0.202	4.7
			348.00	356.00	8.00	0.340	0.011	1.4
			376.00	379.00	3.00	0.141	0.094	0.5
19-1188	South Boundary (Satellite Pit) Zone	Section 6108050 N Test for mineralization between 91-863 and 89- 358 and downdip extension of Southern Star porphyry.	6.60	34.30	27.70	0.113	0.175	2.1
			64.50	101.00	36.50	0.311	0.073	1.8
			<i>Including</i> 64.50	<i>70.00</i>	<i>5.50</i>	<i>1.135</i>	<i>0.055</i>	<i>2.5</i>
			121.00	184.06	63.06	0.233	0.159	3.2
			<i>Including</i> 168.00	<i>170.00</i>	<i>2.00</i>	<i>1.031</i>	<i>0.202</i>	<i>15.0</i>
			190.00	194.00	4.00	0.179	0.154	7.2
			207.00	211.00	4.00	0.113	0.081	4.2
			218.43	223.00	4.57	0.184	0.365	9.4
			239.00	245.00	6.00	0.191	0.202	1.4
			251.00	290.00	39.00	0.196	0.172	1.0
			305.00	314.00	9.00	0.101	0.057	0.4
			330.00	367.00	37.00	0.157	0.096	1.4
			398.00	408.00	10.00	0.209	0.109	0.4
			416.00	418.00	2.00	1.268	0.580	14.4
			422.03	427.51	5.48	0.201	0.123	1.1
			462.00	511.05	49.05	0.316	0.185	1.0
<i>Including</i> 471.95	<i>477.00</i>	<i>5.05</i>	<i>1.112</i>	<i>0.330</i>	<i>1.3</i>			
19-1189	South Boundary Zone	Section 6107770 N. Test the southern extension NNE-SSW porphyry trend from Southern Star.	23.00	27.25	4.25	0.251	0.008	0.3
			33.00	45.00	12.00	0.146	0.008	0.2
			63.00	82.00	19.00	0.251	0.017	0.3
			<i>Including</i> 63.00	<i>65.00</i>	<i>2.00</i>	<i>1.487</i>	<i>0.041</i>	<i>0.8</i>
			87.55	106.00	18.45	0.100	0.017	0.4
245.00	253.71	8.71	0.177	0.121	0.3			



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
19-1189 cont.			261.00	272.50	11.50	0.247	0.080	2.5
			299.90	306.00	6.10	0.233	0.128	1.1
			392.10	400.86	8.76	0.153	0.211	0.5
19-1190	Southern Star Zone	Section 6108550 N Resource infill	12.19	107.88	95.69	0.266	0.176	1.1
			128.00	141.23	13.23	0.255	0.260	1.1
			192.00	201.50	9.50	0.493	0.300	1.1
			206.00	210.00	4.00	0.423	0.352	0.7
			233.00	251.16	18.16	0.097	0.120	0.5
			259.00	268.00	9.00	0.104	0.123	0.6
			279.00	299.00	20.00	0.108	0.158	0.6
329.00	335.00	6.00	0.096	0.133	0.7			
19-1191	South Boundary (Satellite Pit) Zone	Section 6108000 N Test geophysical anomaly and for eastern extension of mineralization between 91-863 and 89-358.	59.00	65.00	6.00	0.109	0.166	3.7
			74.60	79.00	4.40	0.265	0.081	1.8
			128.00	156.00	28.00	0.346	0.041	1.2
			<i>Including</i> 129.70	<i>136.00</i>	<i>6.30</i>	<i>0.819</i>	<i>0.037</i>	<i>1.2</i>
			<i>Including</i> 206.00	<i>224.00</i>	<i>18.00</i>	<i>0.406</i>	<i>0.106</i>	<i>2.0</i>
			<i>Including</i> 212.00	<i>214.00</i>	<i>2.00</i>	<i>1.846</i>	<i>0.039</i>	<i>1.2</i>
239.00	249.94	10.94	0.314	0.021	0.3			
19-1192	South Boundary (Satellite Pit) Zone	Section 6107900 N. Test for eastern extension of historical Au mineralization along a geophysical anomaly.	151.15	174.00	22.85	0.136	0.020	0.3
			188.00	194.00	6.00	0.162	0.012	0.2
			280.00	284.00	4.00	0.127	0.023	0.3
19-1193	Southern Star Zone	Section 6108650 N. Resource infill.	21.34	40.00	18.66	0.171	0.132	0.9
			45.70	137.03	91.33	0.192	0.220	0.9
			159.00	165.00	6.00	0.148	0.048	0.4
			173.67	218.00	44.33	0.165	0.247	0.8
			227.00	233.00	6.00	0.147	0.189	0.8
			243.00	249.00	6.00	0.145	0.158	0.7
275.00	279.00	4.00	0.255	0.259	1.2			
19-1194	South Boundary Zone	Section 6107950 N. Test for southern extension of Au mineralization east of 91- 865 and a shallow geophysical target.	26.00	53.00	27.00	0.615	0.030	1.0
			<i>Including</i> 29.00	<i>30.51</i>	<i>1.51</i>	<i>1.051</i>	<i>0.050</i>	<i>1.8</i>
			<i>Including</i> 43.00	<i>45.00</i>	<i>2.00</i>	<i>4.887</i>	<i>0.068</i>	<i>4.7</i>
			90.69	94.00	3.31	0.421	0.053	2.4
			<i>Including</i> 93.30	<i>94.00</i>	<i>0.70</i>	<i>1.337</i>	<i>0.161</i>	<i>9.3</i>
			103.00	115.00	12.00	0.132	0.010	0.2
			186.00	195.61	9.61	0.250	0.013	0.2
			203.00	209.93	6.93	0.105	0.009	0.1
			219.00	226.00	7.00	0.110	0.014	0.2
			247.00	258.00	11.00	0.248	0.010	0.2
			263.00	268.00	5.00	0.396	0.029	0.7
			354.01	357.56	3.55	0.126	0.121	1.8
19-1195	Oliver Zone	Section 6109833 N. Test a near surface chargeability high that continues at depth north to IP line 10200 N.	33.53	45.00	11.47	0.141	0.034	0.5
			146.00	161.00	15.00	0.125	0.050	1.0
			184.20	198.00	13.80	0.151	0.087	3.6
			283.50	309.00	25.50	0.167	0.018	0.8
			317.00	323.00	6.00	0.366	0.021	1.0



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm	
19-1196	South Boundary (Satellite Pit) Zone	Section 6107900 N. Test geophysical anomaly and eastern extension of Au mineralization.	83.00	91.00	8.00	0.123	0.002	0.1	
			104.00	108.00	4.00	0.925	0.031	1.0	
			<i>Including</i>	106.00	108.00	2.00	1.467	0.033	1.3
			138.00	149.00	11.00	0.389	0.027	1.6	
			<i>Including</i>	142.00	143.00	1.00	1.970	0.027	3.1
			192.00	196.00	4.00	0.396	0.014	0.2	
			<i>Including</i>	192.00	192.86	0.86	1.464	0.017	0.3
			214.00	220.00	6.00	0.349	0.025	0.2	
			262.80	266.00	3.20	0.643	0.227	10.4	
			290.00	301.00	11.00	0.178	0.038	1.7	
			310.56	318.00	7.44	0.335	0.015	1.3	
<i>Including</i>	310.56	312.00	1.44	1.082	0.024	1.6			
			326.00	329.25	3.25	0.178	0.076	3.8	
			333.30	337.07	3.77	0.842	0.149	12.7	
19-1197	South Boundary (Satellite Pit) Zone	Section 6108000 N. Infill and test moderately east dipping geophysical anomaly from ~100-200m.	21.08	27.00	5.92	0.135	0.042	1.3	
			44.00	50.00	6.00	0.108	0.034	1.0	
			107.59	111.00	3.41	0.133	0.034	0.7	
			125.00	130.00	5.00	0.193	0.051	0.8	
			185.00	197.35	12.35	0.300	0.073	0.7	
			<i>Including</i>	189.00	189.93	0.93	1.191	0.217	1.9
			249.00	258.00	9.00	0.217	0.046	0.8	
			263.00	268.00	5.00	0.238	0.014	0.1	
			298.00	303.40	5.40	0.215	0.019	0.1	
			339.00	342.00	3.00	0.840	0.051	0.7	
			<i>Including</i>	340.03	342.00	1.97	1.215	0.047	0.8
			374.00	382.00	8.00	0.183	0.074	0.8	
			390.00	397.00	7.00	0.117	0.116	1.3	
19-1198	Goldmark-Oliver Zone	Section 6109700 N. Drill testing near historical results that ran 58m at 1.03g/t Au and ended in mineralization.	33.00	45.60	12.60	0.112	0.131	1.1	
			62.00	70.00	8.00	0.136	0.081	2.9	
			76.00	94.30	18.30	0.127	0.058	1.0	
			101.00	158.00	57.00	0.396	0.383	10.7	
			<i>Including</i>	131.00	135.00	4.00	1.292	1.129	49.0
			<i>and</i>	156.00	158.00	2.00	1.595	0.315	11.9
			164.25	189.00	24.75	0.314	0.179	1.4	
			<i>Including</i>	178.00	180.00	2.00	2.055	0.206	1.9
			297.00	303.00	6.00	3.306	0.056	16.5	
			473.00	479.00	6.00	0.750	0.068	1.7	
			<i>Including</i>	477.00	477.86	0.86	3.985	0.116	4.6
			485.00	490.00	5.00	0.268	0.040	0.3	
19-1199	Oliver Zone	Section 6109900 N. Test a shallow and deep chargeability high anomaly.	50.00	79.00	29.00	0.157	0.069	0.7	
			87.00	90.58	3.58	0.222	0.040	0.7	
			105.25	113.23	7.98	2.093	0.041	19.7	
			<i>Including</i>	105.25	109.25	4.00	3.613	0.042	29.5
			117.83	141.70	23.87	0.141	0.065	0.2	
			147.00	207.24	60.24	0.328	0.086	0.4	
			<i>Including</i>	165.00	167.00	2.00	2.017	0.284	0.7
			<i>and</i>	178.30	179.30	1.00	2.033	0.468	1.0
			264.00	268.00	4.00	0.517	0.024	0.5	



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm	
19-1199 cont.			280.41	285.60	5.19	0.147	0.097	0.8	
			339.00	347.00	8.00	0.127	0.042	0.8	
19-1200	South Boundary Zone	Section 6108000 N. Test a moderately east dipping coincident geophysical anomaly at ~100-200m. Drilled from the same pad as 19- 1197.	24.00	28.00	4.00	0.536	0.076	3.1	
			57.00	58.60	1.60	1.024	0.066	2.5	
			266.00	273.57	7.57	0.161	0.004	0.1	
			289.00	292.00	3.00	0.191	0.007	0.1	
			305.12	341.00	35.88	0.279	0.025	0.2	
			354.00	403.30	49.30	1.214	0.053	1.2	
			<i>Including</i> <i>and</i> <i>and</i>	375.32 388.00 399.00	377.00 389.10 403.30	1.68 1.10 4.30	5.883 1.100 8.796	0.166 0.021 0.306	4.0 0.4 7.4
			<i>Including</i> <i>and</i>	409.00 411.00	428.00 415.00	19.00 4.00	0.572 1.186	0.050 0.048	1.2 1.5
			<i>and</i>	422.00	424.00	2.00	1.541	0.144	3.4
				438.00	451.00	13.00	0.245	0.025	0.6
19-1201	Goldmark-Oliver Zone	Section 6109650 N Test shallow geophysical anomaly and gold mineralization proximal to Oliver fault.	337.00	340.35	3.35	0.946	0.067	9.3	
			345.00	346.56	1.56	1.726	0.044	10.0	
			380.00	385.40	5.40	0.277	0.093	1.4	
			389.92	393.50	3.58	0.158	0.238	7.5	
19-1202	Goldmark-Oliver Zone	Section 6109650 N Verify historical gold values and test the extent of Oliver fault mineralization trend.	17.00	28.00	11.00	0.167	0.022	0.4	
			60.00	63.95	3.95	0.122	0.011	0.2	
			85.00	91.00	6.00	0.111	0.027	0.4	
			99.00	101.40	2.40	0.132	0.026	0.5	
			220.00	221.00	1.00	1.071	0.023	0.5	
			251.00	257.00	6.00	1.076	0.051	3.1	
			<i>Including</i>	253.00	255.00	2.00	2.136	0.079	5.1
				329.00	350.00	21.00	0.246	0.243	2.4
				356.00	365.00	9.00	0.126	0.162	2.2
	377.00	389.00	12.00	0.095	0.168	2.9			
19-1203	Goldmark-Oliver Zone	Section 6109550 N Test for extension of Goldmark-Oliver mineralization trend and deep geophysical target.	40.00	46.00	6.00	0.229	0.017	0.4	
			51.20	59.00	7.80	0.138	0.009	0.2	
			98.00	104.00	6.00	0.139	0.022	0.3	
			110.94	120.00	9.06	0.147	0.013	0.2	
			145.00	153.00	8.00	0.147	0.014	0.3	
			163.00	169.00	6.00	0.155	0.028	0.5	
			195.38	205.00	9.62	0.292	0.025	1.3	
			<i>Including</i>	195.38	197.00	1.62	1.272	0.023	4.1
				241.00	261.00	20.00	0.124	0.134	2.2
				274.00	303.00	29.00	0.172	0.198	3.2
				335.00	403.00	68.00	0.208	0.179	2.0
				408.00	410.25	2.25	0.109	0.106	1.0
				438.66	444.00	5.34	0.122	0.166	3.9
	451.00	459.00	8.00	0.174	0.203	3.6			
	501.00	508.88	7.88	0.122	0.113	1.8			
19-1204	South Boundary (Satellite Pit) Zone	Section 6107950 N. Test for gold mineralization along the South Boundary gold trend.	45.95	49.28	3.33	0.121	0.118	4.6	
			82.00	88.06	6.06	0.270	0.017	0.7	
			103.00	106.00	3.00	0.254	0.025	2.3	
			117.32	119.00	1.68	1.016	0.129	7.0	



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1, 2019 to September 30, 2019

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au ppm	Cu %	Ag ppm
19-1204 cont.			138.20	139.50	1.30	2.714	0.066	7.4
			145.30	155.00	9.70	0.174	0.043	1.6
			164.57	175.00	10.43	0.176	0.017	0.3
			193.00	214.00	21.00	0.124	0.030	0.5
19-1205	Southern Star Zone	Section 6108288 N. Resource infill and to test for mineralization below the ultimate pit.	62.00	73.95	11.95	0.109	0.070	2.1
			87.00	138.00	51.00	0.152	0.128	1.1
			184.00	193.10	9.10	0.176	0.121	0.8
			198.00	206.00	8.00	0.118	0.120	0.8
			225.00	237.41	12.41	0.147	0.131	3.5
			257.00	282.00	25.00	0.140	0.146	1.8
			290.00	323.00	33.00	0.113	0.158	0.7
			339.00	355.00	16.00	0.126	0.155	1.0
			388.70	408.00	19.30	0.118	0.158	0.7
			421.00	484.00	63.00	0.183	0.246	1.0
489.25	506.00	16.75	0.103	0.170	0.8			


Notes: * Indicates drillhole completed in the second quarter of 2019, assay results returned in the third quarter.

Assays are reported true values without top cutting

Reported intervals are longer than 2.0 m, grade greater than 0.1 g/t Au or 0.1% Cu and include maximum internal waste of 4.0 m where it exists.


Intervals less than 2.0 m but with grade above 1.0 g/t Au are also reported.

This information should be read together with our news release of October 30, 2019. C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of October 30th, 2019.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of October 30th, 2019.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of October 30th, 2019.


C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




**Figure 6 — South Boundary
2019 Q3 Mount Milligan
Section N6107900 (+/- 50m)
Looking North**

This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of October 30, 2019.


C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of October 30, 2019. C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.





This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of October 30, 2019.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.





Legend

Drilling

- Pre-2019Q2 Drill Holes
- 2019 Significant Intercepts
- > 1.0 g/t Au Intercepts

Geology

- Overburden
- Monzonite
- Trachyte
- Andesite-latite volcanics
- Fault

Mt. Milligan Mine

- Ultimate Pit Boundary


centerragold

MOUNTMILLIGAN


**Figure 13 — Saddle Zone
2019 Q3 Mount Milligan
Section N6108800 (+/- 50m)
Looking North**

100m


This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



Interval (m)	Au (g/t)	Cu (%)	Ag (g/t)
74.83m	0.343	0.210	0.8
Including 2.00m	1.244	0.194	8.8
35.00m	0.268	0.198	3.3
30.52m	0.130	0.117	0.7
46.51m	0.224	0.198	0.7
Including 2.00m	1.166	0.360	20.3
Including 12.00m	1.161	0.322	
Including 1.00m	2.619	0.545	6.1
96.00m	0.507	0.215	6.1

Legend

Drilling

- Pre-2019Q2 Drill Holes
- █ 2019 Significant Intercepts
- █ > 1.0 g/t Au Intercepts

Geology

- █ Overburden
- █ Monzonite
- █ Trachyte
- █ Andesite-latite volcanics
- █ Fault

Mt. Milligan Mine


- Ultimate Pit Boundary



**Figure 16 — MBX Zone
2019 Q3 Mount Milligan
Section N6109300 (+/- 25m)
Looking North**

100m

This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



Legend

Drilling

- Pre-2019Q2 Drill Holes
- 2019 Significant Intercepts
- > 1.0 g/t Au Intercepts

Geology

- Overburden
- Monzonite
- Trachyte
- Andesite-latite volcanics
- Fault

Mt. Milligan Mine


- Ultimate Pit Boundary

centerragold MOUNTMILLIGAN


**Figure 17 — MBX Zone
2019 Q3 Mount Milligan
Section N6109400 (+/- 25m)
Looking North**

100m

This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of October 30, 2019.


C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of October 30, 2019. C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of October 30, 2019.

C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



**Figure 25 — Goldmark
2019 Q3 Mount Milligan
Section N6109700 (+/- 50m)
Looking North**

This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



Legend

Drilling

- Pre-2019Q2 Drill Holes
- █ 2019 Significant Intercepts
- █ > 1.0 g/t Au Intercepts

Geology

- Overburden
- Monzonite
- Trachyte
- Andesite-latite volcanics
- Fault


Mt. Milligan Mine

- Ultimate Pit Boundary

centerragold MOUNTMILLIGAN

**Figure 26 — Oliver
2019 Q3 Mount Milligan
Section N6110000 (+/- 150m)
Looking North**

This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of October 30, 2019.
C. Paul Jago, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



Centerra Gold Inc. - Oksut Gold Project, Turkey
Diamond Drill Hole Locations
Period July 1st, 2019 to September 30th, 2019

Drill Hole	Target	Purpose	Location Easting *	Location Northing *	Elevation (m)	Length (m)	Collar Azimuth **	Collar Dip
ODD0335	Keltepe North	Exploration	719,053	4,240,695	1,746	369.70	77.00	-75
ODD0336	Buyuktepe	Exploration	718,821	4,240,860	1,691	269.00	78.33	-68.1
ODD0337	Boztepe West	Exploration	717,084	4,240,336	1,591	711.40	283.04	-71.66
ODD0338	Keltepe	Exploration	718,821	4,240,859	1,690	215.00	343.43	-59.9
ODD0339	Keltepe North	Exploration	718,896	4,240,705	1,727	207.00	257.00	-60
ODD0340	Keltepe North	Exploration	719,009	4,240,683	1,736	417.00	0.00	-90
ODD0341	Keltepe North	Exploration	718,896	4,240,705	1,727	170.50	77.00	-84
ODD0342	Keltepe North	Exploration	718,823	4,240,788	1,715	216.60	257.03	-61.09
ODD0343	Keltepe	Resource Infill	719,289	4,240,502	1,788	196.00	261.18	-81.5
ODD0344	Keltepe	Resource Infill	719,304	4,240,468	1,789	185.20	260.94	-82.47
ODD0345	Keltepe	Resource Infill	719,310	4,240,409	1,793	239.80	229.05	-75.96
ODD0346	Keltepe	Resource Infill	719,198	4,240,604	1,778	191.60	261.84	-80.03
ODD0347	Keltepe	Resource Infill	719,304	4,240,474	1,789	203.00	253.08	-60.13
ODD0348	Keltepe	Resource Infill	719,337	4,240,274	1,784	225.40	326.92	-86.08
ODD0349	Keltepe	Resource Infill	719,282	4,240,750	1,816	288.60	254.83	-60.89
ODD0350	Keltepe	Resource Infill	719,240	4,240,457	1,782	193.00	252.73	-62.05
ODD0351	Keltepe	Resource Infill	719,316	4,240,236	1,772	185.60	334.89	-85.73
ODD0352	Keltepe	Resource Infill	719,282	4,240,261	1,762	109.10	0.00	-90
ODD0353	Keltepe North	Exploration	719,002	4,240,773	1,723	384.70	77.73	-61.62
ODD0354	Keltepe North	Exploration	719,196	4,240,977	1,788	321.70	82.57	-57.27
ODD0355	Keltepe North	Exploration	718,878	4,240,852	1,690	293.70	86.32	-70.03
ODD0356	Keltepe	Resource Infill	719,378	4,240,101	1,761	169.70	77.00	-70
ODD0357	Keltepe North	Exploration	718,830	4,240,784	1,718	144.40	78.26	-70.72

Notes: Section line is location of the hole collar.

This information should be read together with our news release of October 30, 2019.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.
Table is current as of September 30th, 2019.

* Datum is UTM ED50 Zone 36

** Azimuths are relative to grid



Centerra Gold Inc. - Oksut Gold Project Drill Results

Period July 1st, 2019 to September 30th, 2019

Drill Hole	Target	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Cu (%)	Oxidation
ODD0335	Keltepe North	Exploration	87.9	95	7.1	0.21	0.41	Oxide
			114.5	145.3	30.8	0.31		Oxide
			157	163.2	6.2	0.24		Oxide
			178.6	195.6	17	0.3		Oxide
			278.8	299.6	20.8	0.42		Oxide
318.6	329.9	11.3	0.2	Sulphide				
ODD0336	Keltepe North	Exploration	23	114	91	0.72	0.18	Oxide
			includes 31.5	43.1	11.6	2.09		Oxide
			includes 91	100.5	9.5	1.06		Oxide
			154.2	194.7	40.5	0.25		Oxide
			219	252.5	33.5	0.21		Oxide/Sulphide
incudes 230	245	15	0.24	Oxide/Sulphide				
ODD0337	Keltepe North	Exploration	No significant intercept					
ODD0338	Keltepe North	Exploration	No significant intercept					
ODD0339	Keltepe North	Exploration	No significant intercept					
ODD0340	Keltepe North	Exploration	89.5	121.0	31.5	0.44	0.99	Oxide
			151.0	201.0	50.0	0.34		Oxide
			313.9	319.5	5.6			Sulphide
			351.0	361.2	10.2	0.24		Sulphide
ODD0341	Keltepe North	Exploration	117.8	124.4	6.6	0.22	Oxide	
			151.4	170.5	19.1	0.41	Oxide	
ODD0342	Keltepe North	Exploration	No significant intercept					
ODD0343	Keltepe	Resource Infill	6.2	44.0	37.8	0.59	Oxide	
			80.5	125.0	44.5	0.42	Oxide	
			135.0	144.8	9.8	0.30	Oxide	
			165.8	174.8	9.0	0.24	Oxide	
ODD0344	Keltepe	Resource Infill	20.5	34.0	13.5	0.21	Oxide	
ODD0345	Keltepe	Resource Infill	134.6	147.8	13.2	0.23	Oxide	
ODD0346	Keltepe	Resource Infill	101.0	152.3	51.3	0.46	Oxide	
			163.5	189.4	25.9	0.85	Oxide	
			includes 169.9	175.7	5.8	1.79	Oxide	
ODD0347	Keltepe	Resource Infill	0.0	12.0	12.0	0.39	Oxide	
			18.0	27.6	9.6	0.28	Oxide	
			179.5	187.0	7.5	0.25	Oxide	
ODD0348	Keltepe	Resource Infill	12.5	21.2	8.7	0.24	Oxide	
			27.2	44.0	16.8	0.75	Oxide	
			68.3	74.8	6.5	0.25	Oxide	
			86.2	96.0	9.8	0.20	Oxide	
ODD0349	Keltepe	Resource Infill	90.8	115.1	24.3	0.23	Oxide	
			127.8	159.0	31.2	0.21	Oxide	
			188.0	198.0	10.0	0.32	Oxide	
			204.0	228.0	24.0	0.30	Oxide	
			233.2	242.2	9.0	0.35	Oxide	
248.2	282.5	34.3	0.34	Oxide				
ODD0350	Keltepe	Resource Infill	35.0	40.0	5.0	0.34	Oxide	
			115.4	122.0	6.6	0.24	Oxide	
			179.0	190.0	11.0	0.28	Oxide	
ODD0351	Keltepe	Resource Infill	101.3	116.0	14.7	0.21	Oxide	
ODD0352	Keltepe	Resource Infill	9.0	20.0	11.0	0.66	Oxide	
			27.3	49.0	21.7	0.36	Oxide	
			99.2	108.2	9.0	0.20	Oxide	
ODD0353	Keltepe North	Exploration	150.7	158.0	7.3	0.34	Oxide	
			175.9	183.8	7.9	0.32	Oxide	
			259.4	275.7	16.3	0.21	Oxide	
			339.8	350.9	11.1		0.35 Sulphide	



Centerra Gold Inc. - Oksut Gold Project Drill Results

Period July 1st, 2019 to September 30th, 2019

Drill Hole	Target	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Cu (%)	Oxidation
ODD0354	Keltepe North	Exploration	No significant intercept					
ODD0355	Keltepe North	Exploration	35.8	46.7	10.9	0.56		<i>Oxide</i>
			79.7	89.5	9.8	0.23		<i>Oxide</i>
			118.8	128.8	10.0	0.21		<i>Oxide</i>
			188.0	201.0	13.0	0.24		<i>Oxide</i>
			212	229	17	0.2		<i>Oxide</i>
ODD0356	Keltepe	Exploration	No significant intercept					
ODD0357	Keltepe North	Exploration	No significant intercept					

Notes: Mineralized intervals are greater than 0.20 g/t Au, 0.1% Cu.

Higher grade sub-intervals are greater than 1.00 g/t Au, 1% Cu.

Maximum of 5m internal dilution is allowed.

True widths for mineralized zones are about 60% to 90% of stated down hole interval.


Oxidation assignment is a visual discrimination from core logging.

This information should be read together with our news release of October 30, 2019.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Tables are current as of September 30, 2019.


Öksüt Gold Project – Keltepe Drill Hole Plan Map



This information should be read together with our news release of October 30, 2019.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101


Öksüt Gold Project – Keltepe Section A-B



This information should be read together with our news release of October 30, 2019.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101


Öksüt Gold Project – Keltepe Section C-D



This information should be read together with our news release of October 30, 2019.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101


Öksüt Gold Project – Keltepe Section E-F



This information should be read together with our news release of October 30, 2019.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101


Öksüt Gold Project – Keltepe Section G-H



This information should be read together with our news release of October 30, 2019.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101


Öksüt Gold Project – Keltepe Section I-J



This information should be read together with our news release of October 30, 2019.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101


Öksüt Gold Project – Keltepe Section K-L



This information should be read together with our news release of October 30, 2019.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101


Öksüt Gold Project – Keltepe Section M-N



This information should be read together with our news release of October 30, 2019.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101

Öksüt Gold Project – Keltepe Section O-P



This information should be read together with our news release of October 30, 2019.

Mustafa Cihan, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101