



Centerra Gold Inc. - Mount Milligan Project Diamond Drill Hole Locations

Period: January 1st to March 31st, 2022

Hole ID	Location Easting*	Location Northing*	Elevation (m)	Length (m)	Collar Azimuth**	Collar Dip	Purpose
21-1347*	434364.90	6109349.82	964.09	168.00	53.00	-89.31	Inpit exploration
21-1357*	435076.20	6109639.65	1083.80	759.00	45.94	-72.23	Brownfield exploration
21-1358*	434477.34	6109640.02	965.60	729.00	254.73	-87.20	Inpit exploration
21-1359*	435221.08	6108706.42	1094.02	462.38	314.74	-89.50	Brownfield exploration
21-1360*	435036.43	6109511.45	1086.39	780.00	125.74	-83.43	Brownfield exploration
21-1361*	434635.27	6109315.21	913.58	645.00	175.05	-89.10	Near-pit exploration
21-1362*	434744.43	6108997.57	966.23	576.22	252.70	-88.30	Inpit exploration
21-1363*	434674.09	6109581.69	959.34	718.50	104.87	-88.98	Inpit exploration
21-1364*	435040.35	6109511.04	1085.76	852.00	284.97	-73.78	Brownfield exploration
22-1365	435404.76	6108989.73	1087.91	428.85	278.33	-69.34	Near-pit exploration
22-1366	435032.79	6109509.96	1084.00	18.81	110.30	-70.00	Brownfield exploration
22-1367	435038.63	6109509.94	1086.02	705.00	108.23	-69.45	Brownfield exploration
22-1368	435399.81	6109115.07	1061.20	501.40	269.23	-70.33	Near-pit exploration
22-1369	435027.83	6109585.70	1080.40	783.00	104.00	-76.56	Brownfield exploration
22-1370	435231.18	6109155.53	1064.95	574.40	263.60	-74.95	Near-pit exploration
22-1371	434983.01	6109657.96	1081.11	792.00	164.66	-88.63	Brownfield exploration
22-1372	433756.86	6109130.11	1136.79	739.75	229.80	-89.61	Near-pit exploration
22-1373	433858.68	6109066.80	1122.00	600.46	84.92	-81.24	Near-pit exploration
22-1374	434056.52	6109802.22	1135.14	735.28	97.05	-74.50	Near-pit exploration
22-1375	433587.76	6109675.27	1196.97	510.00	82.79	-80.59	Near-pit exploration
22-1376	433714.09	6109240.17	1140.19	759.26	90.38	-68.29	Near-pit exploration
22-1377	433985.07	6109697.21	1142.41	15.00	94.60	-74.00	Near-pit exploration
22-1378	433988.79	6109700.95	1146.79	906.00	94.35	-72.21	Near-pit exploration
22-1379	433642.21	6109631.16	1192.39	864.25	97.81	-74.74	Near-pit exploration
22-1380	433806.48	6109283.18	1147.43	721.46	90.85	-81.85	Near-pit exploration
22-1381	433924.07	6109788.95	1141.91	837.00	104.76	-73.37	Near-pit exploration
22-1382	433777.86	6109702.97	1165.71	829.00	104.09	-72.22	Near-pit exploration

Notes: * Indicates hole completed in previous quarter, assay results returned in current quarter.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of May 4, 2022.

*Projection: NAD83 UTM Zone 10N

**Azimuth: Relative to True North



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: January 1st to March 31st, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
21-1347*	MBX Section C	Testing mineralization below ultimate pit boundary. Abandoned due to technical issues at 168.00m.	13.00	32.00	19.00	0.265	0.104	1.5
			37.00	65.00	28.00	0.175	0.142	3.6
			101.00	112.00	11.00	0.475	0.156	6.9
			<i>including</i> 101.00	<i>103.00</i>	<i>2.00</i>	<i>1.369</i>	<i>0.567</i>	<i>2.4</i>
			134.00	136.97	2.97	0.257	0.090	1.1
150.00	156.00	6.00	0.108	0.143	1.9			
21-1357*	Great Eastern (GE) stock Section A	Targeting NE extension of GE stock HW and FW zones following up 21-1314.	183.00	199.00	16.00	0.125	0.013	1.2
			301.80	304.35	2.55	0.092	0.214	1.0
			312.70	393.40	80.70	0.131	0.157	0.7
			458.00	464.00	6.00	0.055	0.140	0.2
			470.00	480.00	10.00	0.131	0.167	0.5
			510.00	514.00	4.00	0.074	0.111	0.3
530.00	552.00	22.00	0.054	0.108	0.6			
618.00	626.00	8.00	0.294	0.119	0.6			
21-1358*	MBX Section A	Testing northern extent of shallow MBX FW mineralization, upthrown GE stock at ~320 m, and deep bornite-bearing stock at ~650 m	325.00	339.00	14.00	0.160	0.018	0.9
			380.00	385.00	5.00	0.145	0.021	1.0
			394.00	416.21	22.21	0.265	0.109	1.0
			<i>including</i> 396.00	<i>398.00</i>	<i>2.00</i>	<i>1.042</i>	<i>0.009</i>	<i>0.4</i>
			422.00	433.73	11.73	0.292	0.197	6.6
			437.79	465.00	27.21	0.518	0.456	3.9
			<i>including</i> 445.75	<i>451.78</i>	<i>6.03</i>	<i>1.134</i>	<i>1.003</i>	<i>8.7</i>
			470.00	473.50	3.50	0.128	0.061	1.2
			482.09	484.30	2.21	0.145	0.050	0.2
			493.34	505.91	12.57	0.147	0.102	0.9
551.00	579.70	28.70	0.185	0.167	1.1			
610.90	619.44	8.54	0.383	0.415	1.4			
641.00	663.00	22.00	0.136	0.195	0.5			
677.48	683.72	6.24	0.126	0.173	1.2			
21-1359*	Great Eastern Fault (GEF) shallow Section F	Testing southern extent of GEF shallow mineralization projected from ~65-130 m.	107.00	115.00	8.00	0.176	0.075	2.3
			127.10	178.07	50.97	0.229	0.115	1.1
			329.00	332.50	3.50	0.190	0.017	1.2
21-1360*	GE stock Section B	Targeting SE extension of GE stock HW and FW zones following up 21-1314.	74.00	96.00	22.00	0.264	0.221	1.5
			116.30	120.00	3.70	0.132	0.004	0.2
			130.00	141.67	11.67	0.157	0.013	0.3
			146.00	175.00	29.00	0.102	0.026	0.5
			180.00	212.00	32.00	0.129	0.110	0.8
			256.00	276.71	20.71	0.127	0.158	1.5
			290.00	310.00	20.00	0.123	0.135	0.8
			317.00	345.00	28.00	0.053	0.113	0.6
			403.22	420.00	16.78	0.081	0.167	0.4
			415.69	418.93	3.24	0.163	0.292	0.7
			474.00	484.30	10.30	0.781	0.354	1.6
			<i>including</i> 474.00	<i>476.00</i>	<i>2.00</i>	<i>1.543</i>	<i>0.735</i>	<i>3.9</i>
			484.36	491.74	7.38	1.184	0.619	2.7
<i>including</i> 484.36	<i>488.00</i>	<i>3.64</i>	<i>1.601</i>	<i>0.782</i>	<i>2.3</i>			
520.00	538.00	18.00	0.109	0.081	0.6			



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: January 1st to March 31st, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
21-1360* continued			572.00	602.00	30.00	0.184	0.129	1.3
			660.00	666.00	6.00	0.032	0.120	0.8
21-1361*	MBX Section C	Testing for significant mineralization below ultimate pit boundary.	5.00	45.90	40.90	0.468	0.359	0.6
			<i>including</i> 29.00	33.00	4.00	1.413	0.670	1.3
			55.00	112.46	57.46	0.575	0.114	1.5
			<i>including</i> 58.84	62.85	4.01	1.616	0.453	12.6
			<i>and</i> 99.00	101.00	2.00	6.882	0.033	0.6
			118.00	154.60	36.60	0.246	0.146	1.1
			160.60	163.77	3.17	0.163	0.014	0.2
			303.12	312.18	9.06	0.116	0.212	1.0
			320.00	334.80	14.80	0.124	0.131	1.0
			343.00	355.00	12.00	0.112	0.012	0.2
			411.50	421.00	9.50	0.105	0.189	0.8
426.30	430.00	3.70	0.220	0.361	1.8			
436.00	442.00	6.00	0.142	0.098	0.8			
21-1362*	MBX / 66 Section E	Testing mineralization footwall to the Rainbow fault, below the ultimate pit boundary.	3.05	21.00	17.95	0.147	0.014	0.1
			41.00	44.80	3.80	0.118	0.014	0.2
			60.00	62.67	2.67	0.106	0.054	1.4
			81.38	106.37	24.99	0.445	0.049	0.8
			<i>including</i> 99.00	100.74	1.74	3.782	0.213	2.7
			111.00	115.62	4.62	0.307	0.158	1.8
			216.00	222.00	6.00	0.128	0.019	0.6
			232.22	245.00	12.78	0.510	0.025	0.9
			<i>including</i> 232.22	233.26	1.04	3.582	0.006	1.7
			312.04	316.00	3.96	0.362	0.008	3.8
			380.00	382.38	2.38	0.321	0.010	0.7
388.00	391.11	3.11	0.198	0.015	0.7			
21-1363*	MBX Section B	Targeting MBX FW from 0-180 m, potential upthrown GE stock at ~270 m, and up-dip extension of bornite-bearing intrusion at ~550 m.	30.77	53.00	22.23	0.214	0.213	0.4
			70.00	154.52	84.52	0.257	0.225	0.7
			179.00	189.00	10.00	0.572	0.492	2.7
			<i>including</i> 183.00	185.00	2.00	1.035	1.120	4.9
			196.40	220.00	23.60	0.124	0.033	0.3
			346.00	356.00	10.00	0.133	0.019	0.2
			381.00	394.00	13.00	0.130	0.038	0.4
			425.00	431.00	6.00	0.101	0.056	0.5
			439.24	453.00	13.76	0.109	0.064	0.9
			461.00	498.00	37.00	0.260	0.094	1.8
			<i>including</i> 483.00	485.00	2.00	1.307	0.057	1.6
			510.24	514.18	3.94	0.122	0.131	1.7
			532.00	554.00	22.00	0.181	0.189	2.9
			586.00	605.00	19.00	0.121	0.078	0.4
615.00	627.00	12.00	0.149	0.059	0.5			
638.80	651.00	12.20	0.163	0.036	0.3			
711.00	715.00	4.00	0.559	0.018	0.8			



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: January 1st to March 31st, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
21-1364*	GE stock Section B	Targeting SW / downdip extension of GE stock HW and FW zones following up 21-1314 and 21-1360.	56.70	64.00	7.30	0.198	0.021	0.3
			69.00	77.00	8.00	0.193	0.144	0.9
			94.00	124.00	30.00	0.174	0.020	0.3
			129.00	137.00	8.00	0.103	0.013	0.2
			143.78	149.00	5.22	0.205	0.003	0.6
			187.81	203.00	15.19	0.180	0.010	0.3
			286.00	297.00	11.00	0.202	0.110	0.9
			311.00	320.00	9.00	0.113	0.076	0.6
			334.69	338.00	3.31	0.105	0.038	0.5
			348.10	360.00	11.90	0.103	0.058	0.5
			376.00	380.00	4.00	0.146	0.165	0.7
			415.00	424.20	9.20	0.101	0.096	0.5
			431.00	449.40	18.40	0.128	0.074	0.5
			481.00	485.00	4.00	0.119	0.090	0.3
			491.00	496.26	5.26	0.168	0.091	0.8
			501.70	559.00	57.30	0.074	0.124	0.4
			568.00	579.54	11.54	0.070	0.141	0.2
			597.80	713.00	115.20	0.131	0.196	1.3
722.05	724.60	2.55	0.956	0.037	73.5			
723.90	724.60	0.70	2.946	0.050	242.0			
771.70	784.00	12.30	0.208	0.012	0.5			
796.00	802.00	6.00	0.159	0.002	0.4			
824.00	828.00	4.00	0.355	0.014	0.6			
835.00	852.00	17.00	0.151	0.023	3.6			
22-1365	GEF shallow Section E	Testing eastern / down-dip extension of GEF shallow mineralization.	251.40	261.40	10.00	0.183	0.045	1.9
			283.00	285.06	2.06	0.243	0.016	1.3
			380.09	398.00	17.91	0.037	0.117	2.6
22-1366	GE stock	Targeting SW extension of GE stock HW and FW from 21-1314 and the up-dip (eastern) extension from 21-1360.	<i>Abandoned at 18.81 m due to technical issues, not sampled.</i>					
22-1367	GE stock Section B	Targeting SW extension of GE stock HW and FW from 21-1314 and the up-dip (eastern) extension from 21-1360. Redrilling abandoned hole 22-1366.	60.00	98.00	38.00	0.207	0.027	0.8
			117.00	121.00	4.00	0.143	0.095	1.0
			157.00	165.00	8.00	0.087	0.217	1.8
			190.76	196.00	5.24	0.300	0.034	0.6
			252.00	275.39	23.39	0.091	0.116	1.1
			281.00	293.00	12.00	0.082	0.100	0.8
			306.00	449.00	143.00	0.463	0.261	1.2
			<i>including</i> 390.00	<i>408.00</i>	<i>18.00</i>	<i>1.352</i>	<i>0.416</i>	<i>1.5</i>
			<i>including</i> 459.33	<i>540.00</i>	<i>80.67</i>	<i>0.269</i>	<i>0.116</i>	<i>1.0</i>
			<i>including</i> 484.14	<i>486.00</i>	<i>1.86</i>	<i>1.509</i>	<i>0.094</i>	<i>1.3</i>
			564.00	665.00	101.00	0.395	0.255	0.9
			<i>including</i> 604.00	<i>606.00</i>	<i>2.00</i>	<i>1.046</i>	<i>0.838</i>	<i>1.6</i>
<i>and</i> 645.00	<i>653.00</i>	<i>8.00</i>	<i>2.113</i>	<i>0.280</i>	<i>1.5</i>			



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: January 1st to March 31st, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1368	GEF shallow Section D	Targeting eastern / down-dip extension of GEF shallow mineralization projected from ~140-270 m.	256.00	286.00	30.00	0.171	0.019	1.2
			305.00	315.00	10.00	0.032	0.144	0.9
			348.00	368.03	20.03	0.060	0.169	1.4
			407.50	413.14	5.64	0.182	0.212	0.5
			423.00	426.20	3.20	0.070	0.185	0.7
22-1369	GE stock Section B	Targeting the southeast / up-dip extension of GE stock HW and FW mineralization between drill holes 21-1314 and 21-1360.	57.00	61.00	4.00	0.196	0.043	0.5
			75.00	84.00	9.00	0.142	0.033	1.1
			123.00	128.00	5.00	0.288	0.013	2.2
			140.00	143.44	3.44	0.515	0.032	1.9
			174.00	176.80	2.80	0.112	0.249	3.5
			188.45	193.00	4.55	0.280	0.083	1.0
			202.00	217.00	15.00	0.117	0.018	0.4
			272.00	292.00	20.00	0.484	0.071	3.2
			<i>including</i> 276.00	278.00	2.00	3.108	0.032	1.4
			302.00	308.00	6.00	1.114	0.377	21.2
			<i>including</i> 305.26	306.06	0.80	6.094	0.322	78.5
			318.00	325.35	7.35	0.108	0.156	0.9
			339.00	371.72	32.72	0.121	0.155	0.7
			401.00	428.00	27.00	0.224	0.247	0.5
			434.00	454.70	20.70	0.198	0.105	0.8
			464.00	473.00	9.00	0.139	0.082	1.3
			481.00	503.00	22.00	0.170	0.066	1.0
			515.00	567.00	52.00	0.297	0.247	2.3
591.00	597.00	6.00	0.103	0.069	0.6			
611.00	615.00	4.00	0.109	0.052	0.6			
627.15	667.00	39.85	0.477	0.363	1.7			
<i>including</i> 650.00	652.00	2.00	1.534	0.368	2.7			
<i>and</i> 656.00	658.00	2.00	1.208	0.748	4.4			
22-1370	GEF shallow Section D	Targeting eastern / down-dip extension of GEF shallow mineralization projected from ~105-135 m, mineralization below the dilutive megacrystic monzonite stock from ~230-250 m as in 21-1318, and the southern extension of trachyte-hosted mineralization at ~525 m as in 20-1250.	113.54	117.96	4.42	0.11	0.01	1.10
			122.16	139.00	16.84	0.14	0.05	1.55
			144.00	150.00	6.00	0.30	0.38	2.13
			156.00	162.11	6.11	0.43	0.05	0.87
			251.00	255.00	4.00	0.17	0.02	0.75
			272.00	285.50	13.50	0.11	0.26	1.91
			352.97	403.50	50.53	0.28	0.30	1.60
			<i>including</i> 355.00	357.00	2.00	1.35	0.78	1.30
416.12	430.00	13.88	0.17	0.18	0.70			
441.31	451.00	9.69	0.17	0.12	0.44			
484.00	560.50	76.50	0.20	0.15	0.52			
22-1371	GE stock	Targeting the down-dip / northern extension of GE stock HW and FW mineralization ~40 m north from 20-1274 and 21-1310.	<i>Assay results pending</i>					




Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: January 1st to March 31st, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1372	Goldmark / DWBX Section G	Testing the Goldmark stock FW HGLC zone and southern extension of the DWBX stock with HW and FW mineralization.	32.00	45.02	13.02	0.31	0.08	4.64
			56.82	59.86	3.04	0.14	0.02	5.09
			71.00	76.75	5.75	0.12	0.05	0.98
			130.00	137.73	7.73	0.28	0.05	4.99
			160.00	164.00	4.00	0.13	0.07	2.70
			179.51	195.99	16.48	3.24	0.06	11.58
			<i>including</i> 180.84	<i>182.40</i>	<i>1.56</i>	<i>4.53</i>	<i>0.11</i>	<i>31.90</i>
			<i>and</i> 188.60	<i>194.07</i>	<i>5.47</i>	<i>8.07</i>	<i>0.05</i>	<i>17.89</i>
			240.00	248.00	8.00	0.17	0.07	1.72
			<i>including</i> 265.50	<i>267.50</i>	<i>2.00</i>	<i>1.05</i>	<i>0.03</i>	<i>1.80</i>
			273.25	279.00	5.75	0.22	0.17	4.00
			385.30	400.44	15.14	0.23	0.04	3.27
			417.70	420.00	2.30	0.15	0.05	0.49
			484.50	492.00	7.50	0.22	0.07	3.62
515.00	529.20	14.20	0.15	0.14	0.55			
599.00	606.00	7.00	0.43	0.13	3.17			


Notes: * Indicates drill hole completed in previous quarter, assay results returned in current quarter.

Assays are reported true values without top cutting. Reported intervals are longer than 2.0 m, grade greater than 0.1 g/t Au or 0.1% Cu and include maximum internal waste of 4.0 m where it exists. Intervals less than 2.0 m but with grade above 1.0 g/t Au are also reported. Significant assay intervals reported represent apparent widths due to the undefined geometry of mineralization in this zone, relationship between fault blocks, and conceptual nature of the exploration target.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of May 4, 2022.



This information should be read together with our news release of May 4, 2022.
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of May 4, 2022
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.






Figure 3
2022 Q1 Mount Milligan
Section A (+/- 75m)
Looking North


This information should be read together with our news release of May 4, 2022.
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of May 4, 2022.
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of May 4, 2022.
Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of May 4, 2022.
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of May 4, 2022.
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of May 4, 2022.
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of May 4, 2022.
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



Centerra Gold Inc. - Öksüt Gold Project
Diamond Drill Hole Locations
Period January 1, 2021 to March 31, 2022

Drill Hole	Location	Purpose	Location Easting *	Location Northing *	Elevation (m)	Length (m)	Collar Azimuth **	Collar Dip
ODD0624	Keltepe E	Geophysical Target	720,101	4,241,572	2,017	59.00	240.00	-45.00
ODD0624A	Keltepe E	Geophysical Target	720,099	4,241,572	2,007	322.70	239.34	-47.63
ODD0625	Keltepe E	Geophysical Target	720,069	4,241,825	2,013	249.00	241.57	-63.70
ODD0626	Keltepe	Step out	720,035	4,240,420	1,949	337.60	237.28	-63.31
ODD0627	Keltepe NNW	Step out	718,790	4,241,266	1,642	260.50	0.00	-90.00
ODD0628	Guneytepe	Geophysical Target	720,129	4,239,895	1,922	273.00	59.48	-46.69
ODD0629	Keltepe NNW	Step out	718,789	4,241,263	1,643	138.00	257.41	-45.11
ODD0630	Keltepe NNW	Infill	718,878	4,241,123	1,707	252.70	0.00	-90.00
ODD0631	Keltepe NNW	Infill	718,789	4,241,265	1,642	242.30	77.38	-47.61
ODD0632	Keltepe	Geophysical Target	719,992	4,240,740	1,986	209.00	236.77	-53.35

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of May 4, 2022. Table is current as of March 31, 2022.

* Projection: UTM ED50 Zone 36
** Azimuth: relative to grid

Centerra Gold Inc. - Öksüt Gold Project
Diamond Drill Hole Assay Results
Period January 1, 2022 to March 31, 2022


Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Oxidation
ODD0592*	Büyüktepe Section BT-1	Exploration	63.5	74	10.5	0.45	Oxide
ODD0607*	Büyüktepe Section BT-1	Exploration	93.1	104	10.9	1.04	Oxide
ODD0624	Keltepe E	Geophysical Target	<i>No Significant Intercept</i>				
ODD0624A	Keltepe E	Geophysical Target	<i>No Significant Intercept</i>				
ODD0625	Keltepe E	Geophysical Target	<i>No Significant Intercept</i>				
ODD0626	Keltepe	Step Out	<i>No Significant Intercept</i>				
ODD0627	Keltepe NNW	Step Out	<i>No Significant Intercept</i>				
ODD0628	Guneytepe	Geophysical Target	<i>No Significant Intercept</i>				
ODD0629	Keltepe NNW	Step Out	<i>No Significant Intercept</i>				
ODD0630	Keltepe NNW Section KTNW-1	Infill	156.8 including 197.4 231	161.8 248 233.9	5.0 50.6 2.9	0.25 0.56 1.08	Oxide Oxide Oxide
ODD0631	Keltepe NNW	Infill	<i>No Significant Intercept</i>				
ODD0632	Keltepe	Geophysical Target	<i>No Significant Intercept</i>				

Notes: * Indicates a drill hole completed in previous quarter, assay results returned in current quarter

Mineralized intervals are greater than 0.20 g/t Au. Maximum of 5 metres internal dilution is allowed. Higher grade sub-intervals are greater than 1.00 g/t Au. True widths for mineralized zones are about 60% to 90% of stated down hole interval. Oxidation assignment is a visual discrimination from core logging.


Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of May 4, 2022. Table is current as of March 31, 2021.

Öksüt Gold Project, Turkey –Keltepe N/NW/NNW Drill Hole Plan Map



This information should be read together with our news release of May 4th. Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Öksüt Gold Project – Section KTNW_1



Öksüt Gold Project – Section BT_1

