



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Locations**  
 Period: April 1st to June 30th, 2022

Hole ID	Location Easting*	Location Northing*	Elevation (m)	Length (m)	Collar Azimuth**	Collar Dip	Purpose
22-1371*	434983.01	6109657.96	1081.11	792.00	164.66	-88.63	Brownfield exploration
22-1373*	433858.68	6109066.80	1122.00	600.46	84.92	-81.24	Brownfield exploration
22-1374*	434056.52	6109802.22	1135.14	735.28	97.05	-74.50	Brownfield exploration
22-1375*	433587.76	6109675.27	1196.97	510.00	82.79	-80.59	Near-pit exploration
22-1376*	433714.09	6109240.17	1140.19	759.26	90.38	-68.29	Near-pit exploration
22-1377*	433985.07	6109697.21	1142.41	15.00	94.60	-74.00	Brownfield exploration
22-1378*	433988.79	6109700.95	1146.79	906.00	94.35	-72.21	Brownfield exploration
22-1379*	433642.21	6109631.16	1192.39	864.25	97.81	-74.74	Near-pit exploration
22-1380*	433806.48	6109283.18	1147.43	721.46	90.85	-81.85	Near-pit exploration
22-1381*	433924.07	6109788.95	1141.91	837.00	104.76	-73.37	Near-pit exploration
22-1382*	433777.86	6109702.97	1165.71	829.00	104.09	-72.22	Near-pit exploration
22-1383	433695.60	6109335.93	1160.86	803.45	31.90	-89.39	Near-pit exploration
22-1384	433466.28	6109530.44	1235.44	798.00	137.02	-88.03	Near-pit exploration
22-1385	433668.62	6109428.97	1179.14	732.00	271.80	-72.71	Near-pit exploration
22-1386	433466.28	6109530.44	1235.44	876.00	274.29	-74.18	Near-pit exploration
22-1387	433668.62	6109428.97	1179.14	825.00	229.13	-88.49	Near-pit exploration
22-1388	433695.60	6109335.93	1160.86	735.48	95.82	-80.42	Near-pit exploration
22-1389	433507.17	6109558.40	1223.08	793.00	103.84	-69.81	Brownfield exploration
22-1390	433674.12	6109454.12	1178.66	846.70	87.92	-71.24	Near-pit exploration
22-1391	433695.60	6109335.93	1160.86	705.61	278.76	-72.93	Near-pit exploration
22-1392	433765.30	6109556.72	1168.19	738.00	93.86	-78.70	Near-pit exploration
22-1393	433523.97	6109226.62	1161.63	744.00	275.89	-79.37	Near-pit exploration
22-1394	433741.48	6109186.70	1139.18	750.42	286.77	-85.11	Near-pit exploration
22-1395	433756.58	6109516.83	1171.76	750.00	80.83	-83.45	Near-pit exploration
22-1396	433587.21	6109582.11	1208.14	705.00	95.30	-77.00	Near-pit exploration
22-1397	433777.38	6109196.07	1140.43	764.59	101.26	-85.51	Near-pit exploration
22-1398	433589.93	6109576.00	1210.14	832.50	258.11	-67.82	Near-pit exploration
22-1399	433733.09	6109393.34	1168.18	760.78	253.32	-79.69	Near-pit exploration
22-1400	433589.41	6109576.87	1208.36	690.50	266.77	-85.19	Near-pit exploration
22-1401	433730.51	6109396.59	1167.79	768.40	80.92	-78.55	Near-pit exploration
22-1402	435241.39	6109482.13	1058.81	595.00	69.74	-84.52	Brownfield exploration
22-1403	433814.34	6109806.65	1155.54	432.00	138.53	-73.73	Near-pit exploration
22-1404	433667.61	6109534.35	1191.56	636.00	240.51	-84.37	Near-pit exploration
22-1405	435112.91	6109276.57	1055.30	387.86	281.18	-85.95	Near-pit exploration

Notes: \* Indicates hole completed in previous quarter, assay results returned in current quarter.  
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of August 10, 2022.

\*Projection: NAD83 UTM Zone 10N  
 \*\*Azimuth: Relative to True North



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: April 1st to June 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1371*	GE stock (Section A)	Targeting the down-dip / northern extension of GE stock HW and FW mineralization ~40 m north from 20-1274 and 21-1310.	50.50	53.00	2.50	0.10	0.05	1.00
			77.00	95.00	18.00	0.24	0.11	6.90
			137.00	146.00	9.00	0.60	0.11	5.80
			<i>including</i> 137.00	139.00	2.00	2.14	0.12	18.10
			181.00	190.00	9.00	0.13	0.06	1.10
			196.00	224.00	28.00	0.12	0.03	0.50
			330.00	396.00	66.00	0.16	0.14	0.60
			454.57	465.00	10.43	0.05	0.12	0.35
			475.00	500.00	25.00	0.68	0.09	0.53
			<i>including</i> 491.42	500.00	8.58	1.47	0.11	0.82
			510.00	514.00	4.00	0.21	0.25	0.55
			520.00	532.00	12.00	0.31	0.40	1.06
			<i>including</i> 528.00	530.00	2.00	1.19	0.87	1.90
			546.00	553.00	7.00	0.11	0.18	0.53
625.00	633.34	8.34	0.23	0.41	1.13			
649.00	655.00	6.00	0.10	0.19	2.03			
22-1373*	Saddle (Section K)	Resource expansion drilling on western pit margins associated with the western down-dip extension of the Unamed stock in the Saddle Zone.	8.53	21.00	12.47	0.583	0.100	7.0
			<i>including</i> 10.00	13.22	3.22	1.522	0.157	20.1
			27.00	38.00	11.00	0.107	0.035	0.5
			62.30	66.00	3.70	1.496	0.031	5.1
			<i>including</i> 62.30	63.70	1.40	3.729	0.019	12.4
			169.00	187.00	18.00	0.104	0.108	1.1
			242.00	244.75	2.75	0.124	0.130	1.1
			264.00	268.00	4.00	0.213	0.074	0.6
			304.00	313.00	9.00	0.527	0.008	0.5
			<i>including</i> 311.00	313.00	2.00	1.331	0.005	0.7
			319.20	335.00	15.80	0.203	0.035	0.6
			355.00	376.00	21.00	0.178	0.071	1.8
			470.00	481.00	11.00	0.208	0.129	0.5
			503.00	506.00	3.00	0.425	0.281	8.5
			504.50	510.00	5.50	0.299	0.178	5.4
512.00	516.00	4.00	0.073	0.146	1.5			
520.56	527.56	7.00	0.058	0.104	0.8			
571.00	582.00	11.00	0.187	0.074	3.9			
22-1374*	WBX (Section B)	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and dyke swarms.	31.00	66.00	35.00	0.266	0.135	0.5
			<i>including</i> 47.52	48.65	1.13	2.188	0.260	2.4
			96.27	101.62	5.35	0.223	0.148	0.6
			132.00	136.00	4.00	0.082	0.129	0.5
			156.25	160.25	4.00	0.123	0.123	0.5
			169.00	180.00	11.00	0.122	0.130	0.5
			185.00	203.00	18.00	0.148	0.166	0.6
			216.60	242.00	25.40	0.678	0.089	6.0
			<i>including</i> 216.60	220.00	3.40	1.281	0.114	18.0
			<i>and</i> 232.00	234.00	2.00	3.800	0.071	19.6
248.00	257.00	9.00	0.293	0.024	3.2			



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: April 1st to June 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1374* continued			270.00	313.00	43.00	0.422	0.019	0.5
			<i>including</i> 300.00	311.30	11.30	1.046	0.012	0.6
			328.00	369.00	41.00	0.142	0.043	0.1
			375.00	390.85	15.85	0.295	0.030	0.2
			551.00	553.00	2.00	1.304	0.009	2.1
586.20	600.50	14.30	0.151	0.019	0.9			
22-1375*	Goldmark / DWBX	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	<i>Assay results pending</i>					
22-1376*	Goldmark / DWBX (Section J)	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	8.00	12.00	4.00	0.132	0.132	1.6
			24.00	32.00	8.00	0.107	0.101	2.9
			61.15	65.00	3.85	0.137	0.390	1.0
			73.00	80.16	7.16	0.134	0.145	0.9
			94.00	98.15	4.15	0.037	0.104	0.6
			121.00	153.50	32.50	0.215	0.087	4.5
			203.00	209.74	6.74	0.190	0.115	1.7
			207.00	220.41	13.41	0.211	0.076	2.4
			232.00	234.04	2.04	0.598	0.071	4.6
			276.00	280.62	4.62	0.116	0.049	1.1
			<i>including</i> 233.31	234.04	0.73	1.122	0.105	6.1
			289.00	298.00	9.00	0.156	0.024	3.8
			349.91	353.00	3.09	0.507	0.076	2.9
			<i>including</i> 349.91	351.00	1.09	1.178	0.172	7.0
			386.25	465.00	78.75	0.369	0.137	2.0
			<i>including</i> 441.00	445.62	4.62	3.168	0.246	16.4
			470.00	542.00	72.00	0.894	0.195	3.8
<i>including</i> 475.00	477.00	2.00	5.066	0.165	26.0			
<i>and</i> 497.00	499.00	2.00	1.065	0.484	0.9			
<i>and</i> 506.70	521.00	14.30	2.322	0.162	6.9			
<i>and</i> 532.00	534.00	2.00	1.430	0.256	6.2			
553.00	573.00	20.00	0.110	0.116	0.3			
588.00	598.08	10.08	0.103	0.125	0.5			
606.05	610.00	3.95	0.118	0.153	0.3			
660.00	666.00	6.00	0.131	0.184	0.4			
22-1377*	DWBX	Resource expansion drilling on western pit margins associated with the shallow DWBX breccia.	<i>Abandoned at 15.00 m, not sampled</i>					
22-1378*	DWBX (Section C)	Resource expansion drilling on western pit margins associated with the shallow DWBX breccia.	59.00	87.00	28.00	0.722	0.229	0.5
			<i>including</i> 65.00	72.00	7.00	2.242	0.128	0.7
			97.00	251.93	154.93	0.163	0.196	0.3
272.00	278.00	6.00	0.249	0.028	0.2			



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: April 1st to June 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1378* conitnued			311.00	319.30	8.30	0.560	0.233	5.3
			<i>including</i> 316.50	317.35	0.85	1.571	0.407	8.8
			352.73	425.50	72.77	0.247	0.073	1.0
			433.50	476.00	42.50	0.267	0.029	1.0
			<i>including</i> 443.00	445.00	2.00	1.143	0.017	0.9
			484.00	523.00	39.00	0.223	0.066	1.2
			531.00	558.00	27.00	0.322	0.053	1.8
			<i>including</i> 551.00	553.00	2.00	1.277	0.105	4.4
			629.70	639.72	10.02	0.171	0.021	1.2
			721.00	727.00	6.00	0.348	0.004	0.5
			813.00	820.80	7.80	0.190	0.195	1.0
			834.03	861.26	27.23	0.137	0.139	0.4
885.60	895.00	9.40	0.234	0.139	0.3			
22-1379*	Goldmark / DWBX (Section E)	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	72.00	84.00	12.00	0.145	0.081	2.0
			91.00	94.00	3.00	0.777	0.107	6.9
			<i>including</i> 92.00	94.00	2.00	1.045	0.113	8.9
			356.00	360.00	4.00	0.406	0.077	6.4
			411.97	414.00	2.03	0.120	0.065	0.6
			506.00	546.00	40.00	0.175	0.191	0.9
			600.00	658.00	58.00	0.206	0.072	0.6
			672.00	684.00	12.00	0.291	0.018	7.5
			694.00	722.05	28.05	1.402	0.021	18.0
			<i>including</i> 698.00	710.00	12.00	3.103	0.013	39.5
762.00	774.00	12.00	0.143	0.004	0.1			
22-1380*	Goldmark / DWBX (Section I)	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	13.77	16.00	2.23	0.104	0.048	0.4
			38.00	44.00	6.00	0.130	0.161	1.5
			58.29	79.00	20.71	0.155	0.060	1.0
			127.78	133.20	5.42	1.428	0.073	23.2
			<i>including</i> 127.78	130.00	2.22	2.632	0.084	19.5
			143.00	150.01	7.01	0.723	0.063	7.8
			<i>including</i> 146.96	148.14	1.18	3.352	0.226	38.0
			196.74	199.00	2.26	0.105	0.159	2.0
			254.20	292.00	37.80	0.641	0.071	1.9
			<i>including</i> 254.20	255.75	1.55	11.500	0.271	33.2
			299.00	301.80	2.80	0.679	0.074	20.7
			<i>including</i> 300.69	301.80	1.11	1.114	0.123	50.9
			317.00	324.00	7.00	0.226	0.004	0.4
			341.00	352.85	11.85	0.409	0.055	1.0
			<i>including</i> 343.00	345.00	2.00	1.145	0.041	0.6
			360.00	443.00	83.00	0.213	0.244	1.4
			447.03	451.00	3.97	0.219	0.083	0.6
			462.00	478.00	16.00	0.201	0.200	0.8
			486.00	493.00	7.00	0.161	0.213	0.4
498.00	515.50	17.50	0.101	0.077	0.2			
531.10	533.20	2.10	0.120	0.249	2.1			



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: April 1st to June 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1380* continued			545.80	548.00	2.20	0.210	0.021	0.6
			573.00	577.00	4.00	0.126	0.065	1.7
			616.00	620.25	4.25	0.123	0.098	0.3
			625.00	641.00	16.00	0.266	0.088	0.6
			<i>including</i> 637.00	639.00	2.00	1.177	0.073	0.6
			653.00	677.00	24.00	0.142	0.128	1.3
			701.00	707.00	6.00	0.099	0.153	0.6
22-1381*	DWBX (Section C)	Resource expansion drilling on western pit margins associated with the shallow DWBX breccia.	15.00	27.00	12.00	0.205	0.044	0.2
			38.00	45.00	7.00	0.140	0.018	0.3
			51.00	67.00	16.00	0.124	0.016	0.3
			125.00	154.00	29.00	0.313	0.050	0.2
			<i>including</i> 148.00	150.00	2.00	2.850	0.079	0.3
			168.00	179.68	11.68	0.129	0.109	0.3
			186.00	192.00	6.00	0.132	0.107	0.3
			198.00	270.90	72.90	0.305	0.136	0.6
			<i>including</i> 198.00	200.00	2.00	3.463	0.037	0.3
			<i>and</i> 244.70	245.50	0.80	2.426	0.246	5.0
			281.00	285.00	4.00	0.105	0.121	0.4
			299.00	306.00	7.00	0.106	0.129	0.4
			344.00	373.00	29.00	0.156	0.083	0.7
			387.70	389.00	1.30	1.109	0.005	0.1
			396.73	403.90	7.17	0.383	0.022	16.0
			410.67	439.00	28.33	0.446	0.012	9.4
			<i>including</i> 410.67	412.70	2.03	1.595	0.008	7.3
			475.98	486.00	10.02	0.108	0.006	0.5
			509.00	511.00	2.00	1.685	0.018	52.4
			645.90	653.00	7.10	0.134	0.023	1.3
			772.00	784.05	12.05	0.260	0.004	0.3
			803.00	807.00	4.00	0.713	0.001	0.2
			813.00	837.00	24.00	1.439	0.013	0.4
<i>including</i> 813.00	814.88	1.88	4.358	0.004	0.4			
<i>and</i> 821.00	823.00	2.00	2.423	0.005	0.5			
<i>and</i> 829.00	837.00	8.00	2.479	0.023	0.6			
22-1382*	DWBX (Section D)	Resource expansion drilling on western pit margins associated with the shallow DWBX breccia and underlying DWBX composite stock.	40.00	44.00	4.00	0.14	0.03	1.10
			96.28	111.00	14.72	0.51	0.15	0.70
			<i>including</i> 97.75	99.00	1.25	4.52	0.88	4.40
			117.00	135.20	18.20	0.16	0.06	0.25
			150.00	168.00	18.00	0.33	0.04	0.13
			<i>including</i> 162.00	164.00	2.00	1.04	0.02	0.10
			176.00	184.00	8.00	0.20	0.02	0.05
			203.67	205.70	2.03	0.10	0.03	0.20
			213.00	219.00	6.00	0.55	0.06	0.53
			267.60	306.00	38.40	0.13	0.11	0.34
			533.00	574.00	41.00	0.17	0.03	1.31
605.00	615.00	10.00	0.16	0.02	1.48			



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: April 1st to June 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
<b>22-1382*</b> <b>continued</b>			665.00	669.00	4.00	0.08	0.13	3.70
			670.00	674.00	4.00	0.11	0.04	1.25
			686.00	695.00	9.00	0.21	0.11	2.38
			775.75	778.74	2.99	0.32	0.00	0.60
<b>22-1383</b>	Goldmark / DWBX (Section H)	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	19.25	23.25	4.00	0.069	0.161	1.1
			25.25	40.00	14.75	0.143	0.141	1.2
			75.00	79.25	4.25	0.127	0.196	0.9
			95.50	135.00	39.50	0.338	0.222	2.1
			<i>including</i> 95.50	97.50	2.00	3.675	0.104	12.8
			143.05	180.00	36.95	0.405	0.195	4.4
			<i>including</i> 161.00	169.00	8.00	1.075	0.306	9.8
			220.00	224.00	4.00	0.206	0.134	3.7
			291.00	293.12	2.12	0.427	0.039	4.8
			301.64	307.00	5.36	0.155	0.031	0.9
			316.76	346.00	29.24	1.508	0.266	20.2
			<i>including</i> 317.70	318.60	0.90	3.452	0.608	51.4
			<i>and</i> 325.22	344.00	18.78	2.022	0.368	27.6
			408.00	480.00	72.00	0.172	0.207	1.2
			486.00	497.89	11.89	0.069	0.105	0.8
			497.89	500.00	2.11	0.168	0.054	0.6
			518.00	526.00	8.00	0.200	0.024	0.5
			544.00	548.00	4.00	0.446	0.034	0.9
			554.00	564.00	10.00	0.139	0.050	0.6
			588.00	592.00	4.00	0.148	0.154	0.4
614.00	654.00	40.00	0.160	0.223	0.5			
679.46	690.00	10.54	0.177	0.024	1.5			
712.06	729.92	17.86	1.151	0.013	3.7			
<i>including</i> 712.06	721.79	9.73	2.032	0.004	6.4			
773.58	785.66	12.08	0.160	0.003	0.2			
<b>22-1384</b>	Goldmark / DWBX (Section F)	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	57.00	76.90	19.90	0.114	0.163	1.1
			82.97	85.00	2.03	0.080	0.143	0.9
			105.00	137.80	32.80	0.184	0.190	1.6
			177.00	181.00	4.00	0.068	0.110	0.7
			189.00	195.00	6.00	0.077	0.105	1.0
			206.00	220.00	14.00	0.527	0.086	17.4
			<i>including</i> 209.10	209.85	0.75	6.806	0.671	288.0
			222.00	263.46	41.46	0.117	0.157	1.8
			267.69	296.05	28.36	0.241	0.272	3.9
			<i>including</i> 281.00	282.00	1.00	2.559	0.121	2.1
			300.09	302.95	2.86	0.128	0.202	2.2
			313.00	328.17	15.17	0.085	0.127	1.9
			342.00	354.00	12.00	0.151	0.195	4.2
			380.38	384.24	3.86	0.193	0.340	4.4
			391.55	411.00	19.45	0.147	0.170	3.7
422.00	428.00	6.00	0.334	0.061	1.4			



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: April 1st to June 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1384 continued			441.00	576.00	135.00	0.106	0.182	0.9
			665.00	667.12	2.12	0.102	0.068	0.1
			696.60	703.97	7.37	0.526	0.334	0.6
			<i>including</i> 702.00	703.97	1.97	1.660	0.858	1.4
			714.00	723.64	9.64	0.134	0.161	0.7
			733.00	756.00	23.00	0.124	0.100	0.7
22-1385	Goldmark / DWBX (Section G)	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	23.00	29.00	6.00	0.689	0.025	1.6
			<i>including</i> 27.00	29.00	2.00	1.699	0.017	2.7
			46.00	55.06	9.06	0.225	0.034	1.1
			67.00	69.40	2.40	0.106	0.027	0.7
			77.00	117.00	40.00	0.246	0.090	1.2
			<i>including</i> 101.00	102.80	1.80	1.998	0.101	2.3
			146.00	150.00	4.00	0.061	0.136	0.4
			180.00	184.00	4.00	0.126	0.020	2.1
			195.00	199.00	4.00	0.152	0.090	2.7
			206.00	216.00	10.00	0.082	0.102	3.2
			232.50	250.00	17.50	0.348	0.138	5.6
			<i>including</i> 248.45	250.00	1.55	1.168	0.195	21.1
			279.77	282.00	2.23	0.131	0.290	6.6
<i>Assay results pending below 344.00 m</i>								
22-1386	Goldmark / DWBX (Section F)	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	82.00	86.00	4.00	0.05	0.12	1.00
			92.00	96.00	4.00	0.34	0.11	1.35
			100.61	110.00	9.39	0.16	0.20	2.05
			116.00	124.26	8.26	0.13	0.12	1.46
			<i>Including</i> 132.00	133.00	1.00	2.35	0.06	1.60
			132.00	139.00	7.00	0.50	0.09	1.17
			149.00	155.98	6.98	0.14	0.27	1.60
			175.00	184.00	9.00	0.11	0.05	1.18
			198.00	204.00	6.00	0.11	0.21	1.29
			214.02	216.11	2.09	0.11	0.15	1.30
			219.46	225.00	5.54	0.11	0.18	1.53
			243.86	288.51	44.65	0.06	0.12	1.06
			294.73	308.00	13.27	0.08	0.13	1.51
			332.00	337.33	5.33	0.31	0.07	2.42
			348.34	354.00	5.66	0.08	0.10	1.96
			389.00	412.37	23.37	0.10	0.13	2.70
			418.00	440.00	22.00	0.11	0.16	2.05
			468.55	474.00	5.45	0.16	0.09	0.60
			490.00	498.56	8.56	0.23	0.16	2.43
			514.00	525.00	11.00	0.14	0.21	2.22
531.00	541.00	10.00	0.28	0.13	3.33			
<i>Including</i> 538.00	539.05	1.05	1.79	0.17	17.20			
547.00	552.00	5.00	0.12	0.14	0.40			
560.00	566.00	6.00	0.12	0.10	0.67			
575.00	588.00	13.00	0.12	0.11	0.33			



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: April 1st to June 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1386 continued			594.00	596.49	2.49	0.24	0.12	0.80
			666.00	676.00	10.00	0.08	0.12	0.34
			696.00	709.00	13.00	0.12	0.19	0.78
			775.00	782.00	7.00	0.12	0.20	0.35
			788.00	817.00	29.00	0.43	0.17	0.56
			<i>Including</i> 796.00	798.00	2.00	5.09	0.15	2.50
22-1387	Goldmark / DWBX (Section G)	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	10.00	12.00	2.00	1.02	0.03	0.50
			39.00	44.00	5.00	0.32	0.03	1.11
			64.00	67.28	3.28	0.22	0.02	2.72
			77.00	87.00	10.00	0.19	0.12	0.94
			123.00	129.00	6.00	0.07	0.12	0.60
			131.20	135.40	4.20	0.44	0.02	1.47
			172.00	180.00	8.00	0.07	0.10	1.37
			198.67	203.56	4.89	0.84	0.15	6.26
			<i>including</i> 200.00	202.00	2.00	1.16	0.11	7.60
			210.80	216.00	5.20	0.17	0.22	2.89
			222.00	267.00	45.00	0.54	0.14	5.08
			<i>including</i> 252.00	265.44	13.44	1.41	0.22	12.09
			275.00	284.00	9.00	0.13	0.11	4.35
			295.41	296.62	1.21	10.60	0.52	56.50
			307.00	313.00	6.00	0.26	0.03	1.60
			329.00	338.60	9.60	0.38	0.07	3.52
			<i>including</i> 332.70	333.70	1.00	2.62	0.26	17.20
			355.90	358.00	2.10	0.16	0.02	1.30
			376.00	387.30	11.30	0.45	0.02	1.82
			<i>including</i> 385.30	387.30	2.00	1.55	0.01	3.00
			397.00	401.00	4.00	0.60	0.05	4.20
			469.80	512.00	42.20	0.15	0.20	0.74
			522.00	552.30	30.30	0.22	0.23	4.72
615.00	625.12	10.12	0.12	0.08	0.32			
630.70	637.12	6.42	0.09	0.10	0.22			
637.16	654.72	17.56	0.38	0.18	3.09			
<i>including</i> 653.00	654.72	1.72	1.60	0.25	21.70			
668.00	681.90	13.90	0.14	0.11	0.29			
687.88	703.00	15.12	0.13	0.11	0.28			
716.30	723.00	6.70	0.19	0.17	0.90			
731.00	748.00	17.00	0.18	0.11	0.93			
755.00	765.13	10.13	0.15	0.04	1.41			
785.00	793.96	8.96	0.31	0.05	0.66			
22-1388	Goldmark / DWBX (Section H)	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	9.14	34.00	24.86	0.18	0.18	2.40
			42.00	50.00	8.00	0.07	0.11	0.60
			72.24	112.00	39.76	0.77	0.10	2.14
			<i>including</i> 90.80	95.00	4.20	4.96	0.09	7.71
			and 104.00	106.00	2.00	2.11	0.07	5.30
			119.46	131.34	11.88	0.26	0.14	3.19
136.00	186.00	50.00	0.28	0.17	3.18			





**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: April 1st to June 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1388 continued			254.00	258.00	4.00	0.12	0.05	1.50
			346.00	354.00	8.00	0.14	0.08	0.70
			368.00	478.00	110.00	0.27	0.22	1.64
			<i>including</i> 402.00	404.33	2.33	4.58	0.20	13.20
			524.00	532.00	8.00	0.28	0.03	1.52
			538.00	544.00	6.00	0.12	0.07	1.13
			616.00	618.12	2.12	0.12	0.03	0.50
			635.00	641.00	6.00	0.15	0.11	0.33
			730.00	735.48	5.48	0.65	0.01	1.75
			<i>including</i> 732.00	733.65	1.65	1.16	0.01	2.60
22-1389	Goldmark / DWBX	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	<i>Assay results pending</i>					
22-1390	Goldmark / DWBX (Section G)	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	20.90	23.00	2.10	0.20	0.01	1.00
			60.00	71.00	11.00	0.23	0.01	1.22
			<i>including</i> 70.00	71.00	1.00	1.16	0.02	5.70
			117.00	125.00	8.00	0.14	0.04	0.53
			136.25	160.00	23.75	0.33	0.01	4.27
			<i>including</i> 136.25	137.00	0.75	1.27	0.00	4.00
			<i>and</i> 142.00	144.00	2.00	1.06	0.01	3.00
			<i>and</i> 156.90	158.00	1.10	1.52	0.12	67.40
			200.77	221.48	20.71	0.16	0.17	2.75
			229.22	233.56	4.34	0.31	0.55	3.14
			247.83	281.00	33.17	0.17	0.19	2.90
			306.55	309.00	2.45	0.31	0.02	2.51
			322.00	324.00	2.00	3.36	0.12	12.70
			342.00	352.00	10.00	0.10	0.02	2.56
			360.42	363.15	2.73	2.12	0.06	9.78
			<i>including</i> 360.42	362.00	1.58	3.43	0.06	15.00
369.00	376.75	7.75	0.57	0.03	5.15			
<i>Assay results pending below 381.00 m</i>								
22-1391	Goldmark / DWBX (Section H)	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	15.58	26.00	10.42	0.11	0.06	1.25
			32.00	35.00	3.00	0.12	0.13	0.87
			57.00	61.00	4.00	0.08	0.13	0.70
			71.02	91.00	19.98	0.16	0.17	0.87
			102.57	104.70	2.13	0.13	0.15	0.80
			113.23	143.00	29.77	0.20	0.11	1.25
			<i>including</i> 116.18	117.28	1.10	2.34	0.05	5.60
			149.00	274.00	125.00	0.16	0.17	3.27
			294.00	305.78	11.78	0.15	0.04	0.86
			373.88	386.00	12.12	0.14	0.03	0.98
			402.18	404.65	2.47	0.17	0.01	0.90
			428.00	432.00	4.00	1.91	0.03	0.25
			<i>including</i> 428.00	430.00	2.00	3.59	0.03	0.30
			478.96	502.00	23.04	0.08	0.14	0.49
508.00	512.00	4.00	0.05	0.16	1.10			
536.00	548.00	12.00	0.31	0.09	1.52			




**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: April 1st to June 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
<b>22-1391</b> <b>continued</b>			<i>including</i> 536.00	538.00	2.00	1.18	0.05	3.60
			577.00	581.00	4.00	0.50	0.11	3.60
			633.00	641.00	8.00	0.14	0.21	0.54
			655.00	663.00	8.00	0.15	0.13	0.29

Notes: \* Indicates drill hole completed in previous quarter, assay results returned in current quarter.


Assays are reported true values without top cutting. Reported intervals are longer than 4.0 m, grade greater than 0.1 g/t Au or 0.1% Cu and include maximum internal waste of 4.0 m where it exists. Intervals less than 2.0 m but with grade above 1.0 g/t Au are also reported. Significant assay intervals reported represent apparent widths due to the undefined geometry of mineralization in this zone, relationship between fault blocks, and conceptual nature of the exploration target.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of August 10, 2022.




This information should be read together with our news release of August 10, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 10, 2022  
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 10, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 10, 2022.


Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



**Figure 5**  
**2022 Q2 Mount Milligan**  
**Section C (+/- 63 m)**  
**Looking Northeast**

This information should be read together with our news release of August 10, 2022.  
Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




centerragold  MOUNT MILLIGAN


**Figure 6**  
**2022 Q2 Mount Milligan**  
**Section D (+/- 40m)**  
**Looking Northeast**

This information should be read together with our news release of August 10, 2022.  
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.







This information should be read together with our news release of August 10, 2022.  
Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 10, 2022.  
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 10, 2022.  
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of August 10, 2022.  
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of August 10, 2022.  
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



**Legend**

**Drilling**

- Pre-2022 Q2 Drill Holes
- 2022 Q2 Significant Intercepts
- > 1.0 gpt Au Intercepts

**Geology**

- Overburden
- Sediments
- Monzonite
- Trachyte (or bedded epiclastic)
- Latite (k-altered andesite)
- Andesitic volcanics
- Fault

**Mt. Milligan Mine**

- Ultimate Pit Boundary


centerragold

MOUNTMILLIGAN

**Figure 12**  
**2022 Q2 Mount Milligan**  
**Section J (+/- 25m)**  
**Looking North**

100m

This information should be read together with our news release of August 10, 2022.  
Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of August 10, 2022.  
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



**Centerra Gold Inc. - Öksüt Gold Project**  
**Diamond Drill Hole Locations**  
**Period: April 1, 2022 to June 30, 2022**

Drill Hole	Location	Purpose	Location Easting *	Location Northing *	Elevation (m)	Length (m)	Collar Azimuth **	Collar Dip
ODD0633	Keltepe NNW	Infill	718,876	4,241,124	1706.36	268.6	321.16	-46.52
ODD0634	Keltepe	Infill	719,110	4,240,465	1773.92	491.6	71.71	-49.96
ODD0635	Keltepe NNW	Infill	718,792	4,241,266	1642.38	311.0	150.09	-47.71
ODD0636	Keltepe NNW	Infill	718,922	4,241,123	1722.44	163.2	0.00	-90.00
ODD0636A	Keltepe NNW	Infill	718,925	4,241,121	1722.19	271.5	0.00	-90.00
ODD0637	Keltepe NNW	Infill	718,908	4,241,182	1701.03	328.0	71.60	-80.45
ODD0638	Keltepe NNW	Infill	718,694	4,241,216	1631.45	290.0	258.55	-47.52
ODD0639	Keltepe NNW	Infill	718,915	4,241,214	1699.56	260.2	0.00	-90.00
ODD0640	Keltepe NNW	Infill	718,696	4,241,218	1631.4	218.0	75.66	-46.26
ODD0641	Keltepe NNW	Infill	718,961	4,241,189	1725	233.5	0.00	-90.00
ODD0642	Keltepe N	Infill	718,904	4,240,915	1710.31	171.5	2.20	-51.88
ODD0643	Keltepe	Step out	719,157	4,240,333	1772.63	285.1	79.26	-59.66
ODD0644	Keltepe NNW	Infill	718,920	4,241,080	1724.11	215.1	77.00	-50.00
ODD0645	Keltepe NW	Step out	718,617	4,241,171	1624.1	261.0	256.35	-44.59
ODD0646	Keltepe NNW	Step out	718,789	4,241,193	1666.14	153.8	0.00	-90.00
ODD0647	Keltepe NNW	Infill	718,852	4,241,207	1675.92	190.7	0.00	-90.00
ODD0648	Keltepe NW	Infill	718,785	4,240,893	1677.89	229.9	203.90	-45.79
ODD0649	Keltepe	Step out	719,119	4,240,255	1763.3	193.9	78.81	-59.45
ODD0650	Keltepe NNW	Step out	718,964	4,241,127	1734.99	220.2	0.00	-90.00
ODD0651	Keltepe NW	Step out	718,499	4,240,942	1623.67	225.2	237.30	-46.42
ODD0652	Keltepe NW	Infill	718,591	4,240,951	1634.01	201.9	80.36	-59.76
ODD0653	Keltepe	Step out	719,044	4,240,590	1746.17	326.2	259.60	-59.17
ODD0654	Keltepe N	Infill	718,783	4,240,894	1677.79	53.5	17.40	-59.24
ODD0655	Keltepe NNW	Step out	718,962	4,241,035	1741.61	270.1	73.72	-61.73
ODD0656	Keltepe NNW	Infill	719,028	4,241,143	1763.81	296.5	68.12	-64.36
ODD0657	Keltepe NW	Step out	718,548	4,240,953	1618.73	318.0	79.76	-60.59
ODD0658	Keltepe NW	Step out	718,560	4,240,904	1646.02	219.0	75.56	-47.56
ODD0659	Keltepe NNW	Step out	719,046	4,241,089	1772.99	210.7	78.91	-62.38
ODD0660	Keltepe N	Step out	718,901	4,240,665	1737.86	384.6	78.63	-59.06
ODD0661	Keltepe NNW	Step out	719,071	4,241,007	1775.74	403.8	267.14	-80.92
ODD0662	Keltepe NW	Step out	718,500	4,240,818	1692.47	279.2	77.00	-60.00
ODD0663	Keltepe NW	Step out	718,428	4,241,030	1587.58	206.0	60.59	-60.71
ODD0664	Keltepe NW	Step out	718,273	4,240,855	1618.95	224.0	59.05	-60.39
ODD0665	Keltepe NW	Step out	718,517	4,240,893	1654	191.0	79.18	-44.59
ODD0666	Keltepe	Step out	719,154	4,240,706	1774	163.9	259.88	-60.42
ODD0667	Keltepe N	Step out	718,909	4,240,659	1744	218.6	0.00	-90.00
ODD0668	Keltepe	Step out	719,068	4,240,770	1780	145.8	78.65	-45.58
ODD0669	Keltepe N	Infill	718,836	4,240,726	1740	302.7	79.12	-61.24
ODD0670	Keltepe NNW	Step out	719,076	4,241,005	1779	139.0	80.50	-46.11
ODD0671	Keltepe	Step out	719,962	4,240,206	1913	344.0	257.00	-45.00
ODD0672	Keltepe NNW	Step out	719,091	4,240,891	1775	360.0	77.00	-45.00
ODD0673	Büyüktepe	Geology Target	718,827	4,240,324	1848	135.0	240.00	-50.00
ODD0674	Keltepe NNW	Infill	719,079	4,241,162	1783	124.0	77.00	-60.00
ODD0675	Büyüktepe	Geology Target	718,770	4,240,694	1765	110.0	77.00	-60.00
ODD0676	Keltepe NNW	Step out	719,085	4,240,894	1766	230.0	257.60	-60.59
ODD0677	Güneytepe	Step out	719,671	4,239,785	1802	171.7	239.33	-61.64

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of August 10, 2022. Table is current as of June 30, 2022.

\* Projection: UTM ED50 Zone 36

\*\* Azimuth: relative to grid





**Centerra Gold Inc. - Öksüt Gold Project**  
**Diamond Drill Hole Assay Results**  
**Period April 1, 2022 to June 30, 2022**

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Cu (%)	Oxidation
ODD0633	Keltepe NNW (Section KTNNW-3)	Infill	110	118	8.0	0.21		Oxide
ODD0634	Keltepe (Section KT-2)	Infill	154.6	186.7	32.1	0.30	0.24	Oxide
			194.4	199.4	5.0	0.42		Oxide
			278	301.3	23.3			Oxide
			363.8	386.6	22.8	0.26		Oxide
			427.2	438.2	11.0	0.28		Oxide
			426.2	433	6.8		0.12	Oxide
			449.4	485.6	36.2		1.35	Sulphide
			including and 449.4	456.6	7.2		3.82	Partially Oxide
			463.4	474.4	11.0		1.44	Sulphide
475.4	484.6	9.2		0.20	Sulphide			
ODD0635	Keltepe NNW (Section KTNNW-1)	Infill	42.2	49.1	6.9	0.29		Oxide
			62.0	67.0	5.0	0.31		Oxide
			110.6	144.0	33.4	0.49		Oxide
			191.2	240.6	49.4	0.36		Oxide
			191.2	200.2	9.0		0.10	Sulphide
			233.5	241.8	8.3		0.14	Sulphide
			246.6	297.2	50.6	0.35		Sulphide
251.4	257.4	6.0		0.13	Sulphide			
ODD0636A	Keltepe NNW (Section KTNNW-3)	Infill	91.5	119.2	27.7	0.40		Oxide
			150.2	162.5	12.3	0.31		Oxide
			171.4	185.5	14.1	0.32		Oxide
ODD0637	Keltepe NNW (Section KTNNW-2)	Infill	32.8	51.4	18.6	0.21		Oxide
			80.6	90.0	9.4	0.25		Oxide
ODD0638	Keltepe NNW (Section KTNNW-1)	Infill	102.3	113	10.7		0.22	Sulphide
ODD0639	Keltepe NNW (Section KTNNW-2)	Infill	22.5	28.5	6.0	0.23		Oxide
			94.0	128.0	34.0	0.23		Sulphide
			173.5	182.5	9.0	0.22		Sulphide
			241.5	252.2	10.7	0.24		Sulphide
ODD0640	Keltepe NNW	Infill	<i>No significant intercepts</i>					
ODD0641	Keltepe NNW (Section KTNNW-2)	Infill	70.5	85.9	15.4	0.28		Oxide
			105.0	123.0	18.0	0.25		Oxide
			179.8	195.9	16.1	0.23		Partially Oxide
			210.0	223.5	13.5	0.34		Sulphide
ODD0642	Keltepe N (Section KTN-1)	Infill	22.5	29.5	7.0	0.44		Oxide
			37.0	58.0	21.0	0.34		Oxide
ODD0643	Keltepe (Section KT-3)	Step Out	22.0	36.0	14.0	0.24		Oxide
			92.2	102.1	9.9	0.21		Oxide
			117.4	146.0	28.6	0.33		Oxide
			151.4	159.0	7.6	0.25		Sulphide
ODD0644	Keltepe NNW (Section KTNNW-4)	Infill	104.0	138.0	34.0	0.23		Oxide
			150.3	158.5	8.2	0.25		Sulphide
ODD0645	Keltepe NNW (Section KTNNW-1)	Step Out	196.5	203.2	6.7	0.21		Oxide
ODD0646	Keltepe NNW	Step Out	<i>No significant intercepts</i>					
ODD0647	Keltepe NNW (Section KTNNW-2)	Infill	21.5	33.0	11.5	0.21		Oxide
			38.0	48.4	10.4	0.22		Oxide
			93.8	130.0	36.2	0.27		Oxide
ODD0648	Keltepe NW (Section KTN-1)	Infill	100.6	116.9	16.3	0.79		Oxide
			including 109.9	116.9	7.0	1.40		Oxide
ODD0649	Keltepe (Section KT-4)	Step out	174.0	193.9	19.9	0.52		Oxide
ODD0650	Keltepe NNW (Section KTNNW-3)	Step out	98.0	162.0	64.0	0.35		Oxide
ODD0651	Keltepe NW (Section KTNW-1)	Step out	157.0	191.0	34.0	0.34		Oxide


**Centerra Gold Inc. - Öksüt Gold Project**  
**Diamond Drill Hole Assay Results**  
**Period April 1, 2022 to June 30, 2022**

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Cu (%)	Oxidation
ODD0652	Keltepe NW (Section KTNW-1)	Infill	24.9	43.6	18.7	0.51		Oxide
			51.7	62.3	10.6	0.21		Oxide
ODD0653	Keltepe	Step out	<i>No significant intercepts</i>					
ODD0654	Keltepe N	Infill	<i>No significant intercepts</i>					
ODD0655	Keltepe NNW (Section KTNW-1)	Step out	154.0	160.8	6.8	0.25		Oxide
			242.0	247.0	5.0	0.26		Oxide
ODD0656	Keltepe NNW	Infill	<i>No significant intercepts</i>					
ODD0657	Keltepe NW (Section KTNW-1)	Step out	71.2	77.0	5.8	0.92		Oxide
			118.8	147.0	28.2	0.57		Oxide
			140.0	145.0	5.0	1.05		Oxide
			159.0	184.0	25.0	0.28		Sulphide
ODD0658	Keltepe NW	Step out	<i>No significant intercepts</i>					
ODD0659	Keltepe NNW	Step out	<i>No significant intercepts</i>					
ODD0660	Keltepe N (Section KT-1)	Step out	132.0	155.0	23.0	0.29		Oxide
			191.0	232.0	41.0	0.46		Oxide
			239.2	245.7	6.5	0.21		Oxide
ODD0661	Keltepe NNW	Step out	<i>No significant intercepts</i>					
ODD0662	Keltepe NW (Section KTN-1)	Step out	45.0	96.7	51.7	0.39		Oxide
ODD0663	Keltepe NW	Step out	<i>No Significant Intercepts</i>					
ODD0664	Keltepe NW (Section KTNW-2)	Step out	55.0	60.0	5.0	0.29		Oxide
			90	107	17.0		0.38	Sulphide
ODD0665	Keltepe NW	Step out	<i>Assay results pending</i>					
ODD0666	Keltepe	Step out	<i>Assay results pending</i>					
ODD0667	Keltepe N	Step out	<i>Assay results pending</i>					
ODD0668	Keltepe	Step out	<i>Assay results pending</i>					
ODD0669	Keltepe N	Infill	<i>Assay results pending</i>					
ODD0670	Keltepe NNW	Step out	<i>Assay results pending</i>					
ODD0671	Keltepe	Step out	<i>Assay results pending</i>					
ODD0672	Keltepe NNW	Step out	<i>Assay results pending</i>					
ODD0673	Büyüktepe	Geology Target	<i>Assay results pending</i>					
ODD0674	Keltepe NNW	Infill	<i>Assay results pending</i>					
ODD0675	Büyüktepe	Geology Target	<i>Assay results pending</i>					
ODD0676	Keltepe NNW	Step out	<i>Assay results pending</i>					
ODD0677	Güneytepe	Step out	<i>Assay results pending</i>					


**Notes:** Mineralized intervals are greater than 0.20 g/t Au or 0.1% Cu with a maximum of 5 metres internal dilution allowed. Higher grade sub-intervals are greater than 1.00 g/t Au. True widths for mineralized zones are about 60% to 90% of stated down hole interval. Oxidation assignment is a visual discrimination from core logging.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of August 10, 2022. Table is current as of June 30, 2022.


# Öksüt Gold Project – Q2 Drill Hole Plan Map




# Öksüt Gold Project – Section KTNNW-1




# Öksüt Gold Project – Section KTNNW-2




# Öksüt Gold Project – Section KTNNW-3



# Öksüt Gold Project – Section KTNNW-4




# Öksüt Gold Project – Section KTNW-1







# Öksüt Gold Project – Section KTNW-2




# Öksüt Gold Project – Section KTN-1




# Öksüt Gold Project – Section KT-1



# Öksüt Gold Project – Section KT-2




# Öksüt Gold Project – Section KT-3



This information should be read together with our news release of August 10<sup>th</sup>.  
 Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

# Öksüt Gold Project – Section KT-4





**Centerra Gold Inc. - Sivritepe Project**  
**Diamond Drill Hole Locations**  
**Period: April 1, 2022 to June 30, 2022**

Drill Hole	Location	Purpose	Location Easting *	Location Northing *	Elevation (m)	Length (m)	Collar Azimuth **	Collar Dip
STE0031	Kizilcibik	Geology Target	252,546	4,500,316	1,043.0	323.0	241.00	-47.10
STE0032	Kizilcibik	Geology Target	252,548	4,500,318	1,043.0	297.3	6.50	-48.60
STE0033	Sivritepe East	Geology Target	252,919	4,499,874	1,104.0	297.7	58.30	-45.10
STE0034	Kizilcibik	Geology Target	253,012	4,500,752	1,158.0	245.7	78.30	-43.20
STE0035	Sivritepe East	Geology Target	252,859	4,500,551	1,123.7	215.0	145.80	-45.80
STE0036	Sivritepe East	Geology Target	253,221	4,500,161	1,094.0	430.9	44.90	-46.20
STE0037	Sivritepe East	Geochem Target	253,577	4,501,219	960.0	377.5	65.00	-45.00
STE0038	Kizilcibik	Geochem Target	252,823	4,500,301	1,081.0	335.0	260.40	-56.70
STE0039	Karaburun	Geochem Target	253,210	4,501,383	1,008.0	248.0	225.60	-55.20
STE0040	Kizilcibik	Geophysical Target	253,004	4,500,614	1,139.0	245.0	255.00	-50.00
STE0041	Karaburun	Geochem Target	253,342	4,501,430	1,003.0	413.0	30.00	-50.00
STE0042	Kizilcibik	Geochem Target	252,736	4,500,542	1,122.0	284.0	136.90	-44.30
STE0043	Karaburun	Geology Target	253,342	4,501,430	1,003.0	89.8	175.00	-50.00
STE0043A	Karaburun	Geology Target	253,342	4,501,430	1,003.0	233.0	182.20	-49.00
STE0044	Sivritepe East	Geology Target	253,087	4,500,523	1,144.0	446.0	75.00	-46.00
STE0045	Karaburun	Geology Target	253,626	4,501,307	1,002.0	283.8	222.60	-46.00
STE0046	Kizilcibik	Geochem Target	253,167	4,500,368	1,125.0	380.0	74.60	-45.50
STE0047	Karaburun	Geology Target	253,564	4,500,901	939.0	114.6	215.00	-45.00
STE0048	Karaburun	Geochem Target	253,565	4,500,906	943.0	337.3	171.70	-50.00
STW0041	Sivritepe West	Geology Target	252,239	4,499,582	939.0	344.9	83.30	-47.20
STW0042	Sivritepe West	Geology Target	252,149	4,499,418	898.0	351.7	70.00	-45.00
STW0043	Sivritepe West	Geochem Target	252,251	4,500,362	1,053.0	363.9	70.60	-50.20

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of August 10, 2022. Table is current as of June 30, 2022.

\* Projection: UTM ED50 Zone 37  
 \*\* Azimuth: relative to grid



## Centerra Gold Inc. - Sivritepe Project

### Diamond Drill Hole Assay Results

Period: April 1, 2022 to June 30, 2022


Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Oxidation
STE0031	Kizilcibik (Section ST-3)	Geology Target	131.5	137.0	5.5	0.11	Oxide
STE0032	<i>No significant intercepts</i>						
STE0033	Sivritepe East (Section ST-5)	Geology Target	9.7	15.4	5.7	0.13	Oxide
			28.4	35.4	7.0	0.11	Oxide
STE0034	Kizilcibik (Section ST-2)	Geology Target	202.0	208.0	6.0	0.12	Oxide
			232.0	244.1	12.1	0.38	Oxide
STE0035	Sivritepe East (Section ST-2)	Geology Target	40.3	100.0	59.7	0.33	Sulphide
			106.0	136.0	30.0	0.18	Sulphide
			159.9	166.0	6.1	0.10	Sulphide
STE0036	Sivritepe East	Geology Target	<i>No significant intercepts</i>				
STE0037	Sivritepe East	Geochem Target	<i>No significant intercepts</i>				
STE0038	Kizilcibik (Section ST-4)	Geochem Target	72.6	94.3	21.7	0.56	Oxide
			203.0	217.0	14.0	0.11	Sulphide
			260.6	268.0	7.4	0.11	Sulphide
STE0039	Karaburun (Section ST-1)	Geochem Target	52.0	74.0	22.0	0.21	Sulphide
STE0040	Kizilcibik	Geophysical Target	<i>Assay results pending</i>				
STE0041	Karaburun	Geochem Target	<i>Assay results pending</i>				
STE0042	Kizilcibik	Geochem Target	<i>Assay results pending</i>				
STE0043	Karaburun	Geology Target	<i>No significant intercepts</i>				
STE0043A	Karaburun	Geology Target	<i>Assay results pending</i>				
STE0044	Sivritepe East	Geology Target	<i>Assay results pending</i>				
STE0045	Karaburun	Geology Target	<i>Assay results pending</i>				
STE0046	Kizilcibik	Geochem Target	<i>Assay results pending</i>				
STE0047	Karaburun	Geology Target	<i>Assay results pending</i>				
STE0048	Karaburun	Geochem Target	<i>Assay results pending</i>				
STW0041	Sivritepe West	Geology Target	<i>No significant intercepts</i>				
STW0042	Sivritepe West	Geology Target	<i>No significant intercepts</i>				
STW0043	Sivritepe West	Geochem Target	<i>No significant intercepts</i>				

**Notes:** Mineralized intervals are greater than 0.10 g/t Au with a maximum of 5 metres internal dilution allowed. Higher grade sub-intervals are greater than 1.00 g/t Au. True widths for mineralized zones are about 60% to 90% of stated down hole interval. Oxidation assignment is a visual discrimination from core logging.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of August 10, 2022. Table is current as of June 30, 2022.




# Sivritepe Project – Q2 Drill Hole Plan Map




This information should be read together with our news release of August 10<sup>th</sup>.  
 Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.


# Sivritepe Project – Section ST-1




# Sivritepe Project – Section ST-2



# Sivritepe Project – Section ST-3



# Sivritepe Project – Section ST-4



# Sivritepe Project – Section ST-5

