

# Wesdome Expands Recently Discovered High Grade Footwall Zone Over 300 Metres Down Plunge, Drilling 41.2 g/t Gold Over 51.1 Metres Core Length

TORONTO, May 19, 2021 (GLOBE NEWSWIRE) -- Wesdome Gold Mines Ltd. (TSX: WDO) ("Wesdome" or the "Company") today announces underground exploration drilling results from the new high grade gold discovery in the footwall of the Kiena Deep A Zone at the Company's 100% owned Kiena Mine Complex in Val d'Or, Quebec.

On March 23, 2021, Wesdome announced the initial discovery of a new high grade gold zone in the footwall of the A Zone, which has been the focus of our drilling over the past several months. In addition, drilling has been ongoing to extend the A Zone laterally and down plunge.

## New High Grade Footwall Zone

To date, the Footwall Zone is defined by new intersections of gold mineralization located within a 50 metre ('m') wide corridor adjacent to the footwall of A2 Zone. Gold mineralization is associated with quartz ± visible gold veins that are spatially associated with amphibolite altered komatiite and basaltic komatiite units. In some areas, gold mineralization is also observed in deformed basalt and/or flow breccias present within ultramafic units. Similar to the Kiena Deep A Zone, gold mineralization is deformed by subsequent folding, shearing, and faulting.

Up to now, only 6 holes passed through the lithologies containing gold mineralization of the Footwall Zone. Given the limited drilling, it is difficult, at this time, to determine an exact number of new lenses forming the corridor of the Footwall Zone. The orientation, dip and geometry of these new lenses are still not known with sufficient certainty to determine the true widths. The Footwall Zone corridor remains open laterally and down plunge. The location of new gold intercepts in recent holes suggest that Footwall Zone extends over 300 m along plunge. The deepest hole returned 41.2 g/t Au (uncapped) over 51.2 m core length (Figures 1 and 2).

## Footwall Zone Drilling

Highlights of the recent drilling are listed below and summarized in Table 1.

- ▮ Hole 6760W1: 41.2 g/t Au over 51.2 m core length (25.7 g/t Au capped)
- ▮ Hole 6742W3: 27.7 g/t Au over 12.3 m core length (27.7 g/t Au capped)
- ▮ Hole 6742W10: 16.7 g/t Au over 9.0 m core length (14.9 g/t Au capped)

All assays cut to 90.0 g/t Au. True widths are unknown at this time.

## Kiena Deep A Zone Drilling

Ongoing drilling also continues to better define and expand the Kiena Deep A Zone predominantly along the lateral extensions of the zone (Figure 3). The high grades intersected will be included in future resource updates as the intercepts are located both inside and outside the December 2020 mineral resource estimate (MRE), which is the foundation on which the current PFS has been established. (See Wesdome press release dated December 15, 2020).


Highlights of the recent A Zone drilling are listed below and summarized in Table 1.

- ▮ Hole 6750: 122.1 g/t Au over 7.5 m core length (26.7 g/t Au capped, 4.7 m true width) A Zone
- ▮ Hole 6742W3: 96.1 g/t Au over 8.0 m core length (47.4 g/t Au capped, 7.1 m true width) A1 Zone
- ▮ Hole 6735: 24.5 g/t Au over 17.3 m core length (21.1 g/t Au capped, 7.0 m true width) A1 Zone

All assays cut to 90.0 g/t Au. True widths are estimated.


Mr. Duncan Middlemiss, President and CEO commented, "We are pleased with the recent exploration drilling that not only returned the best ever drill hole intercept at Kiena of 41 g/t Au over 51 metres, but also continues to confirm the presence of a new high grade corridor in the footwall to the A Zone. Initial drilling has already extended the corridor of the Footwall Zone over 300 metres down plunge thus confirming the potential to add new high grade resources at depth. This zone remains open laterally and along plunge.

Figure One




3D View of the Kiena Deep A Zone and new Footwall Intercepts

Figure Two



Footwall Zone Drilling

Figure Three



Kiena Deep A Zone drilling

This new discovery could have major positive impacts on the project, in particular on the next updated mineral resource estimate, the number of ounces per vertical meter, and on global economic characteristics of the project. Additionally, the recent A Zone high grade intercepts inside and outside of the current A Zone resource block model shows the potential to expand the current resource estimate.

We also have a number of other excellent exploration targets to test this year, and have in place an aggressive but focussed program to test these targets, including the B Zone at depth. Additionally, we are also currently ramping up a large surface exploration program, with the aim of unlocking additional value on the Kiena property further to the west and east of the Kiena mine initially, and later, over the entire property.

Finally, the PFS is progressing well, and we expect to have it completed in Q2, with a possible re-start decision shortly thereafter. The pre-production timeframe is less than six months, potentially driving the Kiena Mine into commercial production in Q4 of this year.”

## TECHNICAL DISCLOSURE

The technical and geoscientific content of this release has been compiled, reviewed and approved by Bruno Turcotte, P.Geo., (OGQ #453) Chief Geologist – Underground Exploration of the Company and a "Qualified Person" as defined in National Instrument 43-101 -*Standards of Disclosure for Mineral Projects*.

Analytical work was performed by ALS Minerals of Val-d'Or (Quebec), a certified commercial laboratory (Accredited Lab #689). Sample preparation was done at ALS Minerals in Val d'Or (Quebec). Assaying was done by fire assay methods with an atomic absorption finish. Any sample assaying >3 g/t Au was rerun by fire assay method with gravimetric finish, and any sample assaying >10 g/t Au was rerun with the metallic sieve method. In addition to laboratory internal duplicates, standards and blanks, the geology department inserts blind duplicates, standards and blanks into the sample stream at a frequency of one in twenty to monitor quality control.

## COVID-19

The health and safety of our employees, contractors, vendors, and consultants is the Company's top priority. In response to the COVID-19 outbreak, Wesdome has adopted all public health guidelines regarding safety measures and protocols at all of its mine operations and corporate offices. In addition, our internal COVID-19 Taskforce continues to monitor developments and implement policies and programs intended to protect those who are engaged in business with the Company.

Through care and planning, to date the Company has successfully maintained operations, however there can be no assurance that this will continue despite our best efforts. Future conditions may warrant reduced or suspended production activities which could negatively impact our ability to maintain projected timelines and objectives. Consequently, the Company's actual future production and production guidance is subject to higher levels of risk than usual. We are continuing to closely monitor the situation and will provide updates as they become available.

## ABOUT WESDOME

Wesdome Gold Mines is a 100% Canadian focused Company that has had over 30 years of continuous gold mining operations in Canada. The Company's strategy is to build an intermediate gold producer, producing 200,000+ ounces from two mines in Ontario and Quebec. The Eagle River Complex in Wawa, Ontario is currently increasing gold production from the high-grade Eagle River Underground Mine. Wesdome is actively exploring its brownfields asset, the Kiena Complex in Val d'Or, Quebec. The Kiena Complex is a fully permitted former mine with a 930-metre shaft and 2,000 tonne-per-day mill. The Company is currently completing a PFS in support of a production restart decision. The Company is in the process of divesting of its Moss Lake gold deposit, located 100 kilometres ("kms") west of Thunder Bay, Ontario. The Company has approximately 139.4 million shares issued and outstanding and trades on the Toronto Stock Exchange under the symbol "WDO."

## For further information, please contact:

Duncan Middlemiss  
President and CEO  
416-360-3743 ext. 2029  
[duncan.middlemiss@wesdome.com](mailto:duncan.middlemiss@wesdome.com)

or  
Lindsay Carpenter Dunlop  
VP Investor Relations  
416-360-3743 ext. 2025  
[lindsay.dunlop@wesdome.com](mailto:lindsay.dunlop@wesdome.com)

220 Bay St, Suite 1200  
Toronto, ON, M5J 2W4  
Toll Free: 1-866-4-WDO-TSX  
Phone: 416-360-3743, Fax: 416-360-7620  
Website: [www.wesdome.com](http://www.wesdome.com)

*This news release contains "forward-looking information" which may include, but is not limited to, statements with respect to the future financial or operating performance of the Company and its projects. Often, but not always, forward-looking statements can be identified by the use of words such as "plans", "expects", "is expected", "budget", "scheduled", "estimates", "forecasts", "intends", "anticipates", or "believes" or variations (including negative variations) of such words and phrases, or state that certain actions, events or results "may", "could", "would", "might" or "will" be taken, occur or be achieved. Forward-looking statements involve known and unknown risks, uncertainties and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any future results, performance or achievements expressed or implied by the forward-looking statements. Forward-looking statements contained herein are made as of the date of this press release and the Company disclaims any obligation to update any forward-looking statements, whether as a result of new information, future events or results or otherwise. There can be no assurance that forward-looking statements will prove to be accurate, as actual results and future events could differ materially from those anticipated in such statements. The Company undertakes no obligation to update forward-looking statements if circumstances, management's estimates or opinions should change, except as required by securities legislation. Accordingly, the reader is cautioned not to place undue reliance on*

forward-looking statements. The Company has included in this news release certain non-IFRS performance measures, including, but not limited to, mine operating profit, mining and processing costs and cash costs. Cash costs per ounce reflect actual mine operating costs incurred during the fiscal period divided by the number of ounces produced. These measures are not defined under IFRS and therefore should not be considered in isolation or as an alternative to or more meaningful than, net income (loss) or cash flow from operating activities as determined in accordance with IFRS as an indicator of our financial performance or liquidity. The Company believes that, in addition to conventional measures prepared in accordance with IFRS, certain investors use this information to evaluate the Company's performance and ability to generate cash flow.

**Table 1: Kiena Complex Drilling Assay and Composite Results**

**Composites**

Hole No.	From (m)	To (m)	Core Length (m)	Estimated True width (m)	Grade (g/t Au)	Capped Grade (90 g/t Au)	Name Zone
6726	154.0	169.0	15.0	5.3	10.06	10.06	A Zone
6733	332.4	336.9	4.5	3.8	20.36	14.86	A Zone
6749	57.1	67.1	10.0	9.0	21.62	18.22	A Zone
6750	60.0	67.5	7.5	4.7	122.14	26.74	A Zone
6751	59.5	64.6	5.1	4.9	10.23	10.23	A Zone
6742W10*	231.5	243.5	12.0	5.6	20.32	16.15	A Zone
6733	357.9	362.6	4.7	3.8	20.44	19.83	A1 Zone
6735	326.8	344.1	17.3	7.0	24.52	21.07	A1 Zone
6739W4	404.8	408.9	4.1	3.0	14.06	14.06	A1 Zone
6740W3	107.9	110.3	2.4	1.8	10.62	10.62	A1 Zone
6740W6	130.8	134.6	3.8	3.0	16.04	16.04	A1 Zone
6742W3	227.9	235.9	8.0	7.1	96.10	47.35	A1 Zone
6742W7	397.6	420.1	22.5	5.5	7.27	7.27	A1 Zone
6750	81.7	84.7	3.0	1.3	70.21	30.21	A1 Zone
6760	632.7	639.0	6.3	4.3	8.71	8.71	A1 Zone
6760W1	612.0	618.0	6.0	2.9	4.90	4.90	A1 Zone
6742W3	257.9	262.9	5.0	4.8	36.78	31.82	A2 Zone
6742W4	172.5	175.0	2.5	1.8	10.87	10.87	A2 Zone
6742W7	511.4	521.5	10.1	5.3	11.61	11.61	A2 Zone
6747B	101.3	102.8	1.5	1.5	30.06	30.06	A2 Zone
6751	98.2	102.6	4.4	1.7	5.97	5.97	A2 Zone
6760W1	653.5	659.5	6.0	4.4	3.98	3.98	A2 Zone
6742W3	275.6	277.7	2.1	NA	67.55	43.02	New Zone
6742W3	288.9	302.9	14.0	NA	7.59	7.59	New Zone
6742W3	342.6	354.9	12.3	NA	27.71	27.71	New Zone
6742W3	374.9	382.9	8.0	NA	7.41	7.41	New Zone
6742W3	387.9	390.9	3.0	NA	13.64	13.64	New Zone
6742W7	530.5	535.0	4.5	NA	5.74	5.74	New Zone
6742W7	595.0	606.2	11.2	NA	5.13	5.13	New Zone
6742W10*	379.4	386.4	7.0	NA	5.13	5.13	New Zone
6742W10*	414.0	423.0	9.0	NA	16.67	14.90	New Zone
6742W10*	455.5	460.3	4.8	NA	25.34	25.34	New Zone
6742W10*	477.0	480.8	3.8	NA	22.21	18.71	New Zone
6760W1	676.0	727.2	51.2	NA	41.19	25.67	New Zone

\* Metallic Sieve Analysis Pending

**Assays**

Hole No.	From (m)	To (m)	Core Length (m)	Grade (g/t Au)	Capped Grade (90 g/t Au)	Name Zone
6726	154.0	155.0	1.0	7.16	7.16	A Zone
6726	155.0	156.0	1.0	9.28	9.28	A Zone
6726	156.0	157.0	1.0	4.70	4.70	A Zone
6726	157.0	158.0	1.0	4.41	4.41	A Zone
6726	158.0	159.0	1.0	9.41	9.41	A Zone
6726	159.0	160.0	1.0	9.27	9.27	A Zone
6726	160.0	161.0	1.0	2.95	2.95	A Zone
6726	161.0	162.0	1.0	3.81	3.81	A Zone

6726	162.0	163.0	1.0	4.48	4.48	A Zone
6726	163.0	164.0	1.0	1.67	1.67	A Zone
6726	164.0	165.0	1.0	9.33	9.33	A Zone
6726	165.0	166.0	1.0	2.71	2.71	A Zone
6726	166.0	167.0	1.0	0.64	0.64	A Zone
6726	167.0	168.0	1.0	2.66	2.66	A Zone
6726	168.0	169.0	1.0	78.40	78.40	A Zone

6733	332.4	333.4	1.0	4.55	4.55	A Zone
6733	333.4	333.9	0.5	0.88	0.88	A Zone
6733	333.9	334.4	0.5	2.59	2.59	A Zone
6733	334.4	334.9	0.5	4.45	4.45	A Zone
6733	334.9	335.4	0.5	139.50	90.00	A Zone
6733	335.4	335.9	0.5	20.40	20.40	A Zone
6733	335.9	336.4	0.5	4.31	4.31	A Zone
6733	336.4	336.9	0.5	2.04	2.04	A Zone

6733	357.9	358.9	1.0	1.84	1.84	A1 Zone
6733	358.9	359.9	1.0	0.16	0.16	A1 Zone
6733	359.9	360.9	1.0	0.88	0.88	A1 Zone
6733	360.9	361.9	1.0	27.30	27.30	A1 Zone
6733	361.9	362.6	0.7	94.10	90.00	A1 Zone

6735	326.8	327.4	0.6	9.38	9.38	A1 Zone
6735	327.4	328.1	0.7	85.70	85.70	A1 Zone
6735	328.1	329.1	1.0	114.00	90.00	A1 Zone
6735	329.1	329.7	0.6	149.50	90.00	A1 Zone
6735	329.7	330.4	0.7	3.72	3.72	A1 Zone
6735	330.4	331.1	0.7	0.11	0.11	A1 Zone
6735	331.1	332.1	1.0	5.33	5.33	A1 Zone
6735	332.1	332.8	0.6	0.65	0.65	A1 Zone
6735	332.8	333.6	0.8	61.40	61.40	A1 Zone
6735	333.6	334.4	0.8	16.90	16.90	A1 Zone
6735	334.4	335.1	0.7	50.00	50.00	A1 Zone
6735	335.1	336.1	1.0	15.50	15.50	A1 Zone
6735	336.1	337.1	1.0	0.92	0.92	A1 Zone
6735	337.1	338.3	1.2	4.52	4.52	A1 Zone
6735	338.3	339.3	1.0	2.51	2.51	A1 Zone
6735	339.3	340.1	0.8	9.38	9.38	A1 Zone
6735	340.1	341.1	1.0	2.03	2.03	A1 Zone
6735	341.1	342.1	1.0	5.93	5.93	A1 Zone
6735	342.1	343.1	1.0	6.80	6.80	A1 Zone
6735	343.1	344.1	1.0	1.33	1.33	A1 Zone

6739W4	404.8	405.6	0.8	2.24	2.24	A1 Zone
6739W4	405.6	406.7	1.1	24.60	24.60	A1 Zone
6739W4	406.7	407.8	1.1	9.72	9.72	A1 Zone
6739W4	407.8	408.9	1.1	16.45	16.45	A1 Zone

6740W3	107.9	109.2	1.3	6.44	6.44	A1 Zone
6740W3	109.2	110.3	1.1	15.55	15.55	A1 Zone

6740W6	130.8	131.8	1.0	0.12	0.12	A1 Zone
6740W6	131.8	132.7	0.9	3.87	3.87	A1 Zone
6740W6	132.7	133.6	0.9	63.40	63.40	A1 Zone
6740W6	133.6	134.6	1.0	0.27	0.27	A1 Zone

6742W3	227.9	228.9	1.0	1.78	1.78	A1 Zone
6742W3	228.9	229.9	1.0	1.32	1.32	A1 Zone
6742W3	229.9	230.9	1.0	106.00	90.00	A1 Zone
6742W3	230.9	231.9	1.0	8.47	8.47	A1 Zone
6742W3	231.9	232.9	1.0	82.20	82.20	A1 Zone

6742W3	232.9	233.9	1.0	15.05	15.05	A1 Zone
6742W3	233.9	234.9	1.0	291.00	90.00	A1 Zone
6742W3	234.9	235.9	1.0	263.00	90.00	A1 Zone
6742W3	257.9	258.6	0.7	3.82	3.82	A2 Zone
6742W3	258.6	259.5	0.9	9.25	9.25	A2 Zone
6742W3	259.5	260.3	0.8	108.50	90.00	A2 Zone
6742W3	260.3	261.1	0.8	102.50	90.00	A2 Zone
6742W3	261.1	261.9	0.8	3.77	3.77	A2 Zone
6742W3	261.9	262.9	1.0	1.07	1.06	A2 Zone
6742W3	275.6	276.7	1.1	0.32	0.32	New Zone
6742W3	276.7	277.7	1.0	141.50	90.00	New Zone
6742W3	288.9	289.9	1.0	8.09	8.09	New Zone
6742W3	289.9	290.9	1.0	3.65	3.65	New Zone
6742W3	290.9	291.9	1.0	2.36	2.36	New Zone
6742W3	291.9	292.9	1.0	5.98	5.98	New Zone
6742W3	292.9	293.9	1.0	8.07	8.07	New Zone
6742W3	293.9	294.9	1.0	1.07	1.07	New Zone
6742W3	294.9	295.9	1.0	10.15	10.15	New Zone
6742W3	295.9	296.9	1.0	14.10	14.10	New Zone
6742W3	296.9	297.9	1.0	4.03	4.03	New Zone
6742W3	297.9	298.9	1.0	3.16	3.16	New Zone
6742W3	298.9	299.9	1.0	13.65	13.65	New Zone
6742W3	299.9	300.9	1.0	19.45	19.45	New Zone
6742W3	300.9	301.9	1.0	8.45	8.45	New Zone
6742W3	301.9	302.9	1.0	3.98	3.98	New Zone
6742W3	342.6	343.6	1.0	36.30	36.30	New Zone
6742W3	343.6	344.9	1.3	81.60	81.60	New Zone
6742W3	344.9	345.9	1.0	23.10	23.10	New Zone
6742W3	345.9	346.9	1.0	4.65	4.65	New Zone
6742W3	346.9	347.9	1.0	17.30	17.30	New Zone
6742W3	347.9	348.9	1.0	35.60	35.60	New Zone
6742W3	348.9	349.9	1.0	82.50	82.50	New Zone
6742W3	349.9	350.9	1.0	2.63	2.63	New Zone
6742W3	350.9	351.9	1.0	3.61	3.61	New Zone
6742W3	351.9	352.9	1.0	0.31	0.31	New Zone
6742W3	352.9	353.9	1.0	4.11	4.11	New Zone
6742W3	353.9	354.9	1.0	24.70	24.70	New Zone
6742W3	374.9	375.9	1.0	18.65	18.65	New Zone
6742W3	375.9	376.9	1.0	0.37	0.37	New Zone
6742W3	376.9	377.9	1.0	2.41	2.41	New Zone
6742W3	377.9	378.9	1.0	0.23	0.23	New Zone
6742W3	378.9	379.9	1.0	3.33	3.33	New Zone
6742W3	379.9	380.9	1.0	0.07	0.07	New Zone
6742W3	380.9	381.9	1.0	0.18	0.18	New Zone
6742W3	381.9	382.9	1.0	34.00	34.00	New Zone
6742W3	387.9	388.9	1.0	32.50	32.50	New Zone
6742W3	388.9	389.9	1.0	2.54	2.54	New Zone
6742W3	389.9	390.9	1.0	5.87	5.87	New Zone
6742W4	101.3	102.2	0.9	0.97	0.97	A2 Zone
6742W4	102.2	102.8	0.6	73.70	73.70	A2 Zone
6742W7	397.6	399.1	1.5	6.68	6.68	A1 Zone
6742W7	399.1	400.6	1.5	2.76	2.76	A1 Zone
6742W7	400.6	402.1	1.5	9.14	9.14	A1 Zone
6742W7	402.1	403.6	1.5	14.55	14.55	A1 Zone

6742W7	403.6	405.1	1.5	2.58	2.58	A1 Zone
6742W7	405.1	406.6	1.5	0.05	0.05	A1 Zone
6742W7	406.6	408.1	1.5	1.86	1.86	A1 Zone
6742W7	408.1	409.6	1.5	0.06	0.06	A1 Zone
6742W7	409.6	411.1	1.5	2.63	2.63	A1 Zone
6742W7	411.1	412.6	1.5	4.05	4.05	A1 Zone
6742W7	412.6	414.1	1.5	29.80	29.80	A1 Zone
6742W7	414.1	415.6	1.5	2.13	2.13	A1 Zone
6742W7	415.6	417.1	1.5	6.84	6.84	A1 Zone
6742W7	417.1	418.6	1.5	8.03	8.03	A1 Zone
6742W7	418.6	420.1	1.5	17.90	17.90	A1 Zone

6742W7	511.4	512.3	0.9	3.60	3.60	A2 Zone
6742W7	512.3	513.3	1.0	9.83	9.83	A2 Zone
6742W7	513.3	514.3	1.0	2.98	2.98	A2 Zone
6742W7	514.3	515.3	1.0	1.92	1.92	A2 Zone
6742W7	515.3	516.3	1.0	72.60	72.60	A2 Zone
6742W7	516.3	517.2	0.9	14.35	14.35	A2 Zone
6742W7	517.2	518.0	0.8	0.09	0.09	A2 Zone
6742W7	518.0	518.8	0.8	0.06	0.06	A2 Zone
6742W7	518.8	520.0	1.2	0.31	0.31	A2 Zone
6742W7	520.0	521.5	1.5	8.84	8.84	A2 Zone

6742W7	530.5	532.0	1.5	6.75	6.75	A2 Zone
6742W7	532.0	533.5	1.5	1.28	1.27	A2 Zone
6742W7	533.5	535.0	1.5	9.21	9.21	A2 Zone

6742W7	595.0	596.5	1.5	16.80	16.80	New Zone
6742W7	596.5	598.0	1.5	0.24	0.24	New Zone
6742W7	598.0	599.5	1.5	0.72	0.72	New Zone
6742W7	599.5	601.0	1.5	0.60	0.60	New Zone
6742W7	601.0	602.1	1.1	0.12	0.12	New Zone
6742W7	602.1	603.2	1.1	0.34	0.34	New Zone
6742W7	603.2	604.2	1.0	0.12	0.12	New Zone
6742W7	604.2	605.2	1.0	13.85	13.85	New Zone
6742W7	605.2	606.2	1.0	15.40	15.40	New Zone

6742W10*	231.5	232.5	1.0	128.50	90.00	A Zone
6742W10	232.5	233.5	1.0	0.80	0.80	A Zone
6742W10	233.5	234.5	1.0	2.39	2.39	A Zone
6742W10	234.5	235.5	1.0	0.02	0.02	A Zone
6742W10*	235.5	236.5	1.0	101.50	90.00	A Zone
6742W10	236.5	237.5	1.0	1.31	1.31	A Zone
6742W10	237.5	238.5	1.0	0.05	0.04	A Zone
6742W10	238.5	239.5	1.0	0.09	0.09	A Zone
6742W10	239.5	240.5	1.0	0.46	0.46	A Zone
6742W10	240.5	241.5	1.0	1.06	1.06	A Zone
6742W10	241.5	242.5	1.0	4.31	4.31	A Zone
6742W10	242.5	243.5	1.0	3.32	3.32	A Zone

6742W10	379.4	380.4	1.0	5.80	5.80	New Zone
6742W10	380.4	381.4	1.0	7.66	7.66	New Zone
6742W10	381.4	382.4	1.0	5.96	5.96	New Zone
6742W10	382.4	383.4	1.0	0.58	0.58	New Zone
6742W10	383.4	384.4	1.0	1.49	1.49	New Zone
6742W10	384.4	385.5	1.1	2.34	2.34	New Zone
6742W10*	385.5	386.4	0.9	13.15	13.15	New Zone

6742W10	414.0	415.0	1.0	9.26	9.26	New Zone
6742W10	415.0	415.9	0.9	1.40	1.40	New Zone
6742W10	415.9	416.9	1.0	5.15	5.15	New Zone
6742W10	416.9	417.9	1.0	0.80	0.80	New Zone

6742W10	417.9	418.9	1.0	3.46	3.46	New Zone
6742W10	418.9	419.9	1.0	5.50	5.50	New Zone
6742W10	419.9	420.9	1.0	7.44	7.44	New Zone
6742W10	420.9	421.9	1.0	2.26	2.26	New Zone
6742W10*	421.9	423.0	1.1	104.50	90.00	New Zone

6742W10	455.5	456.2	0.7	2.89	2.89	New Zone
6742W10*	456.2	456.9	0.7	32.30	32.30	New Zone
6742W10	456.9	457.6	0.7	1.59	1.59	New Zone
6742W10	457.6	458.3	0.7	0.95	0.95	New Zone
6742W10*	458.3	459.3	1.0	89.70	89.70	New Zone
6742W10	459.3	460.3	1.0	5.54	5.54	New Zone

6747B	101.3	102.2	0.9	0.97	0.97	A2 Zone
6747B	102.2	102.8	0.6	73.70	73.70	A2 Zone

6749	57.1	58.1	1.0	124.00	90.00	A Zone
6749	58.1	59.1	1.0	0.21	0.21	A Zone
6749	59.1	60.1	1.0	0.95	0.95	A Zone
6749	60.1	61.1	1.0	0.18	0.18	A Zone
6749	61.1	62.1	1.0	0.79	0.79	A Zone
6749	62.1	63.1	1.0	5.24	5.24	A Zone
6749	63.1	64.1	1.0	1.97	1.97	A Zone
6749	64.1	65.1	1.0	0.66	0.66	A Zone
6749	65.1	66.1	1.0	0.09	0.09	A Zone
6749	66.1	67.1	1.0	82.10	82.10	A Zone

6750	60.0	61.0	1.0	218.00	90.00	A Zone
6750	61.0	62.0	1.0	27.40	27.40	A Zone
6750	62.0	63.0	1.0	4.97	4.97	A Zone
6750	63.0	64.0	1.0	2.57	2.57	A Zone
6750	64.0	64.5	0.5	1265.00	90.00	A Zone
6750	64.5	65.5	1.0	7.21	7.21	A Zone
6750	65.5	66.0	0.5	6.02	6.02	A Zone
6750	66.0	67.5	1.5	13.60	13.60	A Zone

6750	81.7	82.7	1.0	0.48	0.48	A1 Zone
6750	82.7	83.7	1.0	0.15	0.15	A1 Zone
6750	83.7	84.7	1.0	210.00	90.00	A1 Zone

6751	59.5	61.0	1.5	14.40	14.40	A Zone
6751	61.0	62.5	1.5	2.57	2.57	A Zone
6751	62.5	64.0	1.5	3.60	3.60	A Zone
6751	64.0	64.6	0.6	35.50	35.50	A Zone

6751	98.2	99.1	0.9	6.78	6.78	A2 Zone
6751	99.1	100.3	1.2	2.01	2.01	A2 Zone
6751	100.3	101.0	0.7	0.08	0.08	A2 Zone
6751	101.0	101.9	0.9	0.12	0.12	A2 Zone
6751	101.9	102.6	0.7	25.10	25.10	A2 Zone

6760	632.7	633.7	1.0	48.80	48.80	A1 Zone
6760	633.7	634.7	1.0	0.13	0.13	A1 Zone
6760	634.7	636.0	1.3	0.77	0.77	A1 Zone
6760	636.0	637.0	1.0	0.01	0.01	A1 Zone
6760	637.0	638.0	1.0	0.73	0.73	A1 Zone
6760	638.0	639.0	1.0	3.86	3.86	A1 Zone

6760W1	612.0	612.5	0.5	26.90	26.90	A1 Zone
6760W1	612.5	613.5	1.0	1.53	1.52	A1 Zone
6760W1	613.5	615.0	1.5	2.31	2.31	A1 Zone
6760W1	615.0	615.8	0.8	0.54	0.54	A1 Zone

6760W1	615.8	616.5	0.7	1.91	1.91	A1 Zone
6760W1	616.5	617.3	0.8	6.34	6.34	A1 Zone
6760W1	617.3	618.0	0.7	5.87	5.87	A1 Zone

6760W1	653.5	655.0	1.5	7.46	7.46	A2 Zone
6760W1	655.0	655.5	0.5	0.83	0.83	A2 Zone
6760W1	655.5	656.5	1.0	2.58	2.58	A2 Zone
6760W1	656.5	658.0	1.5	3.54	3.54	A2 Zone
6760W1	658.0	659.5	1.5	2.93	2.93	A2 Zone

6760W1	676.0	677.0	1.0	114.00	90.00	New Zone
6760W1	677.0	678.0	1.0	58.10	58.10	New Zone
6760W1	678.0	679.0	1.0	111.50	90.00	New Zone
6760W1	679.0	680.0	1.0	184.00	90.00	New Zone
6760W1	680.0	680.7	0.7	370.00	90.00	New Zone
6760W1	680.7	681.4	0.7	244.00	90.00	New Zone
6760W1	681.4	682.4	1.0	7.39	7.39	New Zone
6760W1	682.4	683.4	1.0	20.60	20.60	New Zone
6760W1	683.4	684.4	1.0	22.30	22.30	New Zone
6760W1	684.4	685.4	1.0	36.20	36.20	New Zone
6760W1	685.4	686.4	1.0	73.50	73.50	New Zone
6760W1	686.4	687.4	1.0	15.65	15.65	New Zone
6760W1	687.4	688.4	1.0	14.45	14.45	New Zone
6760W1	688.4	689.4	1.0	25.50	25.50	New Zone
6760W1	689.4	690.4	1.0	25.30	25.30	New Zone
6760W1	690.4	691.4	1.0	30.90	30.90	New Zone
6760W1	691.4	692.4	1.0	10.55	10.55	New Zone
6760W1	692.4	693.4	1.0	12.85	12.85	New Zone
6760W1	693.4	694.4	1.0	7.50	7.50	New Zone
6760W1	694.4	695.4	1.0	8.31	8.31	New Zone
6760W1	695.4	696.4	1.0	5.50	5.50	New Zone
6760W1	696.4	697.4	1.0	2.34	2.34	New Zone
6760W1	697.4	698.4	1.0	15.40	15.40	New Zone
6760W1	698.4	699.4	1.0	6.63	6.63	New Zone
6760W1	699.4	700.4	1.0	4.96	4.96	New Zone
6760W1	700.4	701.4	1.0	25.30	25.30	New Zone
6760W1	701.4	702.4	1.0	6.58	6.58	New Zone
6760W1	702.4	703.4	1.0	19.80	19.80	New Zone
6760W1	703.4	704.4	1.0	7.65	7.65	New Zone
6760W1	704.4	705.4	1.0	17.25	17.25	New Zone
6760W1	705.4	706.4	1.0	11.40	11.40	New Zone
6760W1	706.4	707.4	1.0	17.40	17.40	New Zone
6760W1	707.4	708.4	1.0	21.00	21.00	New Zone
6760W1	708.4	709.4	1.0	9.68	9.68	New Zone
6760W1	709.4	710.4	1.0	409.00	90.00	New Zone
6760W1	710.4	711.4	1.0	6.73	6.73	New Zone
6760W1	711.4	712.4	1.0	19.40	19.40	New Zone
6760W1	712.4	713.4	1.0	50.10	50.10	New Zone
6760W1	713.4	714.4	1.0	0.37	0.37	New Zone
6760W1	714.4	715.4	1.0	38.90	38.90	New Zone
6760W1	715.4	716.4	1.0	0.25	0.25	New Zone
6760W1	716.4	717.4	1.0	0.36	0.36	New Zone
6760W1	717.4	718.4	1.0	0.81	0.81	New Zone
6760W1	718.4	719.4	1.0	30.00	30.00	New Zone
6760W1	719.4	720.4	1.0	6.44	6.44	New Zone
6760W1	720.4	721.4	1.0	0.37	0.37	New Zone
6760W1	721.4	722.4	1.0	0.53	0.53	New Zone
6760W1	722.4	723.4	1.0	19.65	19.65	New Zone
6760W1	723.4	724.4	1.0	11.80	11.80	New Zone
6760W1	724.4	725.4	1.0	0.19	0.19	New Zone
6760W1	725.4	726.2	0.8	15.60	15.60	New Zone
6760W1	726.2	727.2	1.0	122.50	90.00	New Zone



\* Metallic Sieve Analysis Pending

Photos accompanying this announcement are available at:

<https://prdesk.globenewswire.com/api/ResourceLibraryFile/DownloadFile?source=pnr&Id=a42e1599-f9d9-48f6-9e12-af156f2cdd60>

<https://prdesk.globenewswire.com/api/ResourceLibraryFile/DownloadFile?source=pnr&Id=81a13011-a9e1-400c-a824-0cb05e7b2e60>

<https://prdesk.globenewswire.com/api/ResourceLibraryFile/DownloadFile?source=pnr&Id=7792bacc-c692-4fbd-b5b7-c054503a03b7>