


**VIOR GOLD
CORPORATION**




LIGNERIS PROJECT

SOUTH ZONE COMPOSITE LONG SECTION



VIOR GOLD
CORPORATION



**VIOR GOLD
CORPORATION**

The diagram illustrates the 2026 DDH plan for the 2026 DDH. It shows a cross-section of the mine with drill holes and their associated gold grades. The vertical axis represents depth in meters below surface, ranging from 0 to -915m. The horizontal axis represents the distance in meters, ranging from 0 to 300m. The legend indicates that red stars represent new DDH results, yellow stars represent published DDH results, black lines represent completed 2026 DDH, blue lines represent 2026 DDH pending results, and grey lines represent historical DDH. The drill holes are labeled as follows:

- LI-26-002**: 35.2 g/t Au / 3.0 m, incl. 68.1 g/t Au / 1.0 m
- LI-26-002**: 21.6 g/t Au / 3.0 m, incl. 40.9 g/t Au / 1.5 m
- LI-26-003**: 0.71 g/t Au / 14.3m, incl. 1.21 g/t Au / 3.5 m
- LI-26-008**: 2.81 g/t Au / 3.3m, incl. 7.76 g/t Au / 1.0 m
- LI-26-005**: 5.64 g/t Au / 4.0 m, incl. 8.56 g/t Au / 1.0 m
- LI-26-005-EXT**: 1.00 g/t Au / 8.5 m, incl. 5.75 g/t Au / 1.0 m
- LI-26-010-EXT**: 0.79 g/t Au / 40.3 m, incl. 1.19 g/t Au / 15.0 m and 1.28 g/t Au / 4.2 m
- LI-26-010-EXT**: 2.99 g/t Au / 4.0 m
- LI-26-010-EXT**: 7.94 g/t Au / 4.0 m, incl. 14.6 g/t Au / 1.5 m
- LI-26-024**: 0.40 g/t Au / 27.0m, incl. 1.21 g/t Au / 3.5 m
- LI-26-005**: 1.63 g/t Au / 8.5 m, incl. 3.11 g/t Au / 3.4 m

The diagram also shows the 2026 DDH plan for the 2026 DDH, with a slice thickness of 150m. The vertical axis represents depth in meters below surface, ranging from 0 to -915m. The horizontal axis represents the distance in meters, ranging from 0 to 300m. The legend indicates that red stars represent new DDH results, yellow stars represent published DDH results, black lines represent completed 2026 DDH, blue lines represent 2026 DDH pending results, and grey lines represent historical DDH. The drill holes are labeled as follows:

- LI-26-002**: 35.2 g/t Au / 3.0 m, incl. 68.1 g/t Au / 1.0 m
- LI-26-002**: 21.6 g/t Au / 3.0 m, incl. 40.9 g/t Au / 1.5 m
- LI-26-003**: 0.71 g/t Au / 14.3m, incl. 1.21 g/t Au / 3.5 m
- LI-26-008**: 2.81 g/t Au / 3.3m, incl. 7.76 g/t Au / 1.0 m
- LI-26-005**: 5.64 g/t Au / 4.0 m, incl. 8.56 g/t Au / 1.0 m
- LI-26-005-EXT**: 1.00 g/t Au / 8.5 m, incl. 5.75 g/t Au / 1.0 m
- LI-26-010-EXT**: 0.79 g/t Au / 40.3 m, incl. 1.19 g/t Au / 15.0 m and 1.28 g/t Au / 4.2 m
- LI-26-010-EXT**: 2.99 g/t Au / 4.0 m
- LI-26-010-EXT**: 7.94 g/t Au / 4.0 m, incl. 14.6 g/t Au / 1.5 m
- LI-26-024**: 0.40 g/t Au / 27.0m, incl. 1.21 g/t Au / 3.5 m
- LI-26-005**: 1.63 g/t Au / 8.5 m, incl. 3.11 g/t Au / 3.4 m

Plunge 00
Azimuth 060

200 300




LIGNERIS PROJECT

SOUTH ZONE WEST CROSS-SECTION VIEW



VIOR GOLD
CORPORATION

Looking Northeast



LIGNERIS PROJECT

SOUTH ZONE EAST CROSS-SECTION VIEW



VIOR GOLD
CORPORATION

Looking Northeast

