

Drilling 2021_List of drill core samples analyzed in association with the observed structure

N° drilling	From (m)*	To (m)*	Legth (m) *	N° Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-01	30	30.9	0.9	X340151			0.26	908	17.4	93		0.07	2*		
LA-21-01	30.9	30.9		X340152	Blanc	Blank	0.01	1.9	0.9	2		0.007			
LA-21-01	30.9	31.5	0.6	X340153			0.32	4080	15.7	45		0.43	2*	Tectonic breccia	T3
LA-21-02	5.5	6.2	0.7	X340154			0.04	25	15.3	93		0.001	4*		
LA-21-02	6.2	6.4	0.2	X340155			0.03	8	11.8	74		0.001	4*		
LA-21-02	6.4	7	0.6	X340156			0.05	12	19.3	94		0.001	4*		
LA-21-02	14.4	14.9	0.5	X340157			0.05	6	23.7	111		0.001	5*		
LA-21-02	14.9	15	0.1	X340158			0.03	3	8.4	89		0.001	5*		
LA-21-02	15	15.5	0.5	X340159			0.02	3	11.4	66		0.001	5*		
LA-21-02	15	15.5		X340160	Doublon	X340159	0.03	2.3	12.1	67		0.004			
LA-21-02	41.5	42.4	0.9	X340161			0.05	25	20.3	112		0.03	4*		
LA-21-02	42.4	42.7	0.3	X340162			0.07	32	33.9	109		0.01	4*	Shear	
LA-21-02	42.7	43.5	0.8	X340163			0.03	10	15.7	74		0.01	5*		
LA-21-02	74	74.79	0.79	X340164			0.07	28	22.6	115		0.01	4*		
LA-21-02	74.79	74.86	0.07	X340165			0.06	48	34.1	122		0.01	4*	Shear	
LA-21-02	74.86	75.15	0.29	X340166			0.05	25	19.6	108		0.01	4*		
LA-21-02	75.15	75.33	0.18	X340167			0.05	36	23.3	81		0.01	4*	Shear	
LA-21-02	75.33	75.8	0.47	X340168			0.05	16	20.4	86		0.01	4*		
LA-21-02	105	106	1	X340169			0.4	339	15.7	95		0.02	4*		
LA-21-02	106	106.2	0.2	X340170			0.44	1260	48	90		0.10	4*	Shear	
LA-21-02	106.2	107.2	1	X340171			0.56	680	12.4	75		0.02	4*	Shear	
LA-21-02	107.2	107.3	0.1	X340172			13.65	>10000	2140	92		5.84	4*	Shear	T1
LA-21-02	107.3	107.3		X340173	Blanc	Blank	0.03	18.3	3.5	2		0.001			
LA-21-02	107.3	108	0.7	X340174			0.71	1120	19.2	92		0.13	4*		
LA-21-02	108	108		X340175	Standard	606	1.01	122	88.9	176		na			
LA-21-02	110.5	111.53	1.03	X340176			0.16	148	18.8	59		0.02	1*		T3
LA-21-02	111.53	111.8	0.27	X340177			1.03	6920	1460	39		1.19	1*		T3
LA-21-02	111.8	112.8	1	X340178			0.28	312	14.9	61		0.01	4*		
LA-21-02	123	123.9	0.9	X340179			0.11	258	11.9	66		0.01	2*		
LA-21-02	123	123.9		X340180	Doublon	X340179	0.09	273	10.7	65		0.001			
LA-21-02	123.9	124.15	0.25	X340181			1.11	>10000	133	8		2.92	2*		T3
LA-21-02	124.15	124.5	0.35	X340182			0.23	1190	12	69		0.1	2*	Tectonic breccia	

Drilling 2021_List of drill core samples analyzed in association with the observed structure

Nº drilling	From (m)*	To (m)*	Legth (m) *	Nº Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-02	124.5	125.5	1	X340183			0.08	132	11.2	57		0.001	2*		
LA-21-02	141	142	1	X340184			0.04	17	17.6	62		0.001	2*		
LA-21-02	142	143	1	X340185			0.04	28	16.3	65		0.001	2*		
LA-21-02	143	144	1	X340186			0.03	24	12.8	60		0.001	2*		
LA-21-03	33.5	34.4	0.9	X340187			0.09	26	16.5	63		0.001	3*		
LA-21-03	34.4	34.7	0.3	X340188			8.91	>10000	5140	3010		3.23	3*	Shear	
LA-21-03	34.7	34.7		X340189	Blanc	Blank	0.02	15.1	8.2	7		0.001			
LA-21-03	34.7	35.8	1.1	X340190			2.63	8100	175	4410		2.23	3*		T2
LA-21-03	35.8	36.5	0.7	X340191			0.13	303	23.1	73		0.01	3*		
LA-21-03	63	64.5	1.5	X340192			0.04	6	9.4	65		0.001	3*		
LA-21-03	64.5	66	1.5	X340193			0.06	16	11.4	67		0.001	3*		
LA-21-03	66	67.5	1.5	X340194			0.04	6	10.2	64		0.001	3*		
LA-21-03	67.5	69	1.5	X340195			0.05	4	8.9	66		0.001	3*		
LA-21-03	69	70.5	1.5	X340196			0.04	4	8.8	82		0.001	3*		
LA-21-03	70.5	72	1.5	X340197			0.05	4	10.2	67		0.001	3*		
LA-21-03	72	73.5	1.5	X340198			0.05	3	9.6	70		0.001	3*		
LA-21-03	73.5	74.5	1	X340199			0.08	16	16.7	75		0.001	3*		
LA-21-03	73.5	74.5		X340200	Standard	603b	>100	2540	616	1870	295	na			
LA-21-03	93	94	1	X340201			0.26	345	14.5	90		0.001	5*		
LA-21-03	94	94.1	0.1	X340202			0.26	986	12.3	64		0.11	5*	Tectonic breccia	
LA-21-03	94.1	94.6	0.5	X340203			0.15	378	13	56		0.01	5*		
LA-21-03	94.6	95.04	0.44	X340204			0.35	961	16	93		0.05	5*	Tectonic breccia	
LA-21-03	95.04	96	0.96	X340205			0.13	111	15.9	92		0.001	5*		
LA-21-03	111	111.9	0.9	X340206			0.09	98	12	99		0.001	4*		
LA-21-03	111.9	112.1	0.2	X340207			0.16	287	54.2	85		0.08	4*		T1
LA-21-03	112.1	112.8	0.7	X340208			0.08	100	15.2	110		0.001	4*		
LA-21-04	19.4	20	0.6	X340209			0.06	10	15.8	82		0.001	1*		
LA-21-04	20	20.1	0.1	X340210			0.06	3	136.5	94		0.001	1*		T4
LA-21-04	20.1	21.8	1.7	X340211			0.04	14	7.9	74		0.001	2*		
LA-21-04	21.8	22.3	0.5	X340212			0.04	1	10.6	25		0.001	2*		T4
LA-21-04	22.3	23.3	1	X340213			0.05	14	10.5	92		0.001	2*		
LA-21-04	24.8	25.3	0.5	X340214			0.04	7	9.6	86		0.001	2*		

Drilling 2021_List of drill core samples analyzed in association with the observed structure

N° drilling	From (m)*	To (m)*	Legth (m) *	N° Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-04	25.3	25.65	0.35	X340215			0.05	4	39	106		0.001	2*		T4
LA-21-04	25.65	26.3	0.65	X340216			0.07	8	15.9	85		0.001	2*		
LA-21-04	129.6	130.1	0.5	X340217			0.11	114	15.5	112		0.02	2*		T4
LA-21-04	130.1	130.2	0.1	X340218			0.1	139	13.3	67		0.001	2*	Shear	
LA-21-04	130.2	130.95	0.75	X340219			0.07	74	14.6	72		0.001	2*		
LA-21-04	130.2	130.95		X340220	Doubleton	X340219	0.07	72.9	14.3	70		0.001			
LA-21-04	130.95	131.1	0.15	X340221			0.08	104	14.4	79		0.001	2*		
LA-21-04	131.1	132.85	1.75	X340222			0.06	95	14.9	82		0.001	2*		
LA-21-04	132.85	133.3	0.45	X340223			0.12	170	33.8	87		0.001	2*	Shear	
LA-21-04	133.3	134.1	0.8	X340224			0.18	297	13.4	96		0.001	2*		
LA-21-04	134.1	134.1		X340225	Standard	606	0.97	109.5	82.5	168		na			
LA-21-04	134.1	134.6	0.5	X340226			0.13	197	14.4	70		0.001	2*	Shear	
LA-21-04	134.6	135.8	1.2	X340227			0.19	285	11	79		0.06	2*		
LA-21-04	135.8	136	0.2	X340228			0.27	1320	32.2	67		0.04	2*	Tectonic breccia	
LA-21-04	136	136		X340229	Blanc	Blank	0.01	2.9	1	2		0.001			
LA-21-04	136	136.35	0.35	X340230			0.05	188	7.2	17		0.01	2*		T3
LA-21-04	136.35	137.5	1.15	X340231			0.09	270	8.5	64		0.001	2*		
LA-21-04	137.5	139	1.5	X340232			0.08	107	13.5	64		0.001	2*		
LA-21-04	139	139.25	0.25	X340233			0.14	276	16.9	70		0.001	2*	Tectonic breccia	
LA-21-04	139.25	139.95	0.7	X340234			0.1	227	11.3	72		0.001	2*		
LA-21-04	139.95	140.05	0.1	X340235			0.1	146	9.2	43		0.02	2*	Tectonic breccia	
LA-21-04	140.05	140.45	0.4	X340236			0.1	159	9	55		0.01	2*		
LA-21-04	140.45	142.5	2.05	X340237			0.1	602	13.2	56		0.03	2*	Tectonic breccia	
LA-21-04	142.5	142.6	0.1	X340238			0.06	84	13.6	77		0.001	2*		
LA-21-04	142.6	142.7	0.1	X340239			0.09	433	8.4	43		0.02	2*		
LA-21-05	30	31.2	1.2	X340240			0.07	130	9.6	50		0.001	2*		
LA-21-05	31.2	31.7	0.5	X340241			0.04	64	6.8	36		0.001	2*		T3
LA-21-05	31.7	31.9	0.2	X340242			0.08	70	19.3	65		0.01	2*	Shear	
LA-21-05	31.9	32.5	0.6	X340243			0.04	60	6.3	35		0.01	2*		
LA-21-05	43	44.4	1.4	X340244			0.05	22	19.3	75		0.001	2*		
LA-21-05	44.4	44.7	0.3	X340245			0.05	26	19.2	95		0.001	2*		
LA-21-05	44.7	45.7	1	X340246			0.04	10	12.2	67		0.001	2*		

Drilling 2021_List of drill core samples analyzed in association with the observed structure

N° drilling	From (m)*	To (m)*	Legth (m) *	N° Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-05	45.7	47	1.3	X340247			0.03	7	11.1	63		0.001	2*		
LA-21-05	47	47.85	0.85	X340248			0.03	12	15.1	72		0.001	2*		
LA-21-05	47.85	48.8	0.95	X340249			0.05	24	20.2	92		0.001	2*		
LA-21-05	47.85	48.8		X340250	Standard	603b	>100	2430	615	1900	311	error			
LA-21-05	53	54.2	1.2	X340251			0.21	17	14.7	89		0.01	2*		
LA-21-05	54.2	55.6	1.4	X340252			0.08	16	19.4	75		0.001	2*		
LA-21-05	55.6	56.6	1	X340253			0.07	11	12.3	71		0.001	3*		
LA-21-05	56.6	58	1.4	X340254			0.05	11	13.1	71		0.001	3*		
LA-21-05	58	59.3	1.3	X340255			0.03	12	14.7	67		0.01	3*		
LA-21-05	59.3	59.7	0.4	X340256			0.04	15	15.1	509		0.01	3*		
LA-21-05	59.7	61	1.3	X340257			0.05	14	15.2	79		0.01	3*		
LA-21-05	61	62.5	1.5	X340258			0.03	6	10.3	58		0.01	3*		
LA-21-05	62.5	64	1.5	X340259			0.04	9	13.7	66		0.001	3*		
LA-21-05	62.5	64		X340260	Doubleton	X340259	0.04	9.3	14.1	66		0.005			
LA-21-05	64	65.3	1.3	X340261			0.04	9	15.3	67		0.01	3*		
LA-21-05	65.3	65.3		X340262	Blanc	Blank	0.01	0.8	1	2		0.001			
LA-21-05	65.3	66.3	1	X340263			0.04	12	13.8	60		0.001	3*		
LA-21-05	66.3	67.7	1.4	X340264			0.04	9	13.7	58		0.01	3*		
LA-21-05	67.7	69	1.3	X340265			0.03	11	13.4	68		0.01	3*		
LA-21-05	69	70.5	1.5	X340266			0.04	138	10.2	50		0.02	3*	Shear	
LA-21-05	70.5	72	1.5	X340267			0.05	27	10	64		0.01	3*	Shear	
LA-21-05	72	73.3	1.3	X340268			0.04	37	10.7	68		0.001	3*	Shear	
LA-21-05	73.3	74.6	1.3	X340269			0.04	30	10.1	90		0.01	3*	Shear	
LA-21-05	74.6	75.5	0.9	X340270			0.08	35	12.8	85		0.01	3*	Shear	
LA-21-05	75.5	76.2	0.7	X340271			0.03	18	9.6	58		0.01	3*	Shear	
LA-21-05	86.8	87.4	0.6	X340272			0.03	2	13.8	64		0.01	3*		
LA-21-06	88.5	89.8	1.3	X340273			0.04	6	10.8	74		0.001	2*		
LA-21-06	89.8	91.5	1.7	X340274			0.07	79	12.5	92		0.01	2*	Tectonic breccia	
LA-21-06	91.5	91.5		X340275	Standard	606	0.98	107.5	78	170		0.339			
LA-21-06	91.5	93	1.5	X340276			0.05	138	10.5	77		0.001	2*	Tectonic breccia	
LA-21-06	93	93.8	0.8	X340277			0.07	99	14.6	94		0.01	2*	Tectonic breccia	
LA-21-06	93.8	93.8		X340278	Blanc	Blank	0.01	4.1	1.2	4		0.001			

Drilling 2021_List of drill core samples analyzed in association with the observed structure

N° drilling	From (m)*	To (m)*	Legth (m) *	N° Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-06	93.8	94.8	1	X340279			0.06	105	10.4	80		0.01	2*	Tectonic breccia	
LA-21-06	93.8	94.8		X340280	Doublon	X340279	0.05	97.8	9.7	81		0.009			
LA-21-06	94.8	96	1.2	X340281			0.03	8	7.4	76		0.001	2*	Shear	
LA-21-06	96	97.5	1.5	X340282			0.03	11	9.5	94		0.001	2*	Shear	
LA-21-06	97.5	99	1.5	X340283			0.04	13	10.9	97		0.001	2*	Shear	
LA-21-06	99	100.5	1.5	X340284			0.02	11	10.1	88		0.001	2*	Shear	
LA-21-06	100.5	102	1.5	X340285			0.03	9	11.9	84		0.001	2*	Shear	
LA-21-06	102	103.5	1.5	X340286			0.02	8	6.4	74		0.001	2*	Shear	
LA-21-06	103.5	105	1.5	X340287			0.03	5	10.3	75		0.001	2*	Shear	
LA-21-06	105	106	1	X340288			0.01	6	3	58		0.001	2*	Shear	
LA-21-06	106	107.3	1.3	X340289			0.02	4	9.7	67		0.001	2*	Shear	
LA-21-06	107.3	108.4	1.1	X340290			0.03	8	8.7	88		0.001	2*	Tectonic breccia	
LA-21-06	108.4	109.5	1.1	X340291			0.03	10	8.4	84		0.001	5*	Tectonic breccia	
LA-21-06	109.5	110.55	1.05	X340292			0.03	9	8.9	74		0.001	5*	Tectonic breccia	
LA-21-06	110.55	111.3	0.75	X340293			0.02	4	11.6	70		0.001	5*	Shear	
LA-21-06	111.3	112.3	1	X340294			0.02	4	5.9	65		0.001	5*	Shear	
LA-21-06	112.3	113.5	1.2	X340295			0.02	8	22.7	89		0.001	5*	Shear	
LA-21-06	113.5	114.7	1.2	X340296			0.02	10	13.8	90		0.001	5*	Shear	
LA-21-06	114.7	115.75	1.05	X340297			0.02	11	10.8	81		0.001	5*	Shear	
LA-21-06	115.75	116.1	0.35	X340298			0.02	19	11.2	116		0.001	5*	Tectonic breccia	
LA-21-06	116.1	117.2	1.1	X340299			0.04	24	16.3	89		0.001	5*	Shear	
LA-21-06	116.1	117.2		X340300	Doublon	X340299	0.04	23.4	15.5	89		0.001			
LA-21-06	117.2	118.1	0.9	X340301			0.03	16	17.2	104		0.001	5*	Tectonic breccia	
LA-21-06	118.1	119.6	1.5	X340302			0.03	17	10.7	91		0.001	5*	Shear	
LA-21-06	119.6	121	1.4	X340303			0.03	14	14.3	91		0.001	5*	Shear	
LA-21-06	121	122.35	1.35	X340304			0.02	10	8.3	68		0.001	5*	Shear	
LA-21-06	122.35	123.5	1.15	X340305			0.03	9	13.1	80		0.001	5*	Shear	
LA-21-06	123.5	124.5	1	X340306			0.04	8	12.5	92		0.001	5*	Shear	
LA-21-06	124.5	125.7	1.2	X340307			0.05	7	15.6	94		0.001	5*	Shear	
LA-21-06	125.7	125.7		X340308	Blanc	Blank	0.01	0.6	0.9	2		0.001			
LA-21-06	125.7	127.5	1.8	X340309			0.02	5	10.9	74		0.001	3*	Shear	
LA-21-06	127.5	129	1.5	X340310			0.02	4	6	61		0.001	3*	Shear	

Drilling 2021_List of drill core samples analyzed in association with the observed structure

N° drilling	From (m)*	To (m)*	Legth (m) *	N° Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-06	129	130.5	1.5	X340311			0.02	2	6.4	61		0.001	3*	Shear	
LA-21-06	130.5	131.5	1	X340312			0.02	2	7.1	63		0.001	3*	Shear	
LA-21-06	131.5	132.15	0.65	X340313			0.02	2	9.3	72		0.001	3*	Shear	
LA-21-06	132.15	132.65	0.5	X340314			0.04	12	26	91		0.001	6*	Tectonic breccia	
LA-21-06	132.65	133.5	0.85	X340315			0.04	11	13.9	94		0.001	6*	Shear	
LA-21-06	133.5	134.75	1.25	X340316			0.03	8	15.4	95		0.001	6*	Shear	
LA-21-06	134.75	136	1.25	X340317			0.02	4	14.5	75		0.001	3*	Shear	
LA-21-06	136	137.5	1.5	X340318			0.03	7	12.7	71		0.001	3*	Shear	
LA-21-06	136	137.5		X340319	Doubleton	X340318	0.03	6.7	12.7	69		0.001			
LA-21-06	137.5	138.5	1	X340320			0.02	5	11.7	69		0.001	3*	Shear	
LA-21-06	138.5	140	1.5	X340321			0.03	9	15.7	96		0.001	4*	Shear	
LA-21-06	140	141.5	1.5	X340322			0.03	7	15.8	100		0.001	4*	Shear	
LA-21-06	141.5	142.5	1	X340323			0.03	5	14.6	95		0.001	4*	Shear	
LA-21-06	142.5	143.9	1.4	X340324			0.03	4	10.5	89		0.001	4*	Shear	
LA-21-06	143.9	143.9		X340325	Standard	606	1.01	106.5	82.4	174		0.338			
LA-21-06	143.9	145	1.1	X340326			0.02	5	13.3	75		0.001	3*	Shear	
LA-21-06	145	146.5	1.5	X340327			0.02	5	16.4	70		0.001	3*	Shear	
LA-21-06	146.5	147.5	1	X340328			0.02	7	10.3	82		0.001	3*	Shear	
LA-21-06	147.5	148.1	0.6	X340329			0.02	4	11.8	91		0.001	3*	Shear	
LA-21-06	148.1	149.1	1	X340330			0.05	7	22.5	113		0.001	5*	Shear	
LA-21-06	149.1	150.2	1.1	X340331			0.03	5	15.5	91		0.001	5*	Shear	
LA-21-06	150.2	151.2	1	X340332			0.03	8	15.8	101		0.001	5*	Shear	
LA-21-06	151.2	152.1	0.9	X340333			0.04	9	17.5	89		0.001	5*	Tectonic breccia	
LA-21-06	152.1	153.6	1.5	X340334			0.05	16	21.6	102		0.001	5*	Shear	
LA-21-06	153.6	155.1	1.5	X340335			0.03	22	17.5	108		0.001	5*	Shear	
LA-21-06	155.1	156.15	1.05	X340336			0.03	16	17.9	98		0.001	5*	Shear	
LA-21-06	156.15	157.4	1.25	X340337			0.02	9	14.2	63		0.001	3*	Shear	
LA-21-06	157.4	159	1.6	X340338			0.04	15	16.1	87		0.001	3*	Shear	
LA-21-06	159	160.2	1.2	X340339			0.03	3	12.6	75		0.001	3*	Shear	
LA-21-06	159	160.2		X340340	Doubleton	X340339	0.03	3.4	13.4	77		0.001			
LA-21-06	160.2	161.5	1.3	X340341			0.02	1	11.9	65		0.001	3*	Shear	
LA-21-06	161.5	163	1.5	X340342			0.03	3	11	77		0.001	3*	Shear	

Drilling 2021_List of drill core samples analyzed in association with the observed structure

N° drilling	From (m)*	To (m)*	Legth (m) *	N° Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-06	163	164.5	1.5	X340343			0.04	7	15.7	70		0.001	3*	Shear	
LA-21-07	160	161.3	1.3	X340344			0.07	10	21.2	95		0.001	4*		
LA-21-07	161.3	161.6	0.3	X340345			0.09	26	12	81		0.001	4*	Tectonic breccia	
LA-21-07	161.6	163	1.4	X340346			0.06	35	15.1	89		0.001	4*	Shear	
LA-21-07	163	164.1	1.1	X340347			0.05	37	13.5	82		0.001	4*	Shear	
LA-21-07	164.1	165.4	1.3	X340348			0.05	38	13	89		0.001	5*	Shear	
LA-21-07	165.4	166.85	1.45	X340349			0.03	12	11.3	61		0.001	5*	Stockwerk	
LA-21-07	166.85	166.85		X340350	Standard	603b	>100	2430	597	1900	301	5.2			
LA-21-07	166.85	168	1.15	X340351			0.07	36	11.4	85		0.001	5*	Shear	
LA-21-07	168	169.5	1.5	X340352			0.09	29	18.9	102		0.001	5*	Shear	
LA-21-07	169.5	171	1.5	X340353			0.08	48	13.4	98		0.001	5*	Shear	
LA-21-07	171	172.4	1.4	X340354			0.09	43	19.6	104		0.01	5*	Shear	
LA-21-07	172.4	174	1.6	X340355			0.05	30	11.7	77		0.001	5*	Stockwerk	
LA-21-07	174	175.5	1.5	X340356			0.06	39	14.3	90		0.001	5*	Shear	
LA-21-07	175.5	177	1.5	X340357			0.06	42	15.4	85		0.001	5*	Shear	
LA-21-07	177	178.5	1.5	X340358			0.06	44	14	97		0.001	5*	Shear	
LA-21-07	178.5	180	1.5	X340359			0.06	46	17.1	88		0.001	5*	Shear	
LA-21-07	178.5	180		X340360	Doublon	X340359	0.06	45.8	15.8	90		0.004			
LA-21-07	180	181.5	1.5	X340361			0.06	41	19.4	94		0.001	5*	Shear	
LA-21-07	194.8	195.2	0.4	X340376			0.05	17	9.2	74		0.001	5*	Stockwerk	
LA-21-07	195.2	196.5	1.3	X340377			0.05	16	8.9	86		0.001	5*	Stockwerk	
LA-21-07	196.5	198	1.5	X340378			0.04	12	8.1	67		0.001	5*	Stockwerk	
LA-21-07	198	199.5	1.5	X340379			0.05	19	9.9	82		0.001	5*	Stockwerk	
LA-21-07	198	199.5		X340380	Doublon	X340379	0.06	18.4	10.6	82		0.001			
LA-21-07	199.5	200.8	1.3	X340381			0.05	11	13.3	76		0.001	5*	Stockwerk	
LA-21-07	200.8	202	1.2	X340382			0.04	2	18.4	41		0.001	5*	Stockwerk	
LA-21-07	202	203.5	1.5	X340383			0.04	2	18.3	50		0.001	7*	Stockwerk	
LA-21-07	203.5	205	1.5	X340384			0.06	4	16.1	55		0.001	7*	Stockwerk	
LA-21-07	205	206.5	1.5	X340385			0.06	4	16.8	57		0.001	7*	Stockwerk	
LA-21-07	206.5	208	1.5	X340386			0.06	3	14.9	56		0.001	7*	Stockwerk	
LA-21-07	208	209.5	1.5	X340387			0.07	3	18.4	56		0.001	7*	Stockwerk	
LA-21-07	209.5	211	1.5	X340388			0.06	3	14.7	55		0.001	7*	Stockwerk	

Drilling 2021_List of drill core samples analyzed in association with the observed structure

N° drilling	From (m)*	To (m)*	Legth (m) *	N° Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-07	211	212.5	1.5	X340389			0.05	2	15.1	47		0.001	7*	Stockwerk	
LA-21-07	212.5	214	1.5	X340390			0.05	2	15.8	44		0.001	7*	Stockwerk	
LA-21-08	117	118.5	1.5	x340434			0.04	1	11.1	53		0.001	1*		
LA-21-08	118.5	120	1.5	x340435			0.03	1	7.9	50		0.001	1*		
LA-21-08	120	121.5	1.5	x340436			0.03	2	7	51		0.001	1*		
LA-21-08	135	136.4	1.4	X340437			0.04	2	11.6	58		0.001	1*		
LA-21-08	136.4	137.9	1.5	X340438			0.1	194	12.3	66		0.01	2*	Shear	
LA-21-08	137.9	138.1	0.2	X340439			0.1	39	13	20		0.001	2*	Shear	T1
LA-21-08	137.9	138.1		X340440	Doubleton	X340439	0.08	36	15.7	21		0.001			
LA-21-08	138.1	138.9	0.8	X340441			0.26	952	18.5	55		0.02	2*	Shear	T4
LA-21-08	138.9	139.07	0.17	X340442			1.39	>10000	39	73		2.02	2*	Shear	T1
LA-21-08	139.07	140	0.93	X340443			0.12	291	14.1	85		0.01	2*	Shear	
LA-21-08	140	141	1	X340444			0.08	39	12	94		0.001	2*	Shear	
LA-21-08	141	142.5	1.5	X340445			0.05	8	20.2	87		0.001	2*	Shear	
LA-21-08	142.5	144	1.5	X340446			0.03	6	8.4	67		0.001	2*	Shear	
LA-21-08	144	145.5	1.5	X340447			0.03	4	16.5	75		0.001	2*	Shear	
LA-21-08	145.5	147	1.5	X340448			0.03	7	17.6	87		0.001	2*	Shear	
LA-21-08	147	148	1	X340449			0.04	15	23.8	105		0.001	2*	Shear	
LA-21-08	148	148		X340450	Standard	603b	>100	2460	608	1850	296	5			
LA-21-08	148	149	1	X340451			0.06	17	18.8	107		0.001	2*	Shear	
LA-21-08	149	150	1	X340452			0.03	11	10.7	69		0.001	2*	Shear	
LA-21-08	175.5	176.4	0.9	X340472			0.03	15	18.2	89		0.01	4*	Shear	
LA-21-08	176.4	178	1.6	X340473			0.02	10	19.1	75		0.005	5*	Shear	
LA-21-08	178	179	1	X340474			0.03	5	6.7	80		0.005	3*	Shear	
LA-21-08	179	180	1	X340475			0.03	4	7.3	73		0.005	3*	Shear	
LA-21-08	180	181	1	X340476			0.03	8	8.3	72		0.005	3*	Shear	
LA-21-08	181	182	1	X340477			0.04	20	9.1	58		0.005	3*	Shear	
LA-21-08	182	183	1	X340478			0.03	8	6.8	67		0.005	3*	Shear	
LA-21-08	183	184	1	X340479			0.03	4	10.1	63		0.005	3*	Shear	
LA-21-08	183	184		X340480	Doubleton	X340479	0.02	3.8	9.9	62					
LA-21-08	184	185	1	X340481			0.04	4	14.2	66		0.005	3*	Shear	
LA-21-08	185	186	1	X340482			0.03	2	8.5	59		0.005	3*	Shear	

Drilling 2021_List of drill core samples analyzed in association with the observed structure

N° drilling	From (m)*	To (m)*	Legth (m) *	N° Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-08	186	187	1	X340483			0.02	2	9.3	63		0.005	3*	Shear	
LA-21-08	187	188	1	X340484			0.03	4	7.9	67		0.005	3*	Shear	
LA-21-08	188	189	1	X340485			0.03	2	7.1	68		0.005	3*	Shear	
LA-21-08	189	190	1	X340486			0.04	3	6	56		0.005	3*	Shear	
LA-21-08	190	191	1	X340487			0.04	3	7.3	73		0.02	3*	Shear	
LA-21-08	191	192	1	X340488			0.03	5	30.1	62		0.005	3*	Shear	
LA-21-08	192	193	1	X340489			0.02	3	4.5	56		0.01	3*	Shear	
LA-21-08	193	193		X340490	Blanc	Blank	0.01	0.4	0.4	2		error			
LA-21-08	193	194	1	X340491			0.02	4	7.5	62		0.01	3*	Shear	
LA-21-08	194	194.8	0.8	X340492			0.03	5	15.6	69		0.01	3*	Shear	
LA-21-08	194.8	196	1.2	X340493			0.04	5	15	88		0.005	5*	Shear	
LA-21-08	207	208.3	1.3	X340503			0.05	18	8.6	91		0.01	5*	Shear	
LA-21-08	208.3	210	1.7	X340504			0.03	16	5.8	64		0.01	2*	Shear	
LA-21-08	210	211	1	X340505			0.03	18	5.2	57		0.01	2*	Shear	
LA-21-08	211	212	1	X340506			0.05	26	6.5	68		0.02	2*	Shear	
LA-21-08	212	213.3	1.3	X340507			0.03	19	9.7	74		0.005	2*	Shear	
LA-21-08	213.3	214.5	1.2	X340508			0.02	25	3.4	68		0.005	2*	Shear	
LA-21-08	214.5	215.5	1	X340509			0.04	34	13.4	93		0.005	4*	Shear	
LA-21-08	215.5	215.5		X340510	Blanc	Blank	0.01	0.9	0.4	2		error			
LA-21-08	230	231	1	X340522			0.04	28	9.1	71		0.001	2*		
LA-21-08	231	231.3	0.3	X340523			0.05	32	11.4	72		0.001	2*		
LA-21-08	231.3	232.5	1.2	X340524			0.04	20	2.8	57		0.001	2*		
LA-21-08	232.5	233.5	1	X340525			0.05	21	8	72		0.001	2*		
LA-21-08	233.5	234.5	1	X340526			0.05	25	7.5	67		0.001	2*		
LA-21-08	234.5	235.6	1.1	X340527			0.05	27	3.9	54		0.001	2*		
LA-21-08	235.6	236.75	1.15	X340528			0.04	22	2.7	59		0.001	2*		
LA-21-08	236.75	237.05	0.3	X340529			0.06	9	21.7	39		0.001	2*		T3
LA-21-08	237.05	237.05		X340530	Blanc	Blank	0.02	0.7	0.4	-2		0.001			
LA-21-08	237.05	237.6	0.55	X340531			0.04	18	2.8	56		0.001	2*		
LA-21-08	242.5	243.5	1	X340532			0.04	41	5.4	65		0.001	2*		
LA-21-08	243.5	244	0.5	X340533			0.07	277	15.3	67		0.001	2*		
LA-21-08	244	245.5	1.5	X340534			0.04	48	5	67		0.001	2*		

Drilling 2021_List of drill core samples analyzed in association with the observed structure

N° drilling	From (m)*	To (m)*	Legth (m) *	N° Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-08	259	260.2	1.2	X340535			0.04	11	14.7	82		0.001	5*		
LA-21-08	260.2	261	0.8	X340536			0.04	13	16.4	91		0.001	5*	Shear	
LA-21-09	13.6	15	1.4	X340537			0.04	24	24.9	104		0.001	5*	Stockwerk	
LA-21-09	15	16.5	1.5	X340538			0.03	3	8.8	70		0.001	5*	Stockwerk	
LA-21-09	16.5	18	1.5	X340539			0.04	3	9.7	67		0.001	5*	Stockwerk	
LA-21-09	16.5	18		X340540	Doubleton	X340539	0.04	2.5	10.3	69		0.001			
LA-21-09	63	63.85	0.85	X340541			0.03	14	16.3	101		0.001	2*		
LA-21-09	63.85	63.95	0.1	X340542			0.04	13	13.9	81		0.001	2*		T1
LA-21-09	63.95	65	1.05	X340543			0.03	10	14.7	75		0.001	2*	Stockwerk	
LA-21-09	72	73.45	1.45	X340544			0.04	13	19.4	101		0.001	2*	Stockwerk	
LA-21-09	73.45	74.3	0.85	X340545			0.03	7	12.7	82		0.001	2*	Stockwerk	
LA-21-09	74.3	75	0.7	X340546			0.04	8	11.5	94		0.001	2*	Stockwerk	
LA-21-09	79.5	80.5	1	X340547			0.03	6	14.3	84		0.001	2*	Stockwerk	
LA-21-09	80.5	81	0.5	X340548			0.03	4	15.5	78		0.001	2*	Stockwerk	
LA-21-09	81	82.5	1.5	X340549			0.04	3	9.7	82		0.01	2*	Stockwerk	
LA-21-09	82.5	82.5		X340550	Standard	603b	>100	2530	621	1900	303	5.21			
LA-21-09	82.5	84	1.5	X340551			0.35	10	23.9	96		0.06	2*	Stockwerk	
LA-21-09	84	85.3	1.3	X340552			0.11	7	14.2	85		0.001	2*	Stockwerk	
LA-21-09	85.3	86.2	0.9	X340553			0.07	7	16.6	98		0.001	2*	Stockwerk	
LA-21-09	86.2	86.7	0.5	X340554			0.06	9	19.8	97		0.001	2*	Stockwerk	
LA-21-09	86.7	87.5	0.8	X340555			0.05	9	18.8	106		0.001	2*	Stockwerk	
LA-21-09	102	103.5	1.5	X340556			0.04	2	8.4	55		0.001	2*	Stockwerk	
LA-21-09	111.5	113	1.5	X340557			0.03	3	9.8	74		0.001	2*	Stockwerk	
LA-21-09	113	113.2	0.2	X340558			0.06	6	32.7	69		0.001	2*	Fault	
LA-21-09	113.2	114	0.8	X340559			0.06	7	17.1	88		0.001	2*	Stockwerk	
LA-21-09	113.2	114		X340560	Doubleton	X340559	0.05	7.4	18.1	90		0.001			
LA-21-09	114	115.5	1.5	X340561			0.05	6	14.4	97		0.001	2*	Stockwerk	
LA-21-10	20.9	21.5	0.6	X340562			0.06	90	10.7	72		0.09	3*	Stockwerk	
LA-21-10	21.5	22.75	1.25	X340563			0.09	184	25.1	27		0.001	3*	Stockwerk	
LA-21-10	22.75	24	1.25	X340564			0.06	123	18.5	108		0.001	3*	Stockwerk	
LA-21-10	24	24.35	0.35	X340565			0.07	167	28.1	77		0.001	3*	Stockwerk	
LA-21-10	24.35	25.4	1.05	X340566			0.05	87	15.9	113		0.001	3*	Stockwerk	

Drilling 2021_List of drill core samples analyzed in association with the observed structure

N° drilling	From (m)*	To (m)*	Legth (m) *	N° Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-10	25.4	26	0.6	X340567			0.05	66	19.8	58		0.001	3*	Stockwerk	
LA-21-10	26	27	1	X340568			0.05	21	16.8	94		0.001	3*	Stockwerk	
LA-21-10	27	27.5	0.5	X340569			0.07	34	25.3	45		0.001	3*	Stockwerk	
LA-21-10	27.5	27.5		X340570	Blanc	Blank	0.03	0.7	0.8	-2		0.001			
LA-21-10	27.5	28.7	1.2	X340571			0.04	7	16.9	98		0.001	3*	Stockwerk	
LA-21-10	28.7	29.6	0.9	X340572			0.04	7	17.9	112		0.001	3*		
LA-21-10	29.6	30.6	1	X340573			0.04	10	17.4	67		0.001	4*		
LA-21-10	96.5	97.5	1	X340574			0.04	4	18.7	98		0.001	4*	Shear	
LA-21-10	97.5	98.3	0.8	X340575			0.03	5	18.2	103		0.001	4*	Shear	
LA-21-10	103	104.5	1.5	X340576			0.04	4	21.1	100		0.001	4*	Shear	
LA-21-10	118	119	1	X340589			0.08	23	12.4	77		0.001	3*		
LA-21-10	119	119		X340590	Blanc	Blank	0.02	0.5	0.7	-2		0.001			
LA-21-10	119	120	1	X340591			0.09	36	8.4	35		0.001	3*		
LA-21-10	120	121	1	X340592			0.09	27	13.3	75		0.001	3*		
LA-21-10	121	122	1	X340593			0.12	32	12.5	63		0.001	3*		
LA-21-10	122	123	1	X340594			0.13	115	12.2	65		0.001	3*		
LA-21-10	123	124	1	X340595			0.14	191	16.9	67		0.001	3*		
LA-21-10	124	125.3	1.3	X340596			0.2	187	132.5	125		0.001	3*	Stockwerk	
LA-21-10	125.3	126.5	1.2	X340597			0.14	140	18	66		0.001	3*		
LA-21-10	136.2	137.4	1.2	X340598			0.11	133	11.2	90		0.001	5*		
LA-21-10	137.4	138.5	1.1	X340599			0.12	211	34	107		0.001	2*		
LA-21-10	138.5	138.5		X340600	Standard	606	1	108.5	81.6	165		0.34			
LA-21-10	138.5	139.5	1	X340601			0.16	206	67.4	135		0.001	2*	Stockwerk	
LA-21-10	139.5	140.5	1	X340602			0.14	62	11	69		0.001	2*	Stockwerk	
LA-21-10	140.5	141.5	1	X340603			0.11	144	11.8	67		0.001	2*	Stockwerk	
LA-21-10	141.5	142.5	1	X340604			0.21	259	24.4	107		0.001	2*	Stockwerk	
LA-21-10	142.5	143.7	1.2	X340605			0.18	253	18.8	77		0.001	2*	Stockwerk	
LA-21-10	143.7	144.6	0.9	X340606			0.12	172	8.5	69		0.001	2*	Stockwerk	
LA-21-10	144.6	145.5	0.9	X340607			0.14	160	8.6	60		0.01	2*	Stockwerk	
LA-21-10	145.5	146.5	1	X340608			0.14	148	17.3	94		0.001	2*	Stockwerk	
LA-21-10	146.5	148	1.5	X340609			0.11	136	11.7	74		0.001	2*	Stockwerk	
LA-21-10	148	148		X340610	Blanc	Blank	0.03	1.1	0.8	2		0.001			

Drilling 2021_List of drill core samples analyzed in association with the observed structure

N° drilling	From (m)*	To (m)*	Legth (m) *	N° Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-10	148	149	1	X340611			0.15	216	41	214		0.001	2*	Stockwerk	
LA-21-10	149	150	1	X340612			0.1	55	12.5	74		0.001	2*	Stockwerk	
LA-21-10	150	151	1	X340613			0.12	118	9.9	72		0.001	2*	Stockwerk	
LA-21-10	151	151.5	0.5	X340614			0.15	192	6.3	56		0.001	2*	Stockwerk	
LA-21-10	151.5	152.5	1	X340615			0.19	209	40.9	92		0.02	2*	Stockwerk	
LA-21-10	152.5	154	1.5	X340616			0.56	207	29.1	100		0.001	5*	Stockwerk	
LA-21-10	154	155	1	X340617			0.17	162	16.8	77		0.001	5*	Stockwerk	
LA-21-10	155	156	1	X340618			0.21	210	21.7	104		0.001	5*	Stockwerk	
LA-21-10	156	157.5	1.5	X340619			0.16	255	9	66		0.001	5*	Stockwerk	
LA-21-10	156	157.5		X340620	Doublon	X340619	0.15	255	9.1	65		0.002			
LA-21-10	157.5	158.3	0.8	X340621			0.14	268	16.3	148		0.001	5*	Fault	
LA-21-10	158.3	159.5	1.2	X340622			0.1	82	23.2	100		0.001	3*		
LA-21-10	159.5	160.5	1	X340623			0.08	20	11.1	57		0.001	3*		
LA-21-10	160.5	161.5	1	X340624			0.06	10	12.2	52		0.001	3*		
LA-21-10	161.5	163	1.5	X340625			0.05	17	9.6	58		0.001	3*		
LA-21-10	169.2	170.2	1	X340626			0.08	69	14.4	75		0.001	3*		
LA-21-10	170.2	171.2	1	X340627			0.08	39	12.6	51		0.001	3*	Stockwerk	
LA-21-10	171.2	172.5	1.3	X340628			0.14	126	22	75		0.001	3*	Stockwerk	
LA-21-10	172.5	174	1.5	X340629			0.1	166	14.7	81		0.001	3*	Stockwerk	
LA-21-10	174	174		X340630	Blanc	Blank	0.02	1	0.8	-2		0.001			
LA-21-10	174	175.5	1.5	X340631			0.07	73	10.5	56		0.001	3*		
LA-21-11	57	58.5	1.5	X340632			0.03	7	5.5	72		0.001	2*		
LA-21-11	58.5	60	1.5	X340633			0.04	39	9.7	82		0.001	2*		
LA-21-11	60	60.9	0.9	X340634			0.05	161	12.2	92		0.001	2*		
LA-21-11	60.9	62	1.1	X340635			0.06	213	28.9	52		0.001	2*	Stockwerk	
LA-21-11	62	63	1	X340636			0.07	188	32	63		0.01	2*	Stockwerk	
LA-21-11	63	64	1	X340637			0.03	95	7.5	76		0.001	2*	Stockwerk	
LA-21-11	64	65	1	X340638			0.07	277	69.1	38		0.001	2*	Stockwerk	
LA-21-11	65	66	1	X340639			0.08	279	85.4	11		0.001	2*	Stockwerk	
LA-21-11	65	66		X340640	Doublon	X340639	0.1	283	90.4	14		0.001			
LA-21-11	66	67	1	X340641			0.07	152	63.7	33		0.001	2*	Stockwerk	
LA-21-11	67	68	1	X340642			0.07	150	40.6	32		0.001	2*	Stockwerk	

Drilling 2021_List of drill core samples analyzed in association with the observed structure

N° drilling	From (m)*	To (m)*	Legth (m) *	N° Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
LA-21-11	68	69	1	X340643			0.04	60	6.3	103		0.001	2*	Stockwerk	
LA-21-11	69	70	1	X340644			0.07	240	43.5	51		0.001	2*	Stockwerk	
LA-21-11	70	71	1	X340645			0.1	244	49	34		0.001	2*	Stockwerk	
LA-21-11	71	72	1	X340646			0.05	143	11.8	73		0.001	2*	Stockwerk	
LA-21-11	72	73	1	X340647			0.03	71	6.1	74		0.001	2*	Stockwerk	
LA-21-11	73	74	1	X340648			0.02	51	4.9	84		0.001	2*	Stockwerk	
LA-21-11	74	75	1	X340649			0.04	86	9.2	71		0.001	2*	Stockwerk	
LA-21-11	75	75		X340650	Standard	603b	>100	2560	624	1900	302	5.45			
LA-21-11	75	76.4	1.4	X340651			0.25	85	8.5	70		0.01	2*	Stockwerk	
LA-21-11	76.4	77.9	1.5	X340652			0.07	66	5.8	79		0.001	2*	Stockwerk	
LA-21-11	77.9	79	1.1	X340653			0.05	89	4.9	81		0.001	2*	Stockwerk	
LA-21-11	79	80	1	X340654			0.05	153	7.4	88		0.001	2*	Stockwerk	
LA-21-11	80	80.7	0.7	X340655			0.04	105	11.5	92		0.001	2*	Stockwerk	
LA-21-11	80.7	81	0.3	X340656			0.04	87	14.1	93		0.001	2*		
LA-21-11	279	280	1	X340672			0.03	61	17.2	89		0.001	4*		
LA-21-11	313.5	315	1.5	X340673			0.04	18	19	102		0.001	4*		
LA-21-11	315	316.2	1.2	X340674			0.06	42	39.6	131		0.001	4*	Stockwerk	
LA-21-11	316.2	317	0.8	X340675			0.04	22	8.2	102		0.001	4*	Stockwerk	
LA-21-11	317	318	1	X340676			0.04	9	22.2	100		0.001	4*	Stockwerk	
LA-21-11	318	318.5	0.5	X340677			0.06	12	30.7	99		0.01	4*	Stockwerk	
LA-21-11	318.5	320.1	1.6	X340678			0.05	11	17.1	100		0.001	4*	Stockwerk	
LA-21-11	320.1	320.7	0.6	X340679			0.05	26	25.7	109		0.001	4*	Stockwerk	
LA-21-11	320.1	320.7		X340680	Doublon	X340679	0.06	26.3	21.5	113		0.001			
LA-21-11	320.7	321	0.3	X340681			0.03	10	3.1	75		0.001	2*		

*: intervals reported

1* Sandstone

2* Sandstone interbedded with mudrock

3* Sandstone interbedded with siltstone

4* Mudrock

5* Mudrock interbedded with sandstone

6* Silstone interbedded with sandstone

Drilling 2021_List of drill core samples analyzed in association with the observed structure

Nº drilling	From (m)*	To (m)*	Legth (m) *	Nº Sample	QAQC Sample	QAQC Reference	Ag (ppm)	As (ppm)	Pb (ppm)	Zn (ppm)	Ag-OG46 (g/t)	Au-ICP22 (g/t)	Host rock	Structure	Type Veine
-------------	-----------	---------	-------------	-----------	-------------	----------------	----------	----------	----------	----------	---------------	----------------	-----------	-----------	------------

7* Dacite