



Assay Results – New OKO Discovery

DRILL HOLE	FROM (metres)	TO (metres)	INT. (metres)	GRADE g/t Au	Grade x DH Width
AMD51	164.0	165.5	1.5	2.1	3.1
AMD51	212.0	215.0	3.0	0.5	1.6
AMD51	221.0	227.0	6.0	0.3	1.9
AMD52	No significant intercept.				
AMD53	237.1	277.9	40.8	0.5	20.3
AMD54A	202.0	251.0	49.0	1.3	63.2
Incl.	219.5	234.5	15.0	3.0	44.6
AMD55	246.5	310.5	64.0	0.4	28.0
AMD56	274.0	326.0	52.0	1.1	58.7
Incl.	278.5	290.5	12.0	3.2	37.9
AMD57	276.0	328.5	52.5	0.4	22.2
AMD58	257.0	303.5	46.5	1.0	46.7
Incl.	272.0	284.0	12.0	2.0	24.4
AMD59	341.0	384.0	43.0	0.7	30.0
Incl.	341.0	347.0	6.0	2.8	16.6
AMD60	170.5	172.0	1.5	0.5	0.7
AMD60	219.5	221.0	1.5	0.7	1.0
AMD61	242.2	243.5	1.3	2.6	3.3
AMD61	279.5	282.5	3.0	0.6	1.8
AMD62	274.0	307.9	33.9	0.4	14.8



AMD63	121.5	150.0	28.5	0.8	23.0
Incl.	133.5	138.0	4.5	3.4	15.1
AMD64	243.0	247.5	4.5	0.3	1.3
AMD64	255.0	261.0	6.0	0.4	2.2
AMD64	266.5	267.3	0.8	0.9	0.6
AMD65	<i>No significant intercept.</i>				
AMD66	288.0	310.0	22.0	0.8	17.3
AMD67	<i>No significant intercept.</i>				
AMD68	303.5	350.1	46.6	0.8	35.2
Incl.	314.0	318.5	4.5	3.5	15.7
AMD68	365.0	368.0	3.0	0.5	1.6
AMD69	<i>No significant intercept.</i>				
AMD70	186.8	187.3	0.5	3.2	1.7
AMD70	219.7	269.5	49.8	0.5	26.6
AMD71	322.6	360.0	37.4	1.3	47.5
Incl.	322.6	334.5	11.9	2.3	27.9
AMD72	61.5	68.0	6.5	1.0	6.4
AMD72	81.5	90.0	8.5	0.6	5.0
AMD73	47.5	48.6	1.1	1.4	1.5
AMD74	63.0	91.0	28.0	0.5	12.8
AMD75	62.0	76.9	14.9	1.3	19.3
AMD75	95.3	111.2	15.9	1.2	19.5



AMD76	68.5	71.5	3.0	0.8	2.4
AMD76	101.0	102.6	1.6	0.9	1.5
AMD77	241.9	259.5	17.7	0.4	6.4
AMD77	286.5	301.5	15.0	0.9	14.1
AMD78	117.1	154.0	37.0	3.2	117.7
Incl.	124.1	127.9	3.8	26.7	102.3
AMD79	73.1	139.8	66.7	0.7	49.9
Incl.	137.8	139.8	2.0	3.6	7.2
AMD80	29.0	32.0	3.0	0.4	1.1
AMD80	41.0	45.5	4.5	1.0	4.5
AMD81	21.3	62.4	41.1	1.3	52.4
Incl.	30.0	39.3	9.3	3.6	33.2
AMD82	39.0	48.5	9.5	0.4	3.4
AMD82	58.5	63.0	4.5	2.0	8.8
AMD82	101.0	104.0	3.0	0.8	2.4
AMD83	164.5	222.0	57.5	0.5	30.1
Incl.	176.5	188.5	12.0	1.5	18.2
AMD84	31.5	90.0	58.5	1.3	78.8
Incl.	36.0	40.5	4.5	4.6	20.5
And	75.0	82.5	7.5	3.3	24.7
AMD84	106.5	108.0	1.5	1.5	2.3
AMD85	127.0	127.7	0.7	0.4	0.3
AMD86	130.5	143.4	12.9	0.8	10.0



AMD87	19.5	69.0	49.5	4.2	207.6
Incl.	27.0	36.0	9.0	18.7	168.4
AMD88	142.5	144.0	1.5	1.0	1.4
AMD88	150.0	151.5	1.5	0.9	1.3
AMD88	173.0	174.5	1.5	0.9	1.3
AMD89	168.9	203.9	35.0	0.6	19.9
AMD90	23.0	70.5	47.5	0.9	43.7
Incl.	54.5	59.0	4.5	3.4	15.1
AMD91	<i>No significant intercept.</i>				
AMD92	34.5	75.0	40.5	0.5	21.1
AMD93	18.5	27.5	9.0	0.5	4.2
AMD93	34.4	35.4	1.0	0.4	0.4
AMD93	44.0	47.0	3.0	0.7	2.0
AMD93	57.5	60.5	3.0	0.6	1.9
AMD93	67.5	68.4	0.9	0.6	0.6
AMD93	82.5	87.0	4.5	0.4	1.6
AMD94	141.6	143.0	1.4	0.7	1.0
AMD94	218.9	260.0	41.2	1.7	68.3
Incl.	226.0	229.0	3.0	16.0	48.0
AMD95	194.0	240.5	46.5	0.4	20.1
AMD96	122.0	126.5	4.5	0.4	1.9
AMD96	142.5	150.0	7.5	0.6	4.4
AMD97¹	13.5	21.0	7.5	13.8	103.3
AMD97	55.5	77.0	21.5	0.7	15.6



AMD98

No significant intercept.

AMD99

271.5

311.5

40.0

1.0

38.6

Notes to Table 1: Intercepts reported are down-hole widths. True widths are estimated between 68% and 93% of reported down-hole widths. Average grades are calculated with un-capped gold assays, as insufficient drilling has been completed to determine capping levels for higher grade intercepts.

¹ **N.B.** Pending additional assays for the upper contact of this zone (AMD97).