



on-demand privacy glass



A photograph of a modern building facade at dusk. The building features large windows with dark frames. Some windows are open, revealing a warmly lit interior with furniture and decor. Other windows are closed and show a bright, uniform light, indicating they are in a privacy mode. In the background, a city skyline with other lit-up buildings is visible under a dark blue sky.

Welcome to the era of smart windows and doors, brought to you by CLiC. A decade of development. Comprehensive market research. A new state-of-the-art manufacturing line. CLiC® on-demand privacy glass is now available for order from Cardinal Glass Industries. The hottest innovation in privacy is now your fast track to robust revenue growth.

CLiC
on-demand privacy glass

Privacy meets elegance, on demand

Designed for a seamless transition, CLiC® glass switches instantly from clear to private with no disruptions, distortions, or tints.

... INSTANT PRIVACY

Switch from perfectly clear to private faster than the blink of an eye and back again just as fast.

... SEAMLESS INTEGRATION

Blends seamlessly with non-CLiC windows, reduces clutter without the need for extra hardware, drapes or blinds; home automation system compatible.

... ENERGY EFFICIENT

Advanced Cardinal LoE coatings and insulating glass maintain comfort while reducing energy costs.

... UV BLOCKING

Blocks 99%+ of UV light, protecting interiors from fading while preserving natural light.

... DURABLE

Built to withstand extreme weather and deliver long-term reliability, backed by the best warranty in the industry.

... NOISE REDUCTION

Reduces unwanted noise, chatter, traffic, or the neighbor's leaf blower.

Specifications

CLiC is available in a wide range of sizes to accommodate most architectural glazing needs from 1.8-50 square feet. The following table details the available sizes (all three constraints must be met).

DIMENSION	MIN	MAX
Long Side	16"	129"
Short Side	7"	78"
Area (sq ft)	1.8 sq ft	50 sq ft

PERFORMANCE	CLEAR	PRIVATE
Visible Light Transmission	~80%	~60%
Haze	<3%	>97%
UV Blocking	>99%	

THICKNESS

Available as Double and Triple Pane IGU

- Min: 3/4" (19.05mm)
- Max OAT: 2" (50.8mm)

MONOLITHIC THICKNESS

- Standard: 9.9mm
- Hurricane: 10.7mm

SIGHTLINE

- 11mm

ELECTRICAL

- Class 3 Power Limited Device
- UL & FCC Certified

COMPLIANCE/SAFETY

- ASTM E2190
- ANSI Z97.1
- CPSC 16 CFR 1201

Ordering

All CLiC units are made to order and custom dimensions are available. To discuss your project, contact your preferred window, door, or partition manufacturer offering CLiC.

HOW CAN I CONTACT CLiC?

To contact CLiC, learn more, or for specific questions related to your project, please visit the page: CLICGLASS.COM/FOR-PROS



BUILT ON THE CARDINAL FOUNDATION

Since 1962, Cardinal has led the industry in glass manufacturing innovation. Our vertically integrated business ensures the highest levels of product quality, fulfillment speed and service responsiveness for you.

CARDINAL IG 

