

## **SUCCESSFUL EXPLORATION AT PERSEUS'S IVORIAN GOLD MINES**

**Perth, Western Australia/February 22, 2024/**Perseus Mining Limited (ASX/TSX: PRU) is pleased to provide an update on ongoing exploration activities conducted at and around its two operating gold mines in Côte d'Ivoire.

At the Yaouré Gold Mine, exploration drilling continues to demonstrate the down dip potential of the CMA underground Mineral Resource; and adds further confidence in opportunities to expand the Yaouré open pit Mineral Resource. While targeting the continuation of the CMA structure at depth, drilling has located previously unidentified shallow mineralisation located immediately east of the CMA pit. This mineralisation has been termed the Zain 1 Prospect.

At the Sissingué Gold Mine and Fimbiasso Satellite Pits, ongoing exploration continues to identify extensions to existing mineral deposits and other prospects that have significant potential to extend the life of the Sissingué operation.

### **HIGHLIGHTS**

**YAOURÉ - CMA UNDERGROUND NORTH EXTENSION** - The objective of this program is to infill the existing drilling to a nominal drill pattern of 25 m × 25 m to target an upgrade of the Mineral Resource to higher confidence categories. A secondary objective is to complete step out drilling to the north to test for extensions to the CMA mineralisation. While the program is ongoing, results to date include:

- **YDD0594: 12m @ 4.58 g/t gold from 325m and 3m @ 6.27 g/t gold from 349m**
- **YDD0608: 14.25m @ 3.95 g/t gold from 566.75m**
- **YRC2359D: 10.4m @ 4.35 g/t gold from 362.6m**
- **YRC2360D: 13.6m @ 4.67 g/t gold from 431.4m**
- **YRC2361D: 17m @ 3.21 g/t gold from 446m**
- **YRC2362D: 12.1m @ 24.50 g/t gold from 480.9m, including 1m @ 255.1 g/t gold from 487m**

**YAOURÉ OPEN PIT** - The program is designed to improve confidence in the Mineral Resource and to test for extensions along strike and down dip. The program is ongoing with assays to date including:

- **YDD0604: 16m @ 2.08 g/t gold from 171m**
- **YRC2367D: 18m @ 2.57 g/t gold from 109m, including 2m @ 9.54 g/t gold from 124m**
- **YRC2379D: 4.95m @ 6.17 g/t gold from 111.8m, and 12m @ 1.08 g/t gold from 119m, and 18.2m @ 3.32 g/t gold from 134m**
- **YRC2380D: 12m @ 1.98 g/t gold from 159m, and 29m @ 2.47 g/t gold from 174m**
- **YRC2382D: 4m @ 753.46 g/t gold from 130m including 1m @ 3,008.89 g/t gold from 133m, and 15m @ 1.28 g/t gold from 137m**
- **YRC2383D: 16m @ 1.58 g/t gold from 229m**

**YAOURÉ - ZAIN 1** – The program is ongoing and is designed to assess near-surface mineralisation identified during the CMA underground north extension drilling. Assay results have returned significant gold intercepts including:

- **YRC2390: 13m @ 1.52 g/t gold from 10m**
- **YRC2396: 14m @ 2.27 g/t gold from 65m and 5m @ 1.17 g/t gold from 90m**
- **YRC2397: 21m @ 1.13 g/t gold from 49m**
- **YRC2403: 5m @ 3.56 g/t gold from 24m and 3m @ 2.65 g/t gold from 57m**
- **YRC2409: 18m @ 1.91 g/t gold from surface**
- **YRC2411: 7m @ 3.56 g/t gold from 3m**

**SISSINGUE - FIMBIASSO WEST** – A review of the mineralisation at Fimbiasso has identified potential to increase the Mineral Resource. A three-phase drilling program was designed to infill and extend the mineralisation and is currently underway. Results to date are encouraging with the primary mineralised zone intersected down dip and along strike. Significant results include:

- **FMRC0040: 6m @ 3.78 g/t gold from 118m**
- **FMRC0047: 9m @ 2.10 g/t gold from 109m**
- **FMRC0061: 5m @ 9.69 g/t gold from 0m**
- **FMRC0063: 9m @ 3.95 g/t gold from 40m**
- **FMRC0064: 11m @ 5.47 g/t gold from 2m**
- **FMRC0071: 6m @ 5.62 g/t gold from 46m**
- **FMRC0072: 11m @ 3.97 g/t gold from 28m**
- **FMRC0088B: 5m @ 3.85 g/t gold from 156m**
- **FMRC0089: 12m @ 2.62 g/t gold from 143m**
- **FMRC0090: 13m @ 2.66 g/t gold from 142m**
- **FMRC0094: 15m @ 2.38 g/t gold from 130m**
- **FMRC0096: 4m @ 4.48 g/t gold from 115m**
- **FMRC0098: 18m @ 4.05 g/t gold from 132m**

**SISSINGUÉ – AIRPORT WEST** – RC drilling was conducted at Airport West and Binkadi to follow up on previous drill results. Some 3,890m were drilled in 46 RC holes. More significant assays results include:

- **SRC1405: 3m @ 6.51 g/t gold from 38m and 28m @ 1.62 g/t gold from 66m**
- **SRC1407: 12m @ 1.77 g/t gold from 63m**
- **SRC1411: 11m @ 1.83 g/t gold from 35m**
- **SRC1412: 8m @ 13.71 g/t gold from 20m**
- **SRC1413: 2m @ 23.38 g/t gold from 49m and 13m @ 3.83 g/t gold from 52m**
- **SRC1434: 7m @ 3.19 g/t gold from 41m**
- **SRC1442: 5m @ 3.87 g/t gold from 7m and 5m @ 5.85 g/t gold from 39m**
- **SRC1445: 5m @ 3.26 g/t gold from 12m**

**Perseus's Chairman and CEO, Jeff Quartermaine, said:**

*"Perseus considers that organic growth through successful exploration, is the most cost-effective way to grow our business and to create value for stakeholders. To deliver this outcome, Perseus has been funding active exploration programs at all three of its operating sites including the Yaouré and Sissingué gold mines in Côte d'Ivoire and the Edikan gold mine in Ghana.*

*The encouraging drilling results reported today from our latest exploration campaigns conducted in and around the Yaouré and Sissingué gold mines, provide clear evidence that we are well on track to not only improve the quality of our existing asset base by extending the lives of each of these mines, but also maintaining Perseus's targeted levels of combined gold production of more than 500,000 ounces of gold per year to the end of the current decade and beyond."*

## CENTRAL CÔTE D'IVOIRE

### YAOURE GOLD MINE – EXPLORATION UPDATE

Perseus is currently mining the CMA orebody at the Yaouré Gold Mine in Côte d'Ivoire using conventional open-pit mining methods. The CMA is a tabular zone of mineralisation 2-20 metres thick, which generally grades at 3-7 g/t gold and dips to the east at 20-35 degrees but can be shallower or steeper locally. Over the past few years' exploration has continued to expand the Mineral Resources and Ore Reserves and has demonstrated the economic viability of an underground operation on the CMA Lode below the CMA open pit.

In August 2023 the company announced an increase to CMA underground Ore Reserves beneath the existing CMA open pit, of 2.7 Mt at 3.46 g/t gold for 300,000 ounces. The total CMA underground Ore Reserve is now estimated to be 4.9 Mt at 3.51 g/t gold for 559,000 ounces. The CMA orebody remains open down plunge and down dip below the current Indicated Mineral Resource, and further extensions to the CMA underground Ore Reserves are expected with future drilling during FY24. Feasibility-level studies on the CMA deposit at Yaouré (approximately four hundred metres down dip from the base of the open pit) have confirmed the economic and technical viability of underground mining.

In August 2023 as well as announcing the growth to Ore Reserves for the CMA underground, results of the FY23 exploration drilling campaign at the Yaouré open pit were released. The Yaouré open pit drilling programs have resulted in 6.9 Mt at 1.82 g/t gold for 403,000 ounces of additional Yaouré open pit Ore Reserves (separate to the CMA open pit). Yaouré open pit Ore Reserves now total 11.8 Mt at 1.49 g/t gold for 565,000 ounces. The increase to Yaouré open pit Ore Reserves is based upon conversion of Inferred Mineral Resources immediately beneath the existing Yaouré open pit to Indicated Mineral Resources.

#### CMA UNDERGROUND NORTH PLUNGE

The Phase One drill program has been completed and all assay results have been received. The program consisted of a total of 27 holes for an aggregate of 11,349 meters. Phase One comprised approximately 2,160m of RC and 9,189m of diamond drilling. The aim being to infill the existing drilling to a nominal drill pattern of 25 m × 25 m and to upgrade resources to higher confidence resource categories. The Phase Two program is underway with 4,581 m completed to date to achieve a nominal 100 m × 100 m drill spacing to assess the plunging mineralisation towards the north. Infill drilling has returned high-grade intercepts including:

- YDD0608: 14.25m @ 3.95 g/t gold from 566.75m
- YDD0616: 4m @ 2.58 g/t gold from 138m, and 14m @ 5.41 g/t gold from 420m
- YDD0594: 12m @ 4.58 g/t gold from 325m and 3m @ 6.27 g/t gold from 349m
- YDD0595: 10m @ 2.80 g/t gold from 315m
- YRC2352D: 4m @ 3.74 g/t gold from 347m
- YRC2350D: 2.75m @ 6.57 g/t gold from 413.25m
- YRC2357D: 3m @ 12.4 g/t gold from 142m, 2m @ 5.10 g/t gold from 231m, and 4.7m @ 4.62 g/t gold from 487.7m

- YRC2355D: 5.25m @ 3.80 g/t gold from 413.15m
- YRC2356D: 6.65m @ 3.80 g/t gold from 399.95m
- YRC2359D: 10.4m @ 4.35 g/t gold from 362.6m
- YRC2360D: 13.6m @ 4.67 g/t gold from 431.4m
- YRC2361D: 17m @ 3.21 g/t gold from 446m
- YRC2362D: 12.1m @ 24.50 g/t gold from 480.9m, including 1m @ 255.1 g/t gold from 487m (visible gold)

### YAOURÉ OPEN PIT PROGRAM

The program is designed to improve confidence and test for extensions to the previously reported Mineral Resource, with drilling mineralisation along strike and down dip. Phase One of the program was completed with a total of 4,323 m drilled in 33 holes. Phase Two drilling is underway with 4,074 m drilled in 35 holes. Results to date are viewed as encouraging, have confirmed geometry, thickness and grade of both “C” and “S” type structures and have indicated strike and depth potential. Phase Three and Four will follow in H1 24. More significant intercepts received to date include:

- YDD0600: 4.15m @ 5.48 g/t gold from 19.85m
- YDD0604: 16m @ 2.08 g/t gold from 171m
- YDD0605: 8.75m @ 1.54 g/t gold from 39.25m
- YRC2367D: 18m @ 2.57 g/t gold from 109m, including 2m @ 9.54 g/t gold from 124m
- YRC2369D: 26.35m @ 1.29 g/t gold from 128.65m
- YRC2370D: 18m @ 1.13 g/t gold from 164m
- YRC2379D: 4.95m @ 6.17 g/t gold from 111.8m, and 12m @ 1.08 g/t gold from 119m, and 18.2m @ 3.32 g/t gold from 134m
- YRC2380D: 12m @ 1.98 g/t gold from 159m, and 29m @ 2.47 g/t gold from 174m
- YRC2381D: 5m @ 4.90 g/t gold from 116m
- YRC2382D: 4m @ 753.46 g/t gold from 130m including 1m @ 3,008.89 g/t gold from 133m, and 15m @ 1.28 g/t gold from 137m
- YRC2383D: 16m @ 1.58 g/t gold from 229m
- YRC2384D: 4.1m @ 4.61 g/t gold from 183m

### ZAIN 1 PROSPECT

The Zain 1 prospect was identified during drilling of the CMA underground north extension program. Shallow near surface intercepts, located immediately east of the CMA open pit were followed up. A preliminary program totalling 2,796 m in 31 RC holes was executed. Results confirmed the presence of additional mineralised structures previously intersected in the CMA drilling, with next steps for the prospect currently being determined. Significant intercepts received included:

- YRC2390: 13m @ 1.52 g/t gold from 10m
- YRC2393: 10m @ 1.06 g/t gold from 41m
- YRC2394: 8m @ 1.02 g/t gold from 80m
- YRC2395: 5m @ 1.38 g/t gold from 16m and 4m @ 2.83 g/t gold from 40m
- YRC2396: 14m @ 2.27 g/t gold from 65m and 5m @ 1.17 g/t gold from 90m
- YRC2397: 21m @ 1.13 g/t gold from 49m
- YRC2398: 4m @ 2.22 g/t gold from 76m and 3m @ 5.34 g/t gold from 122m
- YRC2399: 8m @ 2.00 g/t gold from 101m

- YRC2403: 5m @ 3.56 g/t gold from 24m and 3m @ 2.65 g/t gold from 57m
- YRC2409: 18m @ 1.91 g/t gold from surface
- YRC2411: 7m @ 3.56 g/t gold from 3m
- YRC2416: 2m @ 5.81 g/t gold from 32m

## YAOURE WEST PROGRAM

A review of exploration potential on the Yaouré West permit has prioritised several high-quality exploration targets which are currently being assessed. In addition to this, a drone magnetic survey has been completed targeting the eastern contact of an intrusion, NW trending fault blocks, and a target defined from the interpretation of airborne full tensor gravity gradiometry data. Auger and aircore drilling programs are expected to commence Q1 24.

## YAOURÉ EXPLORATION NEXT STEPS

Perseus's ongoing exploration and study programs at Yaouré will focus on continuation of drilling to upgrade the status of Mineral Resources at CMA and Yaouré open pit and to continue drilling down dip of the current CMA underground Mineral Resource to identify the potential for further resource extensions. In addition to this the Zain 1 Prospect will continue to be investigated. Drill testing of targets at Yaouré West as well as those generated from the 3D seismic survey will also be undertaken during H1 2024.

Figures illustrating the key aspects of the Central Côte d'Ivoire exploration activities are presented in Appendix 1. Drill collar details and significant intercepts (>2 m above 0.5 g/t gold Au) are summarised in Table 1 in Appendix 2.

## NORTHERN CÔTE D'IVOIRE

### SISSINGUÉ GOLD OPERATION – EXPLORATION UPDATE

The Sissingué Operation is located in the north of Côte d'Ivoire, near the border of Mali, and commenced production in January 2018. Ore is sourced from one main open pit and several smaller satellite open pits on the Sissingué Mining Licence as well as from the Fimbiasso East and West Satellite Pits, located some 50 km west, and processed through a conventional 1.4 million tonnes per annum CIL processing facility.

A review of exploration opportunities on the Sissingué and Fimbiasso mining licences as well as the Mahale exploration permit, identified a number of potential targets which have been drill tested over the past seven months. At Sissingué initial results from the Airport West prospect look encouraging although further work will be needed to determine the extent of mineralisation and potential economic viability. At the currently operating Fimbiasso West deposit ongoing drilling continues to demonstrate along strike and down dip extension potential.

## AIRPORT WEST

RC drilling was conducted at Airport West and Binkadi to follow up on previous drill results. Some 3,890m were drilled in 46 RC holes. More significant intercepts received to date include:

- SRC1405: 3m @ 6.51 g/t gold from 38m and 28m @ 1.62 g/t gold from 66m
- SRC1407: 12m @ 1.77 g/t gold from 63m
- SRC1411: 11m @ 1.83 g/t gold from 35m
- SRC1412: 8m @ 13.71 g/t gold from 20m
- SRC1413: 2m @ 23.38 g/t gold from 49m and 13m @ 3.83 g/t gold from 52m
- SRC1434: 7m @ 3.19 g/t gold from 41m
- SRC1442: 5m @ 3.87 g/t gold from 7m and 5m @ 5.85 g/t gold from 39m
- SRC1445: 5m @ 3.26 g/t gold from 12m

## FIMBIASSO WEST

A three-phase drilling program was designed to test for extensions along strike and down dip at the operating Fimbiasso West deposit. The program is ongoing with a total of 175 holes for an aggregate of 16,075 m of RC and diamond core drilling completed until the end of January 2024. Significant intercepts received to date include:

- FMRC0040: 6m @ 3.78 g/t gold from 118m
- FMRC0047: 9m @ 2.10 g/t gold from 109m
- FMRC0061: 5m @ 9.69 g/t gold from 0m
- FMRC0063: 9m @ 3.95 g/t gold from 40m
- FMRC0064: 11m @ 5.47 g/t gold from 2m
- FMRC0071: 6m @ 5.62 g/t gold from 46m
- FMRC0072: 11m @ 3.97 g/t gold from 28m
- FMRC0088B: 5m @ 3.85 g/t gold from 156m
- FMRC0089: 12m @ 2.62 g/t gold from 143m
- FMRC0090: 13m @ 2.66 g/t gold from 142m
- FMRC0094: 15m @ 2.38 g/t gold from 130m
- FMRC0096: 4m @ 4.48 g/t gold from 115m
- FMRC0098: 18m @ 4.05 g/t gold from 132m

## FIMBIASSO AND SISSINGUÉ EXPLORATION NEXT STEPS

Perseus's ongoing exploration and study programs at Fimbiasso will focus on the continuation of drilling to increase the Mineral Resource and associated resource classification, and to close out the mineralisation. At Sissingué, additional drilling is envisaged at Airport West where the mineralisation remains open towards the south and at depth. Numerous other regional targets will also be tested by drilling.

Drill collar details and significant intercepts (>2 m above 0.5 g/t gold Au) are summarised in Table 2 in Appendix 2. Figures illustrating the key aspects of the Northern Côte d'Ivoire exploration activities are presented in Appendix 1.

***This Announcement has been approved for release by Perseus's Chairman and Chief Executive Officer, Jeff Quartermaine.***

**COMPETENT PERSON STATEMENT:**

The information in this report and the attachments that relate to exploration drilling results is based on, and fairly represents, information and supporting documentation prepared by Mr Daniel Saunders, a Competent Person who is a Fellow of the Australasian Institute of Mining and Metallurgy. Mr Saunders is the Group Resource Geologist of the Company. Mr Saunders has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves' ("JORC Code 2012") and to qualify as a "Qualified Person" under National Instrument 43-101 – Standards of Disclosure for Mineral Projects ("NI 43-101"). Mr Saunders consents to the inclusion in this report of the matters based on his information in the form and context in which it appears.

**CAUTION REGARDING FORWARD LOOKING INFORMATION:**

This report contains forward-looking information which is based on the assumptions, estimates, analysis and opinions of management made in light of its experience and its perception of trends, current conditions and expected developments, as well as other factors that management of the Company believes to be relevant and reasonable in the circumstances at the date that such statements are made, but which may prove to be incorrect. Assumptions have been made by the Company regarding, among other things: the price of gold, continuing commercial production at the Yaouré Gold Mine, Edikan Gold Mine and Sissingué Gold Mine without any major disruption due to the COVID-19 pandemic or otherwise, the receipt of required governmental approvals, the accuracy of capital and operating cost estimates, the ability of the Company to operate in a safe, efficient and effective manner and the ability of the Company to obtain financing as and when required and on reasonable terms. Readers are cautioned that the foregoing list is not exhaustive of all factors and assumptions which may have been used by the Company. Although management believes that the assumptions made by the Company and the expectations represented by such information are reasonable, there can be no assurance that the forward-looking information will prove to be accurate. Forward-looking information involves known and unknown risks, uncertainties, and other factors which may cause the actual results, performance or achievements of the Company to be materially different from any anticipated future results, performance or achievements expressed or implied by such forward-looking information. Such factors include, among others, the actual market price of gold, the actual results of current exploration, the actual results of future exploration, changes in project parameters as plans continue to be evaluated, as well as those factors disclosed in the Company's publicly filed documents. The Company believes that the assumptions and expectations reflected in the forward-looking information are reasonable. Assumptions have been made regarding, among other things, the Company's ability to carry on its exploration and development activities, the timely receipt of required approvals, the price of gold, the ability of the Company to operate in a safe, efficient and effective manner and the ability of the Company to obtain financing as and when required and on reasonable terms. Readers should not place undue reliance on forward-looking information. Perseus does not undertake to update any forward-looking information, except in accordance with applicable securities laws.

**ASX/TSX CODE: PRU****REGISTERED OFFICE:**

Level 2  
437 Roberts Road  
Subiaco WA 6008

Telephone: +61 8 6144 1700  
Email: [IR@perseusmining.com](mailto:IR@perseusmining.com)

**ABN:** 27 106 808 986

[www.perseusmining.com](http://www.perseusmining.com)

**CONTACTS:****Jeff Quartermaine**

Executive Chairman & CEO

[jeff.quartermaine@perseusmining.com](mailto:jeff.quartermaine@perseusmining.com)


**Nathan Ryan**

Media Relations

+61 4 20 582 887


[nathan.ryan@nwrcommunications.com.au](mailto:nathan.ryan@nwrcommunications.com.au)

**APPENDIX 1 - FIGURES**



**Figure 1: Yaouré Gold Project – Permits with Regional Geology**





**Figure 2: Drilling Overview showing Yaouré Open Pit, and CMA Underground North and Zain 1**



Figure 3: Yaouré Open Pit Drilling Overview showing Highlights



Figure 4: CMA Underground North and Zain 1 Drilling Overview showing Highlights




Figure 5: CMA Underground North Cross Section 777,800mN (± 25m window)




Figure 6: Zain 1 Cross Section 777,850mN (± 25m window)




Figure 7: Sissingué and Fimbiasso Gold Project – Permits and Prospects on Regional Geology




Figure 8: Sissingué Near Mine Drilling




Figure 9: Airport West Inset – Highlights




Figure 10: Drilling Overview showing Fimbiasso West Drilling with Significant Intercepts






Figure 11: Fimbiasso West Oblique Section A-A' looking Northeast ( $\pm 25m$  window)




Figure 12: Fimbiasso West Oblique Section B-B' looking Northeast ( $\pm 25m$  window)

## APPENDIX 2 – DRILL HOLE DETAILS AND SIGNIFICANT INTERCEPTS

**Table 1: CMA Underground North, Yaouré Open Pit and Zain1 Drilling - drill holes and significant assays based on lower cut-off of 0.5 g/t gold Au with maximum 2m internal waste**

Hole ID	Drill Type	East (WGS Z30N)	North (WGS Z30N)	Elevation (WGS Z30N)	Azi	Dip	Hole Depth (m)	From (m)	To (m)	Width (m)	Au (g/t gold)
<b>CMA UG NORTH EXTENSION</b>											
YDD0594	DD	221616.41	777899.98	267.58	270.00	-56.00	382.00	282	285	3	1.07
								325	337	12	4.58
								349	352	3	6.27
								364	369	5	2.9
YDD0595	DD	221584.86	777874.82	266.57	270.00	-56.00	372.30	185	188	3	0.85
								204	206	2	1.06
								315	325	10	2.8
								358	360.3	2.3	7.82
YDD0596	DD	221587.00	777874.83	266.51	270.00	-65.00	384.80	315	321	6	1.95
								326.1	330	3.9	0.77
								333	336	3	0.66
								339.5	356	16.5	1.47
								359.9	362.15	2.25	0.67
								366	371.1	5.1	0.76
YDD0597	DD	221617.76	777900.17	267.68	270.00	-64.00	395.30	177.3	179.4	2.1	1.38
								347	349	2	1.14
								368	370.65	2.65	1.73
								373.3	377.3	4	2.68
								388.5	391.3	2.8	0.73
YDD0598	DD	221589.00	777875.00	266.64	270.00	-73.00	366.80	186	188	2	1.6
								279	285.2	6.2	1.82
								329	331	2	3.6
YDD0599	DD	221710.58	777850.85	262.05	270.00	-56.00	404.70	21	24	3	0.88
								76.6	79	2.4	6.27
								174.7	178	3.3	2.21
								239	241	2	1.54
								363.4	366	2.6	2.42
								385.7	391	5.3	1.93
YDD0608	DD	221936.56	777874.26	266.40	270.00	-64.00	598.70	149	151	2	1.58
								171	175	4	1.06
								182	190.1	8.1	0.77
								540	542.65	2.65	2.57
								566.75	581	14.25	3.95
								585.15	590.25	5.1	1.23
YDD0609	DD	221846.98	777900.11	270.64	270.00	-55.00	503.80	485	487	2	0.99
								498.7	500.7	2	0.63
YDD0611	DD	221544.79	778000.09	261.31	270.00	-60.00	363.30	60	63	3	3.26
YDD0612	DD	221848.83	777900.01	270.74	270.00	-60.00	495.30	100	108	8	1.06
								226	228	2	1.12
								409	413	4	1.77
YDD0613	DD	221938.19	777875.09	266.49	270.00	-71.00	552.40	191	199.15	8.15	0.77
								259.6	261.65	2.05	0.59
								487.75	497.65	9.9	2.75
								537.3	539.8	2.5	2.51
YDD0614	DD	221850.14	777900.04	270.90	270.00	-67.00	507.10	113	118.6	5.6	0.94
YDD0615	DD	221661.81	778000.01	267.78	270.00	-60.00	418.30	58	60	2	3.71
								105.2	108.3	3.1	1.01
								159	162	3	0.93
								186	189	3	1.4
								200	207.9	7.9	1.83
								213.9	216	2.1	1.79
								263	266.9	3.9	2.04
								68	80.6	12.6	2.87
YDD0616	DD	221779.13	777999.93	268.11	270.00	-60.00	483.20	104	110	6	2.86
								138	142	4	2.58
								205	212.3	7.3	0.64
								332.5	337	4.5	2.17
								420	434	14	5.41
								37	43.8	6.8	0.89
YDD0617	DD	221880.02	777999.45	268.53	270.00	-62.00	534.30	50	52	2	2.51
								155.6	167	11.4	0.92
								176.9	186.2	9.3	0.83
								488	492	4	1.17
								511	513.45	2.45	0.73
								169	174	5	0.64
YDD0618	DD	221961.47	777900.02	267.64	270.00	-60.00	630.70	177	179	2	1.13
								204	209	5	2.73

Hole ID	Drill Type	East (WGS Z30N)	North (WGS Z30N)	Elevation (WGS Z30N)	Azi	Dip	Hole Depth (m)	From (m)	To (m)	Width (m)	Au (g/t gold)
								291	297	6	1.03
								493	497	4	1.19
								564	612	48	1.78
<b>YDD0619</b>	<b>DD</b>	<b>221995.37</b>	<b>778062.10</b>	<b>255.16</b>	<b>257.00</b>	<b>-60.00</b>	<b>577.00</b>	141	143.75	2.75	2.65
								158	161	3	1.28
								233	242	9	1.45
								247	249.2	2.2	3.3
								252.45	257	4.55	0.53
								277	286	9	1.28
								296	303	7	2.32
								418	421	3	0.95
								446	448	2	0.97
								456.5	460	3.5	2.37
<b>YDD0620</b>	<b>DD</b>	<b>221813.00</b>	<b>778182.00</b>	<b>244.26</b>	<b>270.00</b>	<b>-63.00</b>	<b>521.20</b>	17.3	20	2.7	0.54
								42	45	3	0.68
								55	64	9	2.49
								67	69	2	0.73
								109	114.1	5.1	1.19
								152	154	2	3.1
								175	178	3	0.66
								222.45	225.75	3.3	0.64
								230	233.75	3.75	0.52
								289	300	11	1.19
								311	318	7	0.74
								329.05	332.95	3.9	1.68
								470.7	472.9	2.2	0.73
<b>YDD0621</b>	<b>DD</b>	<b>221600.24</b>	<b>778234.94</b>	<b>265.86</b>	<b>270.00</b>	<b>-60.00</b>	<b>407.20</b>	47	49	2	0.69
<b>YDD0622</b>	<b>DD</b>	<b>221910.00</b>	<b>778207.00</b>	<b>245.18</b>	<b>270.00</b>	<b>-64.00</b>	<b>564.20</b>	76.2	82.8	6.6	1.71
								104	109	5	0.54
								139	144	5	3.98
								147	152	5	0.85
								158	165	7	1.39
								225	228	3	0.5
								240	243	3	1.22
								316	320.35	4.35	0.66
								419	426	7	1.37
<b>YDD0623</b>	<b>DD</b>	<b>221739.23</b>	<b>778200.46</b>	<b>243.34</b>	<b>270.00</b>	<b>-60.00</b>	<b>463.60</b>				Assays Pending
<b>YDD0624</b>	<b>DD</b>	<b>222188.69</b>	<b>778249.48</b>		<b>263.00</b>	<b>-51.00</b>	<b>731.10</b>				Assays Pending
<b>YDD0628</b>	<b>DD</b>	<b>221963.78</b>	<b>777900.00</b>	<b>267.90</b>	<b>270.00</b>	<b>-66.00</b>	<b>558.40</b>				Assays Pending
<b>YDD0632</b>	<b>DD</b>	<b>221934.49</b>	<b>777875.00</b>	<b>267.13</b>	<b>270.00</b>	<b>-60.00</b>	<b>19.60</b>				Assays Pending
<b>YRC2343D</b>	<b>RCD</b>	<b>221702.77</b>	<b>777900.18</b>	<b>268.24</b>	<b>270.00</b>	<b>-60.00</b>	<b>414.10</b>	44	50	6	2.17
								166	168	2	0.57
								259	261	2	4.32
								341	345	4	2.42
<b>YRC2344D</b>	<b>RCD</b>	<b>221728.29</b>	<b>777874.89</b>	<b>268.72</b>	<b>270.00</b>	<b>-60.00</b>	<b>426.70</b>	4	11	7	0.59
								189	193	4	0.98
								405	407	2	1.16
<b>YRC2345D</b>	<b>RCD</b>	<b>221730.55</b>	<b>777875.08</b>	<b>268.73</b>	<b>270.00</b>	<b>-67.00</b>	<b>444.80</b>	4	7	3	0.62
								98	101.4	3.4	4.58
<b>YRC2346DA</b>	<b>RCD</b>	<b>221710.60</b>	<b>777850.04</b>	<b>262.00</b>	<b>270.00</b>	<b>-56.00</b>	<b>90.40</b>	4	7	3	0.69
								76	80	4	8.1
<b>YRC2347D</b>	<b>RCD</b>	<b>221712.43</b>	<b>777850.03</b>	<b>261.97</b>	<b>270.00</b>	<b>-64.00</b>	<b>414.10</b>	65	72	7	0.74
								181	188	7	1.39
								344.7	347	2.3	0.72
<b>YRC2348D</b>	<b>RCD</b>	<b>221714.91</b>	<b>777849.84</b>	<b>261.94</b>	<b>270.00</b>	<b>-71.00</b>	<b>412.40</b>	109.8	113	3.2	0.63
								181.85	184.85	3	1.23
								191	193	2	0.68
<b>YRC2349D</b>	<b>RCD</b>	<b>221855.85</b>	<b>777849.84</b>	<b>264.36</b>	<b>270.00</b>	<b>-60.00</b>	<b>485.70</b>	74	77	3	2.72
								413	416.4	3.4	5.61
<b>YRC2350D</b>	<b>RCD</b>	<b>221857.74</b>	<b>777849.64</b>	<b>264.12</b>	<b>270.00</b>	<b>-66.00</b>	<b>487.30</b>	82	87	5	1.88
								96	99	3	0.93
								107	111	4	0.58
								117	120	3	2.34
								243	245	2	1.87
								413.25	416	2.75	6.57
<b>YRC2351D</b>	<b>RCD</b>	<b>221569.81</b>	<b>777824.55</b>	<b>256.57</b>	<b>270.00</b>	<b>-60.00</b>	<b>342.80</b>	1	5	4	0.54
								22	24	2	0.84
								104	106	2	1.22
								257	263.4	6.4	1.13
								300.5	306	5.5	2.23
								316	321.1	5.1	2.44
<b>YRC2352D</b>	<b>RCD</b>	<b>221655.88</b>	<b>777825.02</b>	<b>258.37</b>	<b>270.00</b>	<b>-60.00</b>	<b>373.30</b>	47	51	4	3.18
								97	100	3	1.27
								347	351	4	3.74

Hole ID	Drill Type	East (WGS Z30N)	North (WGS Z30N)	Elevation (WGS Z30N)	Azi	Dip	Hole Depth (m)	From (m)	To (m)	Width (m)	Au (g/t gold)
YRC2353D	RCD	221713.88	777825.02	258.94	270.00	-60.00	408.70	1	6	5	0.68
								95.9	106.65	10.75	1.59
								110	112.1	2.1	2.39
								202	206	4	0.61
								358.55	360.85	2.3	1.83
								387	389.15	2.15	2.31
YRC2354D	RCD	221716.22	777824.94	259.02	270.00	-68.00	414.70	7	12	5	1.17
								110	122	12	4.91
								385.85	390	4.15	1.86
								401	404.5	3.5	1.64
YRC2355D	RCD	221831.10	777825.33	261.85	270.00	-60.00	468.50	46	58	12	2.23
								79	83	4	0.7
								93.85	96	2.15	1.8
								413.15	418.4	5.25	3.8
								446.8	449.55	2.75	7.6
YRC2356D	RCD	221833.84	777825.72	262.01	270.00	-67.00	483.50	50	53	3	4.27
								65	67	2	1.53
								399.95	406.6	6.65	3.8
								445	447	2	0.57
								467.1	473.15	6.05	1.63
								477.1	479.1	2	1.44
YRC2357D	RCD	221918.58	777824.61	263.67	270.00	-63.00	524.10	29	31	2	1.35
								53	60	7	1.49
								142	145	3	12.4
								161	166	5	0.97
								175	177	2	0.76
								231	233	2	5.1
								430	433	3	1.19
								487.7	492.4	4.7	4.62
YRC2358D	RCD	221685.37	777799.98	258.03	270.00	-60.00	384.70	40	42	2	1.37
								73	79	6	1.52
								340.45	343.5	3.05	1.95
								350	354	4	4.3
								364	369.25	5.25	1.96
								49	52	3	0.55
YRC2359D	RCD	221687.74	777800.18	258.08	270.00	-68.00	402.20	81	87.2	6.2	1.88
								308	311	3	2.09
								362.6	373	10.4	4.35
								391	394.2	3.2	0.68
								41	47	6	5.73
YRC2360D	RCD	221832.72	777799.99	263.16	270.00	-56.00	468.40	55	59	4	1.47
								241	245	4	0.59
								386	388	2	1.3
								431.4	445	13.6	4.67
								45	47	2	2.96
YRC2361D	RCD	221834.26	777800.09	263.28	270.00	-63.00	473.60	71	73	2	0.76
								96.1	99	2.9	0.66
								427.95	436.25	8.3	2.66
								446	463	17	3.21
								25	30	5	1.8
YRC2362D	RCD	221893.58	777799.95	264.55	270.00	-63.00	497.10	95.8	107	11.2	1.06
								115	117	2	1.03
								145	148	3	0.53
								273	277.4	4.4	1.87
								397	399	2	1.2
								480.9	493	12.1	24.5
YRC2363D	RCD	221896.73	777799.90	264.73	270.00	-69.00	504.20	28	31	3	2.57
								108	111	3	0.78
								153	156	3	5.21
								280	283	3	2.54
								495	497.3	2.3	4.73
YRC2364D	RCD	221595.28	777850.03	262.26	270.00	-60.00	363.10	1	8	7	0.77
								172	174	2	1.88
								267	269	2	2.78
								280	285	5	0.8
								318	323	5	1.78
								351	353.2	2.2	0.79
<b>YAOURÉ OPEN PIT</b>											
YDD0600	DD	220593.16	776802.26	254.63	35.00	-55.00	52.20	19.85	24	4.15	5.48
YDD0601	DD	220456.07	777100.00	244.37	270.00	-55.00	73.70	No Significant Intercepts			
YDD0602	DD	220450.64	777075.00	244.40	270.00	-60.00	85.60	No Significant Intercepts			
YDD0603	DD	220974.73	776747.35	260.04	90.00	-75.00	110.80	27	33.1	6.1	1.8
								75	82	7	1.14

Hole ID	Drill Type	East (WGS Z30N)	North (WGS Z30N)	Elevation (WGS Z30N)	Azi	Dip	Hole Depth (m)	From (m)	To (m)	Width (m)	Au (g/t gold)
YDD0604	DD	220892.40	777376.80	225.30	307.00	-52.00	215.00	116.8	120	3.2	1.55
								171	187	16	2.08
YDD0605	DD	220909.80	777225.05	216.58	90.00	-60.00	151.50	35	38.4	3.4	0.69
								39.25	48	8.75	1.54
YDD0606	DD	220972.12	776900.02	249.37	100.00	-52.00	120.10	No Significant Intercepts			
YDD0607	DD	220916.21	777360.06	242.24	105.00	-50.00	183.30	66	68.85	2.85	2.03
								146.7	149	2.3	0.78
								161.9	164	2.1	6.81
YDD0610	DD	221056.20	777771.78	237.62	340.00	70.00	75.10	Assays Pending			
YDD0625	DD	220690.00	776325.00	301.00	270.00	-60.00	52.40	Assays Pending			
YDD0626	DD	220673.00	776425.00	290.00	270.00	-60.00	72.00	Assays Pending			
YDD0627	DD	220621.00	776425.00	287.00	270.00	-60.00	60.00	Assays Pending			
YDD0629	DD	220647.00	776425.00	288.00	270.00	-60.00	60.00	Assays Pending			
YDD0630	DD	221210.00	776407.12	267.56	144.00	-68.00	94.20	Assays Pending			
YDD0631	DD	221118.02	776880.52	264.59	45.00	-55.00	108.00	Assays Pending			
YDD0610	DD	221056.20	777771.78	237.62	340.00	70.00	75.10	Assays Pending			
YDD0625	DD	220690.00	776325.00	301.00	270.00	-60.00	52.40	Assays Pending			
YDD0626	DD	220673.00	776425.00	290.00	270.00	-60.00	72.00	Assays Pending			
YRC2365D	RCD	220493.78	776925.00	250.83	270.00	-60.00	111.30	57.1	61	3.9	0.87
YRC2366D	RCD	220469.85	776900.00	252.68	270.00	-60.00	100.80	37	39	2	0.96
								43	46.8	3.8	1.84
YRC2367D	RCD	220527.16	777307.84	233.50	140.00	-55.00	159.70	109	127	18	2.57
YRC2368D	RCD	220537	777312	232	140.08	-47.09	141.5	92	96.2	4.2	2.86
								105	107	2	1.59
YRC2369D	RCD	220539.812	777331.092	232.616	140.63	-53.21	187.5	128.65	155	26.35	1.29
YRC2370D	RCD	220562.884	777366.16	231.127	118.44	-51.21	216.7	97.4	101.4	4	1.13
								150	153.7	3.7	2.67
								167	172	5	1.62
								174.15	180.7	6.55	1.58
								191.45	199	7.55	0.91
								202	205.05	3.05	2.92
213	216.7	3.7	0.82								
YRC2371	RC	220416.68	776900.00	253.89	270.00	-60.00	40.00	No Significant Intercepts			
YRC2372	RC	220415.57	776925.00	251.96	270.00	-60.00	42.00	30	36	6	1.8
YRC2373	RC	220454.60	776925.00	251.27	270.00	-60.00	70.00	22	32	10	1.28
YRC2374	RC	220563.44	776825.22	254.49	35.00	-55.00	42.00	14	16	2	3.54
								24	28	4	1.95
YRC2375	RC	220581.38	776807.25	254.66	35.00	-55.00	54.00	22	34	12	1.55
YRC2376	RC	220411.52	777075.00	244.95	270.00	-60.00	46.00	16	20	4	2.47
YRC2377D	RCD	220703.50	777397.50	209.93	115.00	-65.00	198.90	35	37	2	1.92
								57	60	3	0.94
								86	88	2	4.52
								96.8	101.4	4.6	1.4
YRC2378D	RCD	220751.81	777322.46	214.20	310.00	-60.00	126.20	35	39	4	0.65
								78	80	2	1.04
								85	90	5	1.49
YRC2379D	RCD	220761.96	777313.94	215.30	310.00	-65.00	171.20	2	4	2	4.24
								81	83	2	0.94
								111.8	116.75	4.95	6.17
								119	131	12	1.08
YRC2380D	RCD	220766.66	777315.59	215.50	330.00	-68.00	211.20	147.9	150	2.1	1.13
								159	171	12	1.98
								174	203	29	2.47
								207	211.2	4.2	1.11
YRC2381D	RCD	220763.60	777322.37	215.56	330.00	-65.00	158.80	101	104.8	3.8	1.84
YRC2382D	RCD	220782.92	777336.15	225.30	3.42	-51.00	180.20	116	121	5	4.9
								74	76	2	1.33
								130	134	4	753.46
								137	152	15	1.28
YRC2383D	RCD	220768.20	777267.77	215.93	310.00	-65.00	260.70	155	158	3	2.67
								26	28	2	1.33
								157	159	2	8.07
								171	173	2	2.17
YRC2384D	RCD	220835.05	777295.37	224.91	330.00	-51.00	264.30	229	245	16	1.58
								252	256	4	0.68
								9	11	2	2.91
								20	22	2	20.76
								73	76	3	4.88
								92	94.2	2.2	3.76
YRC2385D	RCD	220948.47	776750.00	258.95	270.00	-60.00	115.10	103	106	3	1.61
								183	187.1	4.1	4.61
								254	257.3	3.3	1
								19	22	3	0.95

Hole ID	Drill Type	East (WGS 230N)	North (WGS 230N)	Elevation (WGS 230N)	Azi	Dip	Hole Depth (m)	From (m)	To (m)	Width (m)	Au (g/t gold)
YRC2386D	RCD	220690.06	777020.29	225.77	345.00	-60.00	198.30	28	38	10	1.24
								105	119	14	0.92
								124	132	8	0.93
								151.5	159	7.5	0.78
								170	176	6	0.69
							193	197.1	4.1	1.89	
YRC2387	RC	220878.25	776986.123	213.076	58.13	-51.34	78	59	61	2	2.99
YRC2419	RC	221076.97	776525.16	277.03	270.00	-70.00	40.00				Assays Pending
YRC2420	RC	220662.88	776299.95	298.27	270.00	-60.00	45.00				Assays Pending
YRC2421	RC	220637.12	776300.03	296.29	270.00	-60.00	45.00				Assays Pending
YRC2422	RC	220634.68	776350.03	293.35	270.00	-60.00	40.00				Assays Pending
YRC2423	RC	220661.07	776350.01	295.26	270.00	-60.00	44.00				Assays Pending
YRC2424	RC	220625.10	776525.92	285.49	270.00	-60.00	65.00				Assays Pending
YRC2425	RC	220671.06	776489.99	288.40	270.00	-60.00	90.00				Assays Pending
YRC2426	RC	220535.99	776829.83	254.43	35.00	-50.00	60.00				Assays Pending
YRC2427	RC	220431.50	776875.09	254.79	270.00	-60.00	75.00				Assays Pending
YRC2428	RC	220420.07	777125.09	242.47	270.00	-65.00	61.00				Assays Pending
YRC2430D	RCD	220912.91	777625.01	236.04	270.00	-65.00	213.80				Assays Pending
YRC2431D	RCD	220924.34	777263.63	219.16	270.00	-85.00	267.30				Assays Pending
YRC2432D	RCD	220868.52	777218.84	213.69	255.00	-50.00	185.80				Assays Pending
YRC2432DA	RCD	220871.37	777219.00	213.00	255.00	-50.00	39.00				Assays Pending
YRC2433D	RCD	220909.22	777224.90	216.50	270.00	-70.00	190.10				Assays Pending
YRC2434D	RCD	220919.50	776674.98	268.28	270.00	-50.00	196.30				Assays Pending
YRC2435D	RCD	220919.57	776650.10	271.11	270.00	-60.00	173.90				Assays Pending
YRC2436D	RCD	220967.53	776850.03	249.73	270.00	-70.00	140.20				Assays Pending
YRC2437D	RCD	220490.89	777075.04	244.46	270.00	-60.00	111.00				Assays Pending
YRC2438D	RCD	220497.66	777100.01	242.97	270.00	-55.00	96.00				Assays Pending
YRC2439D	RCD	220470.98	776875.01	253.58	270.00	-60.00	105.00				Assays Pending
YRC2440D	RCD	220910.94	777524.94	238.10	270.00	-50.00	138.00				Assays Pending
YRC2441D	RCD	220915.02	777505.86	238.77	270.00	-65.00	228.20				Assays Pending
YRC2442D	RCD	220910.06	777506.45	238.59	250.00	-55.00	80.00				Assays Pending
YRC2443D	RCD	220916.43	777508.51	238.88	180.00	-67.00	192.20				Assays Pending
YRC2444D	RCD	220915.87	777507.35	238.76	240.00	-55.00	270.20				Assays Pending
YRC2445D	RCD	220901.05	777349.98	242.14	270.00	-65.00	243.30				Assays Pending
YRC2446D	RCD	220917.00	777325.13	242.74	270.00	-78.00	294.10				Assays Pending
YRC2447D	RCD	220907.48	777374.84	241.82	270.00	-70.00	290.40				Assays Pending
YRC2448	RC	220745.27	776425.71	294.40	320.00	-55.00	55.00				Assays Pending
YRC2449	RC	220999.50	776411.60	292.80	144.00	-62.00	96.00				Assays Pending
YRC2450D	RCD	220875.00	776620.00	262.90	270.00	-65.10	40.00				Assays Pending
YRC2451D	RCD	220899.00	776608.60	263.90	270.00	-65.00	40.00				Assays Pending
YRC2452D	RCD	220921.60	777263.20	219.10	270.00	-70.00	60.00				Assays Pending
YRC2453D	RCD	220945.50	777248.90	220.10	270.00	-65.00	60.00				Assays Pending
YRC2454D	RCD	220947.90	777224.60	220.30	270.00	-65.00	60.00				Assays Pending
YRC2455D	RCD	220895.44	777325.00	242.40	230.00	-80.00	80.00				Assays Pending
<b>ZAIN 1 TARGET</b>											
YRC2388	RC	221841.49	777600.20	274.67	270.00	-60.00	35.00	9	12	3	2.54
YRC2389	RC	221846.65	777650.04	271.45	270.00	-60.00	66.00	No Significant Intercepts			
YRC2390	RC	221851.50	777700.44	268.11	270.00	-60.00	72.00	10	23	13	1.52
YRC2391	RC	221841.77	777725.00	267.00	270.00	-62.00	78.00	6	8	2	0.85
YRC2392	RC	221833.03	777750.02	265.08	270.00	-60.00	64.00	2	4	2	1.31
YRC2393	RC	221869.00	777749.97	266.00	270.00	-60.00	89.00	41	51	10	1.06
YRC2394	RC	221882.52	777774.99	265.51	270.00	-62.00	109.00	23	29	6	1.28
								41	50	9	1.04
								80	88	8	1.02
YRC2395	RC	221823.47	777775.01	263.86	270.00	-60.00	68.00	16	21	5	1.38
								40	44	4	2.83
YRC2396	RC	221864.52	777799.99	264.36	270.00	-62.00	107.00	65	79	14	2.27
								90	95	5	1.17
YRC2397	RC	221826.95	777849.99	263.36	270.00	-60.00	115.00	49	70	21	1.13
								90	92	2	0.65
YRC2398	RC	221867.76	777825.01	263.02	270.00	-63.00	136.00	76	80	4	2.22
								122	125	3	5.34
YRC2399	RC	221863.20	777874.97	265.58	270.00	-60.00	128.00	101	109	8	2
								119	122	3	1.08
YRC2400	RC	221770.00	777874.97	266.03	270.00	-61.00	140.00	3	8	5	0.6
								12	16	4	1.36
								134	136	2	5.63
YRC2401	RC	221833.54	777874.88	265.25	270.00	-60.00	108.00	2	5	3	0.68
								87	90	3	1.18
								94	96	2	1.91
YRC2402	RC	221689.86	777874.93	268.77	270.00	-60.00	92.00	8	10	2	0.61
								13	16	3	0.96
								80	84	4	0.51
YRC2403	RC	221653.56	777875.04	267.36	270.00	-60.00	65.00	24	29	5	3.56

Hole ID	Drill Type	East (WGS Z30N)	North (WGS Z30N)	Elevation (WGS Z30N)	Azi	Dip	Hole Depth (m)	From (m)	To (m)	Width (m)	Au (g/t gold)
								57	60	3	2.65
YRC2404	RC	221893.44	777850.06	264.46	270.00	-66.00	157.00	15	20	5	0.98
								71	73	2	1.04
YRC2405	RC	221759.96	777849.96	262.33	270.00	-58.00	69.00	35	38	3	0.53
YRC2406	RC	221673.04	777850.02	261.45	270.00	-60.00	103.00	2	5	3	1.61
								49	52	3	1.91
								100	102	2	3.93
YRC2407	RC	221634.06	777849.89	261.67	270.00	-60.00	50.00	6	11	5	1.03
								24	29	5	3.52
YRC2408	RC	221682.05	777824.93	258.20	270.00	-60.00	96.00	71	77	6	0.97
YRC2409	RC	221622.32	777824.95	257.81	270.00	-60.00	54.00	0	18	18	1.91
YRC2410	RC	221643.02	777800.12	256.49	270.00	-60.00	75.00	30	33	3	3.24
YRC2411	RC	221792.67	777800.04	262.60	270.00	-61.00	44.00	3	10	7	3.56
YRC2412	RC	221797.67	777849.86	262.61	270.00	-57.00	92.00	0	4	4	0.94
								21	26	5	1.21
								66	68	2	1.51
YRC2413	RC	221763.58	777725.14	268.37	270.00	-60.00	41.00	No Significant Intercepts			
YRC2414	RC	221805.05	777875.19	264.88	270.00	-60.00	88.00	52	56	4	0.9
YRC2415	RC	221804.40	777824.95	261.17	270.00	-57.00	107.00	18	23	5	2.84
								65	74	9	0.7
YRC2416	RC	221741.01	777800.05	259.88	270.00	-61.00	140.00	32	34	2	5.81
								111	113	2	1.95
YRC2417	RC	221759.84	777825.02	260.09	270.00	-66.00	166.00	40	42	2	2
								151	155	4	1.39
								160	162	2	0.78
YRC2418	RC	221606.64	777799.90	255.17	270.00	-60.00	42.00	Assays Pending			

**Table 2: Sissingué – Airport West and Fimbiasso West Drilling - drill holes and significant assays based on lower cut-off of 0.5 g/t gold Au with maximum 2m internal waste**

Hole ID	Drill Type	East (WGS Z29N)	North (WGS Z29N)	Elevation (WGS Z29N)	Azi	Dip	Hole Depth (m)	From (m)	To (m)	Width (m)	Au (g/t gold)
<b>FIMBIASSO WEST</b>											
FMDD0001	DD	768557.00	1137626.22	339.82	343.00	-55.00	75.50				Assays Pending
FMDD0002	DD	768621.69	1137632.34	339.78	48.00	-57.00	40.30				Assays Pending
FMDD0004	DD	768471.00	1137594.00	341.00	284.00	-50.00	90.10				Assays Pending
FMDD0005	DD	768250.00	1137486.00	340.00	310.00	-75.00	65.30				Assays Pending
FMDD0006	DD	768588.63	1137552.27	340.06	170.00	-60.00	60.50				Assays Pending
FMDD0007	DD	768271.00	1137409.00	354.00	170.00	-60.00	85.20				Assays Pending
FMRC0001	RC	768001.48	1137306.72	373.11	170.00	-60.00	50.00				No Significant Intercepts
FMRC0002	RC	767997.64	1137331.40	373.37	170.00	-60.00	70.00				No Significant Intercepts
FMRC0003	RC	767993.76	1137355.60	373.42	170.00	-60.00	80.00				
								72	74	2	0.81
								77	79	2	0.55
FMRC0004	RC	767989.70	1137381.33	373.43	170.00	-60.00	100.00				No Significant Intercepts
FMRC0005	RC	767986.29	1137405.39	374.42	170.00	-60.00	123.00	110	113	3	0.7
								116	119	3	0.54
FMRC0006	RC	768003.77	1137408.73	374.12	170.00	-60.00	122.00	103	108	5	0.53
								117	121	4	1.57
FMRC0007	RC	768023.35	1137412.63	373.74	170.00	-60.00	123.00				No Significant Intercepts
FMRC0008	RC	768043.19	1137415.77	373.28	170.00	-60.00	116.00	24	28	4	5.14
FMRC0009	RC	768019.13	1137310.18	373.17	170.00	-60.00	50.00	35	40	5	5.16
FMRC0010	RC	768030.77	1137387.96	376.49	170.00	-60.00	100.00	86	88	2	5.41
FMRC0011	RC	768032.29	1137362.67	374.60	170.00	-60.00	90.00	67	70	3	7.49
FMRC0012	RC	768047.39	1137391.80	374.60	170.00	-60.00	100.00				No Significant Intercepts
FMRC0013	RC	768055.34	1137342.61	375.07	170.00	-60.00	70.00	49	53	4	2.56
FMRC0014	RC	768063.86	1137420.50	374.52	170.00	-60.00	115.00				No Significant Intercepts
FMRC0015	RC	768086.81	1137398.05	374.58	170.00	-60.00	96.00	80	82	2	1.44
FMRC0016	RC	768067.03	1137394.35	374.53	170.00	-60.00	100.00				
FMRC0017	RC	768071.04	1137369.74	374.69	170.00	-60.00	75.00				
FMRC0018	RC	768106.60	1137401.24	374.33	170.00	-60.00	94.00				
FMRC0019	RC	768111.50	1137376.55	374.14	170.00	-60.00	84.00				
FMRC0020	RC	768041.86	1137319.87	375.37	170.00	-60.00	50.00	39	42	3	3.09
FMRC0021	RC	768009.45	1137284.11	373.57	170.00	-60.00	51.00	24	26	2	1.12
								33	35	2	0.86
								40	48	8	1
FMRC0022	RC	768091.29	1137372.55	374.71	170.00	-60.00	78.00				No Significant Intercepts
FMRC0023	RC	768130.95	1137380.10	372.31	170.00	-60.00	84.00				No Significant Intercepts
FMRC0024	RC	768126.43	1137404.73	372.74	170.00	-60.00	93.00	74	79	5	0.69
FMRC0025	RC	768150.24	1137383.48	372.04	170.00	-60.00	82.00				No Significant Intercepts
FMRC0026	RC	768220.63	1137446.61	370.85	170.02	-58.19	102.00	64	67	3	0.68
								72	75	3	1.75
FMRC0027	RC	768220.63	1137446.61	370.85	170.00	-60.00	102.00	72	86	14	0.93
FMRC0028	RC	768215.97	1137470.96	371.22	170.00	-60.00	120.00	85	87	2	0.69
								92	101	9	2.43
FMRC0029	RC	768235.40	1137475.25	371.26	170.00	-60.00	120.00	81	84	3	1.75
								87	95	8	1.81
FMRC0030	RC	768255.62	1137478.16	370.96	170.00	-60.00	110.00	74	92	18	1.44
FMRC0031	RC	768143.88	1137407.41	371.96	170.00	-60.00	98.00				No Significant Intercepts
FMRC0032	RC	768165.58	1137410.08	371.72	170.00	-60.00	100.00				No Significant Intercepts
FMRC0032B	RC	768165.58	1137410.08	371.72	170.00	-60.00	100.00				No Significant Intercepts
FMRC0033	RC	768160.91	1137436.58	371.58	170.00	-60.00	115.00	5	7	2	1.61
FMRC0034	RC	768185.19	1137415.62	371.35	170.00	-60.00	85.00				No Significant Intercepts
FMRC0035	RC	768180.58	1137439.69	371.38	170.00	-60.00	100.00	80	83	3	0.77
FMRC0036	RC	768309.61	1137515.73	370.57	170.00	-60.00	112.00	40	42	2	0.73
								75	77	2	0.71
								83	85	2	0.64
FMRC0037	RC	768345.20	1137544.55	370.31	170.00	-60.00	116.00	54	56	2	1.77
								74	76	2	1.31
								85	92	7	1.51
								96	101	5	0.68
FMRC0038	RC	768328.43	1137521.19	370.12	170.00	-60.00	112.00	76	80	4	0.95
FMRC0039	RC	768325.47	1137539.84	370.55	170.00	-60.00	132.00	86	95	9	1.29
								100	104	4	0.59
FMRC0040	RC	768300.86	1137562.64	372.66	170.00	-60.00	150.00	107	110	3	0.89
								118	124	6	3.78
								127	131	4	1.08
FMRC0041	RC	768250.88	1137502.47	371.26	170.00	-60.00	123.00	42	44	2	3.29
								94	108	14	1.29
FMRC0042	RC	768272.00	1137502.45	370.98	170.00	-60.00	123.00	68	71	3	0.58
								76	79	3	1.44
								87	101	14	1.29
FMRC0043	RC	768290.07	1137509.64	370.72	170.00	-60.00	115.00	84	90	6	0.75



Hole ID	Drill Type	East (WGS Z29N)	North (WGS Z29N)	Elevation (WGS Z29N)	Azi	Dip	Hole Depth (m)	From (m)	To (m)	Width (m)	Au (g/t gold)
FMRC0044	RC	768211.26	1137499.99	374.21	170.00	-60.00	130.00	93	96	3	1.05
								105	108	3	0.66
								111	120	9	1.24
FMRC0045	RC	768227.54	1137523.49	373.92	170.00	-60.00	150.00	122	135	13	1.13
FMRC0046	RC	768246.77	1137526.69	373.91	170.00	-60.00	112.00	No Significant Intercepts			
FMRC0047	RC	768266.01	1137532.37	373.23	170.00	-60.00	144.00	109	118	9	2.1
FMRC0048	RC	768341.12	1137569.22	371.04	170.00	-60.00	132.00	13	21	8	1.26
								74	76	2	1.15
								101	104	3	0.54
								111	117	6	1.8
FMRC0049	RC	768356.91	1137597.61	370.80	170.00	-60.00	166.00	124	132	8	2.12
FMRC0050	RC	768643.32	1137699.24	365.68	170.00	-60.00	132.00	No Significant Intercepts			
FMRC0051	RC	768029.10	1137259.88	376.55	170.00	-60.00	40.00	12	14	2	0.77
								27	34	7	1
FMRC0052	RC	768360.25	1137572.79	370.22	170.00	-60.00	144.00	9	11	2	0.76
								93	112	19	1.14
FMRC0053	RC	768579.27	1137712.99	367.18	170.00	-60.00	162.00	139	142	3	2.55
FMRC0054	RC	768559.67	1137708.73	367.64	170.00	-60.00	174.00	143	149	6	3.62
FMRC0055	RC	768599.33	1137716.01	366.40	170.00	-60.00	163.00	136	138	2	2.22
FMRC0056	RC	768618.74	1137718.44	366.11	170.00	-60.00	160.00	76	82	6	1
								90	93	3	1
FMRC0057	RC	768581.50	1137697.89	366.59	170.00	-60.00	160.00	81	83	2	0.64
								129	134	5	0.71
FMRC0058	RC	768637.26	1137615.50	339.88	170.00	-60.00	66.00	36	43	7	1.14
FMRC0059	RC	768623.21	1137695.78	366.28	170.00	-60.00	135.00	73	76	3	0.74
								115	118	3	0.81
FMRC0060	RC	768508.45	1137509.96	339.84	170.00	-60.00	40.00	3	7	4	2.54
FMRC0061	RC	768551.22	1137521.11	340.08	170.00	-60.00	40.00	0	5	5	9.69
FMRC0062	RC	768601.36	1137698.84	366.49	170.00	-60.00	144.00	77	79	2	1
FMRC0063	RC	768540.44	1137589.29	340.03	170.00	-60.00	96.00	19	22	3	0.78
								25	28	3	2.78
								31	34	3	1.4
								40	49	9	3.95
FMRC0064	RC	768586.57	1137551.72	339.87	170.00	-60.00	48.00	2	13	11	5.47
FMRC0065	RC	768726.17	1137688.19	364.85	170	-58.00	115.00				
FMRC0066	RC	768558.00	1137611.00	340.00	170.00	-60.00	140.00	57	65	8	1.29
FMRC0067	RC	768517.09	1137603.75	340.50	170.00	-60.00	105.00	39	46	7	1.08
								59	65	6	4.57
								39	44	5	1.66
FMRC0068	RC	768577.40	1137618.96	340.07	170.00	-60.00	98.00	47	56	9	1.78
								39	43	4	1.37
								47	59	12	2.34
FMRC0069	RC	768595.01	1137622.26	339.81	170.00	-60.00	96.00	39	43	4	1.37
								47	59	12	2.34
FMRC0070	RC	768499.65	1137592.72	340.27	170.00	-60.00	90.00	36	43	7	1.18
								49	51	2	1.03
								57	71	14	2.36
FMRC0071	RC	768580.84	1137597.63	340.19	170.00	-82.00	93.00	29	35	6	1.35
								38	43	5	0.76
								46	52	6	5.62
FMRC0072	RC	768617.71	1137603.60	340.20	170.00	-60.00	69.00	28	39	11	3.97
FMRC0073	RC	768611.69	1137626.73	340.05	170.00	-60.00	92.00	0	2	2	0.79
								44	49	5	2.36
								52	54	2	1.98
FMRC0074	RC	768576.47	1137619.47	340.09	170.00	-80.00	102.00	2	4	2	1.93
								65	67	2	0.74
								72	76	4	1.15
FMRC0075	RC	768635.96	1137624.79	340.09	170.00	-90.00	80.00	No Significant Intercepts			
FMRC0076	RC	768561.98	1137694.27	367.15	170.00	-56.00	160.00	No Significant Intercepts			
FMRC0077	RC	768643.76	1137691.33	366.42	170.00	-50.00	132.00	57	59	2	1.8
FMRC0078	RC	768535.00	1137603.00	342.00	170.00	-83.00	100.00	74	83	9	0.84
FMRC0079	RC	768485.97	1137530.47	342.54	170.00	-60.00	72.00	18	27	9	1.75
FMRC0080	RC	768050.37	1137262.94	374.80	170.00	-60.00	42.00	28	30	2	1.96
FMRC0081	RC	768008.54	1137357.72	375.24	170.00	-60.00	94.00	69	74	5	3.47
FMRC0082	RC	768686.09	1137683.03	365.09	170.00	-60.00	105.00	58	60	2	1.83
FMRC0083	RC	768706.00	1137685.00	363.00	170.00	-60.00	102.00	59	61	2	0.85
FMRC0084	RC	768667.00	1137678.00	355.00	170.00	-60.00	115.00	60	62	2	1.31
								97	101	4	1.27
FMRC0085	RC	768753.15	1137638.49	357.93	170.00	-60.00	80.00	4	13	9	3.27
								48	50	2	1.96
FMRC0086	RC	768694.60	1137636.57	355.52	170.00	-75.00	85.00	59	61	2	0.96
FMRC0087	RC	768711.47	1137636.70	356.11	170.00	-60.00	78.00	10	15	5	2.05
FMRC0088	RC	768425.16	1137683.01	371.47	170.00	-60.00	141.00	No Significant Intercepts			
FMRC0088B	RC	768425.76	1137679.83	371.59	170.00	-60.00	192.00	15	17	2	0.7
								156	161	5	3.85

Hole ID	Drill Type	East (WGS Z29N)	North (WGS Z29N)	Elevation (WGS Z29N)	Azi	Dip	Hole Depth (m)	From (m)	To (m)	Width (m)	Au (g/t gold)
FMRC0089	RC	768387.30	1137649.68	370.04	170.00	-60.00	198.00	143	155	12	2.62
FMRC0090	RC	768371.16	1137639.32	370.17	170.00	-60.00	180.00	142	155	13	2.66
FMRC0091	RC	768287.00	1137543.00	373.00	170.00	-60.00	144.00	65	71	6	1.44
								97	100	3	0.84
								103	122	19	0.79
FMRC0092	RC	768378.00	1137610.00	369.00	173.00	-56.00	150.00	29	32	3	3.04
								112	130	18	1.02
FMRC0093	RC	768536.88	1137704.23	367.85	170.00	-60.00	164.00	147	149	2	1.14
FMRC0094	RC	768370.51	1137625.64	370.44	170.00	-60.00	168.00	130	145	15	2.38
FMRC0095	RC	768442.31	1137690.51	369.12	170.00	-60.00	180.00	156	159	3	0.98
								163	166	3	2.31
FMRC0096	RC	768390.94	1137605.91	370.18	170.00	-60.00	156.00	115	119	4	4.48
FMRC0097	RC	768389.60	1137627.27	372.35	170.00	-60.00	173.00	133	139	6	2.56
FMRC0098	RC	768425.82	1137660.81	371.92	170.00	-60.00	174.00	132	150	18	4.05
FMRC0099	RC	768316.56	1137566.90	374.26	160.00	-58.00	147.00	107	110	3	1.14
								114	122	8	1.14
FMRC0100	RC	768458.76	1137702.60	368.89	170.00	-65.00	161.00				Assays Pending
FMRC0102	RC	768458.75	1137691.20	369.41	170.00	-60.00	180.00				Assays Pending
FMRC0103	RC	768594.00	1137627.30	339.00	170.00	-81.00	165.00				Assays Pending
FMRC0104	RC	768581.18	1137594.34	340.27	170.00	-56.00	80.00				Assays Pending
FMRC0105	RC	768634.00	1137620.00	348.00	165.00	-83.00	84.00				Assays Pending
FMRC0106	RC	768534.00	1137686.00	363.00	170.00	-56.00	154.00				Assays Pending
FMRC0107	RC	768396.00	1137646.00	368.00	170.00	-60.00	172.00				Assays Pending
FMRC0108	RC	768407.00	1137647.00	368.00	170.00	-54.00	160.00				Assays Pending
FMRC0109	RC	768480.00	1137696.00	367.00	170.00	-60.00	178.00				Assays Pending
FMRC0110	RC	768358.00	1137561.00	379.00	170.00	-54.00	128.00				Assays Pending
FMRC0111	RC	768462.00	1137681.00	367.00	170.00	-60.00	168.00				Assays Pending
FMRC0112	RC	768309.00	1137518.00	373.00	170.00	-69.00	126.00				Assays Pending
FMRC0113	RC	768113.00	1137362.00	372.00	170.00	-52.00	84.00				Assays Pending
FMRC0114	RC	767994.00	1137229.00	375.00	170.00	-60.00	30.00				Assays Pending
FMRC0115	RC	767974.00	1137226.00	375.00	170.00	-60.00	30.00				Assays Pending
FMRC0116	RC	767970.00	1137250.00	376.00	170.00	-60.00	42.00				Assays Pending
FMRC0118	RC	767950.00	1137247.00	376.00	170.00	-60.00	40.00				Assays Pending
FMRC0119	RC	767935.00	1137219.00	376.00	170.00	-60.00	30.00				Assays Pending
FMRC0120	RC	767852.00	1137229.00	378.00	170.00	-60.00	52.00				Assays Pending
FMRC0121	RC	767931.00	1137243.00	376.00	170.00	-60.00	42.00				Assays Pending
FMRC0122	RC	767915.00	1137215.00	376.00	170.00	-60.00	30.00				Assays Pending
FMRC0123	RC	767911.00	1137240.00	376.00	170.00	-60.00	40.00				Assays Pending
FMRC0124	RC	767926.00	1137268.00	375.00	170.00	-60.00	50.00				Assays Pending
FMRC0125	RC	767891.00	1137236.00	377.00	170.00	-60.00	42.00				Assays Pending
FMRC0126	RC	767880.00	1137184.00	375.00	170.00	-60.00	30.00				Assays Pending
FMRC0127	RC	767885.00	1137159.00	374.00	170.00	-60.00	30.00				Assays Pending
FMRC0128	RC	767872.00	1137233.00	377.00	170.00	-60.00	60.00				Assays Pending
FMRC0129	RC	768297.00	1137587.00	373.00	170.00	-60.00	174.00				Assays Pending
FMRC0130	RC	767861.00	1137180.00	375.00	170.00	-60.00	30.00				Assays Pending
FMRC0131	RC	767865.00	1137155.00	373.00	170.00	-60.00	30.00				Assays Pending
FMRC0132	RC	767845.00	1137152.00	374.00	170.00	-60.00	30.00				Assays Pending
FMRC0133	RC	767841.00	1137177.00	376.00	170.00	-60.00	30.00				Assays Pending
FMRC0134	RC	767817.00	1137198.00	378.00	170.00	-60.00	56.00				Assays Pending
FMRC0135	RC	767821.00	1137173.00	376.00	170.00	-60.00	30.00				Assays Pending
FMRC0136	RC	767826.00	1137148.00	374.00	170.00	-60.00	30.00				Assays Pending
FMRC0137	RC	767806.00	1137145.00	376.00	170.00	-60.00	30.00				Assays Pending
FMRC0138	RC	767801.00	1137170.00	376.00	170.00	-60.00	30.00				Assays Pending
FMRC0139	RC	768011.00	1137230.00	374.00	150.00	-65.00	30.00				Assays Pending
FMRC0140	RC	768012.00	1137257.00	375.00	177.00	-60.00	44.00				Assays Pending
FMRC0141	RC	767966.00	1137275.00	375.00	170.00	-60.00	54.00				Assays Pending
FMRC0142	RC	767692.00	1137099.00	375.00	170.00	-60.00	30.00				Assays Pending
FMRC0143	RC	767692.00	1137099.00	375.00	170.00	-60.00	42.00				Assays Pending
FMRC0144	RC	767677.00	1137071.00	377.00	170.00	-60.00	30.00				Assays Pending
FMRC0145	RC	767672.00	1137096.00	376.00	170.00	-60.00	42.00				Assays Pending
FMRC0146	RC	768281.00	1137559.00	373.00	170.00	-60.00	150.00				Assays Pending
FMRC0147	RC	767688.00	1137124.00	375.00	170.00	-60.00	60.00				Assays Pending
FMRC0148	RC	767668.00	1137121.00	375.00	170.00	-60.00	66.00				Assays Pending
FMRC0149	RC	767653.00	1137093.00	376.00	170.00	-60.00	54.00				Assays Pending
FMRC0150	RC	767648.00	1137117.00	375.00	170.00	-60.00	63.00				Assays Pending
FMRC0151	RC	767661.00	1137043.00	378.00	170.00	-60.00	30.00				Assays Pending
FMRC0152	RC	767657.00	1137068.00	377.00	170.00	-60.00	30.00				Assays Pending
FMRC0153	RC	767633.00	1137089.00	377.00	170.00	-60.00	54.00				Assays Pending
FMRC0154	RC	768277.00	1137584.00	373.00	170.00	-60.00	166.00				Assays Pending
FMRC0155	RC	767637.00	1137064.00	378.00	170.00	-60.00	34.00				Assays Pending
FMRC0156	RC	767627.00	1137012.00	380.00	170.00	-60.00	30.00				Assays Pending
FMRC0157	RC	767622.00	1137037.00	380.00	170.00	-60.00	42.00				Assays Pending
FMRC0158	RC	767618.00	1137061.00	379.00	170.00	-60.00	48.00				Assays Pending

Hole ID	Drill Type	East (WGS Z29N)	North (WGS Z29N)	Elevation (WGS Z29N)	Azi	Dip	Hole Depth (m)	From (m)	To (m)	Width (m)	Au (g/t gold)
FMRC0159	RC	767629.00	1137114.00	376.00	170.00	-60.00	69.00				Assays Pending
FMRC0160	RC	767666.00	1137019.00	379.00	170.00	-60.00	30.00				Assays Pending
FMRC0161	RC	768222.00	1137549.00	373.00	170.00	-60.00	165.00				Assays Pending
FMRC0166	RC	767646.00	1137016.00	380.00	170.00	-60.00	30.00				Assays Pending
FMRC0167	RC	767664.00	1137146.00	375.00	170.00	-60.00	72.00				Assays Pending
FMRC0168	RC	767681.00	1137047.00	378.00	170.00	-60.00	30.00				Assays Pending
<b>SISSINGUE - AIRPORT WEST AND NEAR MINE</b>											
SRC1405	RC	806551.87	1153115.74	380.89	90.00	-55.00	100.00	38	41	3	6.51
								56	61	5	1.2
								66	94	28	1.62
SRC1406	RC	806585.47	1153167.73	380.79	90.00	-55.00	30.00	17	19	2	1.37
SRC1407	RC	806553.20	1153165.43	380.52	90.00	-55.00	84.00	63	75	12	1.77
								80	82	2	4.13
SRC1408	RC	806585.89	1153218.24	381.34	90.00	-55.00	32.00				No Significant Intercepts
SRC1409	RC	806551.07	1153217.81	380.99	90.00	-55.00	80.00				No Significant Intercepts
SRC1410	RC	806550.19	1153197.61	380.84	90.00	-55.00	80.00				No Significant Intercepts
SRC1411	RC	806592.93	1152888.50	378.45	90.00	-55.00	60.00	20	23	3	0.94
								35	46	11	1.83
								50	52	2	5.09
SRC1412	RC	806594.40	1152933.14	379.31	90.00	-55.00	68.00	7	9	2	3.71
								12	15	3	2.57
								20	28	8	13.71
								36	38	2	0.63
SRC1413	RC	806571.48	1152992.71	379.14	90.00	-55.00	90.00	15	18	3	0.52
								22	26	4	1.09
								35	38	3	1.59
								44	47	3	2.42
								49	51	2	23.38
								52	65	13	3.83
								72	75	3	0.75
78	82	4	1.28								
							86	90	4	0.96	
SRC1414	RC	807406.08	1153120.55	391.79	270.00	-55.00	120.00				No Significant Intercepts
SRC1415	RC	807398.06	1153083.57	390.66	270.00	-55.00	80.00				No Significant Intercepts
SRC1416	RC	807368.40	1153098.43	390.82	270.00	-55.00	100.00				No Significant Intercepts
SRC1417	RC	807358.91	1153120.53	392.18	270.00	-55.00	100.00				No Significant Intercepts
SRC1418	RC	806570.98	1152956.40	379.47	90.00	-55.00	90.00	12	14	2	13.28
								26	30	4	1.29
								33	44	11	4.27
								47	49	2	3.48
								72	77	5	1.31
SRC1419	RC	806593.29	1152957.08	379.25	90.00	-55.00	40.00				No Significant Intercepts
SRC1420	RC	807345.36	1153157.56	391.83	270.00	-50.00	80.00	73	78	5	2.76
SRC1421	RC	806366.51	1155089.99	374.25	270.00	-50.00	72.00	39	46	7	1.2
SRC1422	RC	806368.08	1155051.76	373.69	270.00	-50.00	150.00	17	21	4	0.64
								25	29	4	2.15
								130	132	2	2.66
								144	146	2	1.13
SRC1423	RC	806370.00	1155069.90	373.80	270.00	-50.00	54.00	7	11	4	0.86
								42	45	3	1.3
SRC1424	RC	806461.74	1154743.65	376.19	270.00	-70.00	72.00				No Significant Intercepts
SRC1425	RC	806306.53	1154855.10	376.23	270.00	-50.00	120.00	112	117	5	0.99
SRC1426	RC	806303.48	1154816.47	376.31	270.00	-50.00	120.00	110	114	4	1.74
SRC1427	RC	806292.82	1154775.24	376.70	270.00	-50.00	132.00	64	75	11	0.84
								89	95	6	0.58
								126	130	4	0.94
SRC1428	RC	806291.74	1154795.52	376.63	270.00	-50.00	110.00	66	69	3	1.47
								84	86	2	0.81
SRC1429	RC	806341.53	1154940.19	375.77	270.00	-50.00	127.00				No Significant Intercepts
SRC1430	RC	806319.39	1154896.11	376.22	270.00	-50.00	141.00	79	83	4	1.65
SRC1431	RC	806464.68	1154743.83	376.21	270.00	-75.00	100.00	24	26	2	0.83
SRC1432	RC	807209.27	1153625.44	391.81	270.00	-55.00	72.00				No Significant Intercepts
SRC1433	RC	806138.51	1155199.76	376.75	90.00	-55.00	84.00	40	44	4	0.88
								47	53	6	0.82
								69	71	2	1.02
								77	80	3	0.73
SRC1434	RC	806132.87	1155220.08	376.44	90.00	-55.00	60.00	29	33	4	1.08
								41	48	7	3.19
SRC1435	RC	807357.91	1153278.89	398.16	270.00	-55.00	126.00	81	90	9	1
SRC1436	RC	807343.45	1153235.30	393.38	270.00	-55.00	70.00	49	51	2	19.31
SRC1437	RC	807290.10	1153340.03	392.19	270.00	-55.00	60.00	8	10	2	1.27
								48	53	5	0.91
SRC1438	RC	807286.67	1153380.55	392.22	270.00	-55.00	72.00				No Significant Intercepts

Hole ID	Drill Type	East (WGS Z29N)	North (WGS Z29N)	Elevation (WGS Z29N)	Azi	Dip	Hole Depth (m)	From (m)	To (m)	Width (m)	Au (g/t gold)
SRC1439	RC	806337.54	1154919.65	375.62	270.00	-55.00	150.00			No Significant Intercepts	
SRC1440	RC	806366.60	1154800.49	375.87	270.00	-55.00	60.00	57	59	2	1.1
SRC1441	RC	806465.69	1154701.80	376.20	270.00	-55.00	72.00	29	39	10	1.16
								42	48	6	1.41
SRC1442	RC	806088.65	1155000.45	380.00	90.00	-50.00	90.00	7	12	5	3.87
								21	23	2	1.77
								39	44	5	5.85
								64	69	5	3.1
SRC1443	RC	806017.21	1155719.82	371.06	270.00	-55.00	66.00			No Significant Intercepts	
SRC1444	RC	806010.14	1155734.85	370.79	270.00	-55.00	60.00			No Significant Intercepts	
SRC1445	RC	806061.52	1155639.80	372.83	270.00	-55.00	65.00	12	17	5	3.26
								20	23	3	1.74
								36	41	5	0.62
								44	47	3	2.78
SRC1446	RC	806113.43	1155580.97	373.83	270.00	-55.00	77.00			No Significant Intercepts	
SRC1447	RC	806135.77	1155450.56	374.96	270.00	-55.00	70.00	41	43	2	1.26
								64	67	3	1.06
SRC1448	RC	805881.69	1156158.36	366.54	270.00	-55.00	70.00	34	38	4	0.56
								64	70	6	0.68
SRC1449	RC	805917.81	1156160.22	366.24	270.00	-55.00	70.00	17	25	8	0.63
								29	39	10	0.84
SRC1450	RC	805906.55	1156116.00	364.48	270.00	-55.00	64.00	17	23	6	1.22
								29	35	6	2.12
								44	47	3	0.79

## APPENDIX 3 – JORC TABLE 1

### JORC 2012 Table 1 – Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code Explanation	Commentary
<b>Sampling techniques</b>	<p><i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.</i></p> <p><i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></p> <p><i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</i></p>	<p>RC drilling used face-sampling hammers with 136mm hole diameter. Samples were collected at one metre intervals and logged visually for recovery, sample condition (dry, damp, wet) and contamination. Sample recoveries were measured by weighing bulk recovered samples. RC samples from pre-collars where mineralisation is not expected were normally composited to 4m intervals for assaying.</p> <p>Diamond drilling utilised HQ triple-tube (61.1mm Ø) drilling in weathered materials and NQ2 (50.6mm Ø) or NQ (47.6mm Ø) core in fresh rock.</p>
<b>Drilling techniques</b>	<p><i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).</i></p>	<p>RC drilling used face-sampling hammers with 136mm hole diameter. Samples were collected at one metre intervals and logged visually for recovery, sample condition (dry, damp, wet) and contamination. Sample recoveries were measured by weighing bulk recovered samples. RC samples from pre-collars where mineralisation was not expected were normally composited to 4m intervals for assaying.</p> <p>Diamond drilling utilised HQ triple-tube (61.1mm Ø) drilling in weathered materials and NQ2 (50.6mm Ø) or NQ (47.6mm Ø) core in fresh rock. Core in fresh rock was oriented using a MAGSHOT II (Wellforce) and an ORISHOT II (Reflex) device.</p>
<b>Drill sample recovery</b>	<p><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></p> <p><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></p> <p><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></p>	<p>RC drill samples were logged visually for sample condition (dry, damp, wet) and contamination. Sample recoveries were measured by weighing bulk recovered samples. Preliminary evaluation indicates that RC sample recoveries have been satisfactory. There were no wet samples logged in the CMA UG RC pre-collar holes.</p> <p>Diamond core recoveries were measured linearly per drill run. Core recoveries average approximately 85% in weathered materials and 100% in fresh rock.</p> <p>There is no evident relationship between sample recovery and gold grade in either RC or core samples.</p>
<b>Logging</b>	<p><i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></p> <p><i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.</i></p> <p><i>The total length and percentage of the relevant intersections logged.</i></p>	<p>Geological logs are available for the entire lengths of all drill holes. The logging is qualitative in nature.</p> <p>Sieved samples of RC chips from each metre of drilling were logged for colour, rock type, alteration type and intensity, vein quartz content, sulphide mineralisation, weathering and oxidation. The chips are stored in plastic chip trays and the trays photographed.</p> <p>Diamond drill core was logged for geology, structure and geotechnical characteristics. Geological logging included colour, lithology, weathering, oxidation, vein type and vein volume percentage, sulphide species and their estimated percentage, alteration and alteration intensity. Structural logging included fault, fold, cleavage and joint orientation, lithological contacts and vein orientations. Drill core was photographed prior to cutting.</p>

<b>Sub-sampling techniques and sample preparation</b>	<p><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></p> <p><i>If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.</i></p> <p><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></p> <p><i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></p> <p><i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i></p> <p><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></p>	<p>RC drill samples were collected over one metre intervals and manually split using multi-stage riffle splitters to produce assay sub-samples averaging around 3kg. All RC holes have been assayed in entirety. RC samples from pre-collars where mineralisation was not expected were normally composited to 4m intervals for assaying.</p> <p>In weathered materials, diamond core was halved using spatulas or knives. In fresh rock, core was sawn in half using a diamond blade saw, with one half sent for assaying and the other half stored in core trays for reference. Samples were normally taken at 1 metre intervals. For CMA underground resource definition holes, only core intervals with visible alteration and mineralisation plus approximately 10m up- and down-hole were sampled. For exploration drill holes, all diamond drill core has been assayed.</p> <p>Most sample preparation has been undertaken at Perseus's Yaouré sample preparation facility operated and supervised by Perseus personnel. Commercial laboratories have also been utilised as necessary including ALS (Yamoussoukro), Bureau Veritas (Abidjan), Intertek (Tarkwa) and MSA (Yamoussoukro).</p> <p>Preparation of core and RC samples followed a standard path of drying at 105°C for at least 12 hours, crushing the entire sample to 85% passing -2mm and grinding a 1.5kg split to 85% passing 75 microns. 300g pulp subsamples were selected by multiple scoop passes.</p> <p>Quality control measures adopted to confirm the representivity of samples prepared at the Yaouré facility from RC and diamond drilling included:</p> <ul style="list-style-type: none"> <li>• Field re-splits of RC samples at an average frequency of around one duplicate per 20 primary samples respectively</li> <li>• Submission of coarse blanks at an average of around 1 blank per 20 primary samples</li> <li>• Use of quartz wash between every sample in crushing and pulverising equipment</li> <li>• Screening of approximately 1:20 pulp samples to check grind size</li> </ul> <p>Commercial laboratories employed similar, industry standard measures.</p> <p>Sample preparation techniques are considered appropriate to the style of mineralisation. Available information indicates that sample sizes are appropriate to the grain size of the material being sampled.</p>
<b>Quality of assay data and laboratory tests</b>	<p><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></p> <p><i>For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p> <p><i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></p>	<p>RC and diamond samples have been assayed using a combination of methods depending on laboratory capacity and drill phases.</p> <p>RC and diamond core samples were assayed by 50g fire assay with AAS finish by commercial laboratories including Actlab (Ouagadougou), ALS (Ouagadougou), Bureau Veritas (Abidjan), Intertek (Tarkwa), MSA (Yamoussoukro) and SGS (Tarkwa). The technique is considered a total extraction technique.</p> <p>RC and diamond core samples were assayed by Photon Assay at commercial laboratories including Intertek (Tarkwa), and MSA (Yamoussoukro). Performance of Photon Assay was demonstrated by comparison of results against those reported using fire assay and found to be acceptable.</p> <p>Quality control procedures include submission of coarse blanks (1:20) and certified reference standards (1:20).</p> <p>The available information indicates that the assaying of RC and core samples is free from any significant biases and is of acceptable accuracy.</p>
<b>Verification of sampling and assaying</b>	<p><i>The verification of significant intersections by either independent or alternative company personnel.</i></p> <p><i>The use of twinned holes.</i></p> <p><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></p> <p><i>Discuss any adjustment to assay data.</i></p>	<p>Numerous significant mineralised intersections have been checked against visual alteration and sulphide mineralisation in drill chips and core.</p> <p>None of the holes in the report to which this table relates have been deliberately twinned.</p> <p>Geology, structure and geotechnical logs are paper based. Sample intervals are recorded in pre-numbered sample ticket books. All logging, sample interval and survey data are manually entered to digital form on site and stored in an acQuire relational database. Data exports are normally in the form of MS Access files.</p> <p>Data verification procedures include automated checks to:</p> <ul style="list-style-type: none"> <li>• prevent repetition of sample numbers</li> <li>• prevent overlap of from-to intervals in logging and sample interval data</li> </ul>

- ensure that total hole depths in collar, assay and geology tables match
- ensure that drill collar coordinates are within the project's geographic limits

Down-hole survey data are examined for large deviations in dip or azimuth that may represent erroneous data or data entry errors and corrected on a case-by-case basis including estimates of dips and azimuths where the original data appear to be in error.

Additional data checks include viewing drill hole traces, geological logging and assays in plan and section views.

**Location of data points** *Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.*

*Specification of the grid system used.*

*Quality and adequacy of topographic control.*

Drill hole collars have been surveyed by qualified mine surveyors using differential GPS equipment with coordinates recorded in UTM grid, WGS84 Zone 30N datum FOR THE Yaouré project area and in WGS84 Zone 29N datum for the Sissingué and Fimbiasso projects.

All RC and diamond core holes have been surveyed at 12m depth and at approximately 30m down-hole increments using digital compass instruments.

A topographic surface for the Yaouré area has been established by a LiDAR survey conducted in 2017. The topographic surface is reliable to  $\pm 0.2\text{m}$ .

Topographic control for the Sissingué and Fimbiasso area is based on various surfaces with accuracy  $\pm 0.5\text{m}$

Topographic control is adequate for the current work being undertaken.

**Data spacing and distribution** *Data spacing for reporting of Exploration Results.*

*Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.*

*Whether sample compositing has been applied.*

The CMA underground lodes are delineated by regular drilling at 25mN x 30mE with wider spaced drilling in the north extension area. Drilling within the Yaouré open pit is irregular and targeting infill of local areas to support conversion of resources. Drilling at Zain 1 is executed on a 25mN x 30mE pattern to define the mineralisation trends. Drilling at Sissingué has been planned on an ad-hoc basis to test local features and provide additional information on mineralisation trends. Drilling at Fimbiasso is designed on 25m across strike by 25m along strike to achieve confidence in reporting of Indicated resources.

Holes have generally been drilled in orientations to intersect the mineralisation approximately orthogonally.

No compositing of assay data has been completed in reporting of the exploration results in this release.

**Orientation of data in relation to geological structure** *Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.*

*If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.*

Almost all drill holes are oriented approximately orthogonal to the dip and strike of the principal lodes and drill intercept lengths closely approximate true widths of mineralisation.

**Sample security** *The measures taken to ensure sample security.*

For drilling a Yaouré RC and core samples were delivered to the secure core yard compound at Yaouré mine by Perseus personnel. RC field sample splits and samples of half diamond core were placed in numbered bags and those bags, in turn, placed into polyweave sacks that were closed with plastic cable ties prior to transport to the Yaouré sample preparation facility by Perseus personnel. Security guards were employed at drilling sites, the core yard compound and the sample preparation facility on a 24 hour per day basis.

For drilling at Sissingué and Fimbiasso samples from RC drilling were collected and bagged at drill site during the drilling operation. Core samples were cut in a central facility in Tengréla and samples placed into sample bags as they were cut.

All samples catalogued and placed in large woven bags and sealed prior to dispatch for preparation and analysis. Dispatch from site to was undertaken by Perseus staff and vehicles or collected from Tengréla by staff and vehicles of the respective laboratories.

Results of field duplicates along with the general consistency of assay results between neighbouring drill holes and drilling methods provide confidence in the general reliability of the assay data.

**Audits or reviews**      *The results of any audits or reviews of sampling techniques and data.* The Yaouré sample preparation facility has previously been subject to formal audit, the last being in 2017. Standard operating procedures have not changed materially since that audit.

Data reviews have included comparisons between various sampling phases and methods which provide confidence in the general reliability of the data.

Yaouré drill hole data have been subject to several independent reviews including:

- Data verification pursuant to the estimation and reporting of Mineral Resources in the NI43-101 Technical Report titled “Technical Report and Mineral Resource Estimates for Amara Mining PLC” with effective date 22 January 2014
- Data verification pursuant to the estimation and reporting of Mineral Resources in the NI43-101 Technical Report titled “Technical Report and Mineral Resource Estimates for Amara Mining Côte d’Ivoire SARL” with effective date 20 December 2015
- Data verification pursuant to the estimation and reporting of Mineral Resources and Mineral Reserves in the NI43-101 Technical Report titled “Perseus Mining Limited – Technical Report, Yaouré Gold Project, Côte d’Ivoire” with effective date 3 November 2017
- Data verification pursuant to the estimation and reporting of Mineral Resources and Mineral Reserves in the NI43-101 Technical Report titled “Perseus Mining Limited – Technical Report, Yaouré Gold Project, Côte d’Ivoire” with effective date 18 September 2023

Reviews of the Sissingué sample process were carried out by Runge Limited during 2009 and 2010 and by Widenbar & Associates in October 2012 with acceptable conclusions.

The Competent Person has reviewed the available sampling and assaying quality control data and found no errors or bias likely to significantly affect the reliability of the exploration data. These reviews included review of database consistency, comparisons between database records and laboratory source files, and review of QAQC information.

## JORC 2012 Table 1 – Section 2 Reporting of Exploration Results

*(Criteria listed in the preceding section also apply to this section)*

Criteria	JORC Code explanation	Commentary												
<b>Mineral tenement and land tenure status</b>	<i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>	<p>The CMA underground resource, Yaouré open pit resource, and Zain 1 prospect are located within the Yaouré exploitation permit (PE50). The permit is held by Perseus’s subsidiary Perseus Mining Yaouré SA in which the government of Côte d’Ivoire holds 10% free carried interest. Additionally, the Government of Côte d’Ivoire is entitled to a royalty on revenue as follows:</p> <table border="1"> <thead> <tr> <th>Spot price per ounce - London PM Fix</th> <th>Royalty Rate</th> </tr> </thead> <tbody> <tr> <td>Less than or equal to US\$1,000</td> <td>3%</td> </tr> <tr> <td>Higher than US\$1,000 and less than or equal to US\$1,300</td> <td>3.5%</td> </tr> <tr> <td>Higher than US\$1,300 and less than or equal to US\$1,600</td> <td>4%</td> </tr> <tr> <td>Higher than US\$1,600 and less than or equal to US\$2,000</td> <td>5%</td> </tr> <tr> <td>Higher than US\$2,000</td> <td>6%</td> </tr> </tbody> </table> <p>A further 0.5% of revenue is required to be paid to a local community development fund.</p> <p>The Sissingué project lies within mining permit PE39 (Permit d’Exploitation Sissingué). Perseus holds an 86% interest in PE39 through the Company’s wholly owned subsidiary Perseus Mining Côte d’Ivoire SA. The government of Côte d’Ivoire holds a 10% free carried interest in the property and the remaining 4% interest is held by local joint venture partner Société Minière de Côte d’Ivoire (SOMICI). In addition to the royalty on revenue outlined above, Franco Nevada are entitled to a 0.5% royalty on production, with an additional royalty of US\$0.80 per ounce of gold payable.</p> <p>The Fimbiasso project lies within mining permit PE55 (Permit d’Exploitation Fimbiasso). Perseus holds an 86% interest in PE55 through the Company’s wholly owned subsidiary Perseus Mining Fimbiasso SA. The government of Côte</p>	Spot price per ounce - London PM Fix	Royalty Rate	Less than or equal to US\$1,000	3%	Higher than US\$1,000 and less than or equal to US\$1,300	3.5%	Higher than US\$1,300 and less than or equal to US\$1,600	4%	Higher than US\$1,600 and less than or equal to US\$2,000	5%	Higher than US\$2,000	6%
Spot price per ounce - London PM Fix	Royalty Rate													
Less than or equal to US\$1,000	3%													
Higher than US\$1,000 and less than or equal to US\$1,300	3.5%													
Higher than US\$1,300 and less than or equal to US\$1,600	4%													
Higher than US\$1,600 and less than or equal to US\$2,000	5%													
Higher than US\$2,000	6%													



d'Ivoire holds a 10% free carried interest in the property and the remaining 4% interest is held by local joint venture partner.

Mineral permits and licences in which Perseus has an interest are subject to renewal from time to time in accordance with the relevant legislation of the governing jurisdiction and Perseus's compliance therewith.

The reported exploration areas have no known exploration-specific environmental liabilities.

**Exploration done by other parties** *Acknowledgment and appraisal of exploration by other parties.*

Exploration geochemical sampling, trenching and exploration and resource definition drilling have previously been carried out by BRGM, Cluff Gold plc and Amara Mining plc. Drill hole data deriving from work by Cluff and Amara are considered reliable.

Historical exploration over the Sissingué permit is limited to regional lag sampling by Randgold Resources during the 1990's. That work identified a number of target areas for gold but did not locate the main Sissingué gold deposit.

Perseus is not aware of any previous exploration activities at the Fimbiasso project.

**Geology** *Deposit type, geological setting and style of mineralisation.*

Yaouré may be described as orogenic lode-style gold mineralisation. The Yaouré project comprises several neighbouring gold deposits, including Yaouré and CMA, that occur near the south-eastern flank of the Bouaflé greenstone belt in central Côte d'Ivoire. Mineralisation is hosted by Paleoproterozoic aged metabasalts and felsic intrusive rocks of the Birimian Supergroup. The rocks are metamorphosed to lower greenschist facies and only locally feature penetrative deformation fabrics. In the Yaouré deposits, gold is associated with disseminated pyrite. At CMA deposit, mineralisation is associated with quartz-albite-carbonate veining in reverse fault structures that dip at 25 to 35 degrees to the east and northeast. The Yaouré deposit comprises several mineralisation styles controlled by east-dipping structures, similar to CMA, in addition to mineralisation associated with quartz-tourmaline-chlorite-carbonate veining controlled by NE and NW striking, sub-vertical faults and also stockwork quartz veins with associated alteration selvages hosted by a granodiorite intrusive body.

The Sissingué Deposit occurs in a strongly deformed Birimian greenstone belt intruded by quartz-feldspar porphyry dykes and granitoid bodies. Gold mineralisation at Sissingué is associated with the porphyritic dykes and small granitoid (tonalite) bodies that cross-cut sedimentary rocks. Subsequent hydrothermal activities and metasomatism of the tonalites has led to a sericite-carbonate alteration within the intrusives and the more permeable horizons (sandstones and conglomerates) of the sedimentary rocks, and a low to moderate grade disseminated gold mineralisation. Late-stage high grade Au-As-quartz-carbonate veins exploited the altered and brittle portions of the intrusives and sediments with common occurrences of visible gold.

The Fimbiasso gold deposits are located within a north-westerly striking splay of the Syama-Boundiali Greenstone Belt. At Fimbiasso, Birimian aged rocks comprise a sequence of metasedimentary rocks and subordinate mafic volcanics that have been intruded by a nearly circular granitoid body approximately 4km in diameter. The sequence has also been intruded by numerous felsic dykes of various compositions. Gold mineralisation at both Fimbiasso East and Fimbiasso West is associated with deformation zones developed at and adjacent to the margins of the granitoid intrusion. Gold is associated with disseminated pyrite and lesser pyrrhotite hosted by both mafic and felsic lithologies where they feature chlorite-sericite-calcite alteration. Vein hosted mineralisation is rare.

<b>Drill hole Information</b>	<p>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</p> <ul style="list-style-type: none"> <li>▸ easting and northing of the drill hole collar</li> <li>▸ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>▸ dip and azimuth of the hole</li> <li>▸ down hole length and interception depth</li> <li>▸ hole length.</li> </ul> <p>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</p>	<p>Each of Yaouré, Sissingué and Fimbiasso are active mines and advanced exploration project. A table of drill hole and intercept details is included in the report to which this release relates.</p>
<b>Data aggregation methods</b>	<p>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</p> <p>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</p> <p>The assumptions used for any reporting of metal equivalent values should be clearly stated.</p>	<p>The cut-off grade, minimum down-hole length and maximum included internal waste are clearly stated in the release to which this table relates. Higher-grade “included” intercepts are clearly reported.</p> <p>Drill hole intercepts have not been reported as metal equivalents.</p>
<b>Relationship between mineralization widths and intercept lengths</b>	<p>These relationships are particularly important in the reporting of Exploration Results.</p> <p>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</p> <p>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. ‘down hole length, true width not known’).</p>	<p>The geometry of mineralisation at Yaouré, Sissingué and Fimbiasso has been clearly demonstrated by previous drilling. The lengths of drill intercepts of that structure in the release to which this table relates closely approximate true widths.</p>
<b>Diagrams</b>	<p>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</p>	<p>Appropriate plans and sections are included in the release to which this table relates.</p>
<b>Balanced reporting</b>	<p>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</p>	<p>Holes that did not intercept significant mineralisation are shown on plans and cross-sections and are included in tables of intercepts.</p>
<b>Other substantive exploration data</b>	<p>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</p>	<p>The Yaouré property has been subject to extensive exploration, including:</p> <ul style="list-style-type: none"> <li>• Soil sampling, surface mapping</li> <li>• Approximately 380,000 metres of drilling</li> <li>• Previous mining by <i>Compagnie Minière d’Afrique</i> (CMA) and Cluff Mining plc</li> <li>• Airborne EM, gravity, radiometrics and magnetic surveys</li> <li>• 2D &amp; 3D seismic surveys.</li> </ul> <p>The CMA Lode is presently being exploited by open pit mining.</p>

**Further work**

*The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.*

Perseus intends to continue drilling at Yaouré, Sissingué and Fimbiasso to delineate additional Mineral Resources and to undertake such further studies as are required to support a reporting of Ore Reserves.