



TABLE 1 – Ghanie Assay Results

DRILL HOLE	FROM (metres)	TO (metres)	INT. (metres)	GRADE (g/t Au)	Grade x DH Width
GDD263	706.5	735.0	28.5	0.6	16.1
GDD264	82.7	93.5	10.8	0.3	3.3
GDD265	58.3	70.0	11.7	0.4	5.1
GDD265	335.5	340.0	4.5	0.7	3.3
GDD265W1	280.0	281.5	1.5	1.7	2.5
GDD265W1	362.0	364.5	2.5	3.6	8.9
GDD265W1	490.0	493.0	3.0	10.8	32.4
GDD266A	530.5	532.0	1.5	9.9	14.9
GDD266A	792.5	827.0	34.5	0.8	28.1
<i>Incl.</i>	813.5	821.0	7.5	2.1	15.7
GDD267	146.5	157.0	10.5	2.3	23.9
<i>Incl.</i>	152.5	154.0	1.5	12.4	18.6
GDD267	240.0	348.0	108.0	0.5	53.8
<i>Incl.</i>	249.0	250.5	1.5	12.3	18.5
GDD267	362.0	363.3	1.3	2.1	2.7
GDD268	182.5	185.5	3.0	1.3	3.9
GDD268	262.5	267.0	4.5	1.1	4.8
GDD268	280.0	286.0	6.0	0.7	4.1
GDD268	342.8	352.5	9.7	0.8	7.5
GDD268	358.5	364.5	6.0	2.3	13.7
GDD268	379.6	380.1	0.5	5.4	2.7
GDD268	390.7	392.0	1.3	2.4	3.1
GDD268	434.5	435.2	0.7	4.1	2.9
GDD269	62.5	65.5	3.0	1.1	3.2
GDD269	302.0	303.5	1.5	1.2	1.8



GDD270	298.9	319.8	20.8	9.6	199.3
<i>Incl.</i>	304.5	306.5	2.0	8.5	17.0
<i>Incl.</i>	312.0	313.0	1.0	14.2	13.8
<i>Incl.</i>	314.6	319.0	4.4	36.1	159.0
GDD271A	688.5	693.0	4.5	0.9	3.9
GDD271A	862.0	863.5	1.5	8.1	12.2
GDD271A	877.0	883.0	6.0	3.6	21.3
GDD271A	894.5	914.0	19.5	1.8	35.2
<i>Incl.</i>	904.0	907.0	3.0	6.1	18.2
GDD271A	926.0	949.0	23.0	1.5	33.9
<i>Incl.</i>	940.0	943.0	3.0	5.8	17.3
GDD271A	953.0	954.0	1.0	2.3	2.3
GDD271AW1	430.0	431.0	1.0	4.1	4.1
GDD271AW1	899.5	900.7	1.2	3.8	4.6
GDD271AW1	914.5	928.0	13.5	0.9	12.1
GDD271AW1	940.8	943.5	2.7	0.7	1.8
GDD272	310.0	319.0	9.0	1.2	10.6
GDD272	368.0	413.0	45.0	0.9	39.5
<i>Incl.</i>	402.5	408.5	6.0	2.4	14.3
GDD273	333.7	341.0	7.2	7.8	56.3
<i>Incl.</i>	338.0	341.0	3.0	18.2	53.8
GDD274	778.5	780.0	1.5	1.2	1.9
GDD274	820.0	821.5	1.5	1.1	1.7
GDD274	948.0	949.0	1.0	2.6	2.6
GDD274	1059.0	1061.5	2.5	0.8	2.0
GDD275	369.5	375.5	6.0	0.6	3.9
GDD276	437.5	440.3	2.8	23.2	65.6



GDD277B	773.6	775.0	1.4	3.0	4.3
GDD277B	915.5	1000.0	84.5	3.0	250.3
<i>Incl.</i>	918.5	924.5	6.0	13.4	80.3
<i>Incl.</i>	954.0	970.4	16.4	4.5	73.0
GDD278	425.0	432.5	7.5	1.4	10.2
GDD279	104.5	110.5	6.0	11.0	66.1
<i>Incl.</i>	104.5	106.0	1.5	40.9	61.4
GDD279	253.0	253.7	0.7	1.2	0.8
GDD279	294.5	300.5	6.0	0.8	4.7
GDD279	353.0	361.5	8.5	0.5	4.1
GDD280	42.0	52.0	10.0	0.8	7.9
GDD280	95.0	96.5	1.5	1.2	1.9
GDD281	21.0	22.5	1.5	1.1	1.6
GDD282	17.0	21.5	4.5	0.9	4.0
GDD282	38.0	56.0	18.0	0.4	7.8

Notes to Table 1: Intercepts reported are down-hole widths. True widths are estimated between 62% and 98% of reported down-hole widths. Gold grades are uncapped.