



## Centerra Gold Inc. - Mount Milligan Project Diamond Drill Hole Locations

Period: October 1st to December 31st, 2023

Hole ID	Location Easting**	Location Northing**	Elevation (m)	Length (m)	Collar Azimuth***	Collar Dip	Purpose
23-1478*	433912.69	6109101.23	1134.39	345.00	115.84	-79.27	Near-pit exploratin
23-1482*	433925.68	6108929.36	1101.23	279.00	216.43	-54.75	Near-pit exploratin
23-1484*	433857.93	6109100.73	1133.92	540.00	5.27	-73.27	Near-pit exploratin
23-1487*	433818.16	6109562.78	1166.94	429.00	94.58	-66.69	Near-pit exploratin
23-1490*	433938.69	6109681.95	1147.28	381.00	89.00	-74.54	Near-pit exploratin
23-1491*	432739.02	6109385.48	1302.97	550.16	123.82	-63.25	Brownfield exploration
23-1493*	432456.93	6109417.31	1318.67	539.50	109.17	-82.12	Brownfield exploration
23-1496*	432430.23	6109303.04	1278.55	578.21	99.42	-80.07	Brownfield exploration
23-1499*	432840.52	6108812.97	1105.08	567.00	110.97	-75.21	Brownfield exploration
23-1500*	432424.26	6109523.76	1331.90	606.55	69.82	-76.95	Brownfield exploration
23-1501*	432195.14	6109622.80	1306.25	583.69	92.97	-75.03	Brownfield exploration
23-1502*	432044.50	6109564.30	1278.76	550.77	108.54	-78.66	Brownfield exploration
23-1503*	431881.23	6109503.57	1243.82	556.11	109.57	-75.29	Brownfield exploration
23-1504*	431684.81	6109461.28	1229.74	617.83	109.04	-74.48	Brownfield exploration
23-1505*	431879.28	6109683.31	1295.00	576.68	109.84	-70.07	Brownfield exploration
23-1506	432993.75	6108675.01	1114.03	562.96	110.16	-69.52	Brownfield exploration
23-1507	433334.33	6108603.96	1183.29	590.40	108.07	-80.32	Brownfield exploration
23-1508	431693.48	6108070.12	1305.51	552.00	45.91	-64.95	Brownfield exploration
23-1509	432750.74	6108414.13	1177.60	600.00	111.51	-79.76	Brownfield exploration
23-1510	433319.90	6108526.22	1205.08	639.78	108.65	-79.79	Brownfield exploration
23-1511	432811.02	6107797.05	1386.22	513.00	109.86	-71.11	Brownfield exploration
23-1512	432048.87	6108383.98	1236.25	585.00	110.86	-69.51	Brownfield exploration
23-1513	433109.23	6107383.53	1389.59	501.00	109.80	-70.29	Brownfield exploration
23-1514	433463.75	6108534.00	1201.50	614.78	110.12	-82.51	Brownfield exploration

Notes: \* Indicates drill hole completed in previous quarter, assay results returned in current quarter.

\*\*Projection: NAD83 UTM Zone 10N

\*\*\*Azimuth: Relative to True North

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of February 22, 2024.



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: October 1st to December 31st, 2023

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)	
23-1478*	Saddle Section E	Infill drilling for the western extension of Saddle zone mineralization and for shallow HGLC associated with the Saddle fault.		19.00	32.50	13.50	0.828	0.035	6.9
			<i>including</i>	19.00	25.00	6.00	1.378	0.052	12.5
				43.90	51.00	7.10	0.109	0.053	0.7
				62.00	72.00	10.00	0.186	0.017	0.4
				87.00	133.00	46.00	0.152	0.064	0.7
				237.00	244.00	7.00	0.112	0.065	0.9
				260.40	269.00	8.60	0.119	0.061	0.8
23-1482*	Saddle West Section F	Infill drilling for the western extension of Saddle zone mineralization and for shallow HGLC associated with the Saddle fault.		19.05	41.85	22.80	0.459	0.128	5.6
			<i>including</i>	37.15	38.10	0.95	6.860	0.097	96.0
				50.40	82.20	31.80	0.336	0.128	2.7
			<i>including</i>	56.30	57.16	0.86	1.042	0.033	0.9
			<i>and</i>	69.80	70.85	1.05	2.302	0.066	8.2
			<i>and</i>	80.67	82.20	1.53	1.796	0.933	16.6
				88.00	130.00	42.00	0.152	0.207	2.2
				135.90	142.60	6.70	0.752	0.095	3.5
			<i>including</i>	137.75	139.25	1.50	2.843	0.283	13.0
				180.50	193.30	12.80	0.114	0.127	0.6
				205.00	253.50	48.50	0.149	0.191	0.7
23-1484*	DWBX Section E	Infill drilling on the west margins of the ultimate pit boundary in the shallow DWBX breccia and underlying DWBX stock.		24.00	44.00	20.00	0.106	0.034	0.5
				52.00	68.00	16.00	0.225	0.040	0.8
				74.00	80.00	6.00	0.104	0.013	0.7
				91.53	94.00	2.47	1.625	0.119	15.7
			<i>including</i>	91.53	92.26	0.73	4.562	0.201	37.8
				102.00	133.00	31.00	0.224	0.037	0.9
			<i>including</i>	127.00	129.00	2.00	1.167	0.053	2.7
				140.13	152.00	11.87	0.136	0.046	1.2
				158.78	167.00	8.22	0.214	0.050	1.6
				172.63	223.30	50.67	1.603	0.054	6.6
			<i>including</i>	186.00	219.00	33.00	2.301	0.060	9.2
				232.00	236.00	4.00	0.130	0.135	2.6
				246.00	269.00	23.00	0.643	0.040	3.5
			<i>including</i>	246.97	250.45	3.48	3.045	0.051	15.1
				282.11	325.00	42.89	0.670	0.005	0.9
			<i>including</i>	284.00	286.00	2.00	1.015	0.003	0.4
			<i>and</i>	292.00	294.00	2.00	3.735	0.009	4.2
			<i>and</i>	301.00	303.00	2.00	1.280	0.007	2.0
			<i>and</i>	307.00	308.00	1.00	1.080	0.006	1.2
			<i>and</i>	321.00	323.00	2.00	1.348	0.002	0.7
				333.00	362.00	29.00	0.786	0.043	9.2
<i>including</i>	343.00	347.00	4.00	4.029	0.099	54.0			
	368.00	388.00	20.00	0.242	0.069	1.0			
<i>including</i>	382.00	383.00	1.00	1.163	0.050	6.6			
	394.00	432.00	38.00	0.251	0.069	3.0			
<i>including</i>	415.65	416.34	0.69	4.682	0.268	112.0			
	438.00	441.00	3.00	0.103	0.138	0.5			



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: October 1st to December 31st, 2023

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
23-1484* Continued			447.00	519.00	72.00	0.648	0.192	2.5
			<i>including</i> 449.00	457.00	8.00	1.078	0.149	3.1
			<i>and</i> 492.00	500.00	8.00	2.047	0.125	4.8
			<i>and</i> 508.00	509.35	1.35	2.811	0.074	2.0
			527.00	536.00	9.00	0.129	0.061	4.6
23-1487*	DWBX Section D	Infill drilling on the west margins of the ultimate pit boundary in the Goldmark and underlying DWBX zones.	10.00	24.00	14.00	0.217	0.030	0.2
			42.00	70.00	28.00	0.457	0.069	1.0
			<i>including</i> 44.00	46.00	2.00	4.003	0.073	6.8
			78.00	88.00	10.00	0.141	0.044	0.1
			100.00	113.00	13.00	0.139	0.105	0.2
			119.00	132.88	13.88	0.130	0.114	0.3
			137.00	164.00	27.00	0.426	0.121	5.6
			<i>including</i> 162.00	164.00	2.00	3.962	0.092	69.7
			166.00	201.00	35.00	0.186	0.303	0.5
			206.00	210.42	4.42	0.112	0.053	0.4
			214.00	218.00	4.00	0.114	0.050	0.5
			228.00	246.00	18.00	0.108	0.045	0.3
			252.00	263.88	11.88	0.161	0.079	0.3
271.40	429.00	157.60	0.234	0.177	1.8			
<i>including</i> 374.00	376.00	2.00	1.281	0.279	2.1			
23-1490*	DWBX Section D	Infill drilling on the west margins of the ultimate pit boundary targeting the shallow DWBX breccia zone.	25.14	30.00	4.86	0.117	0.023	0.1
			74.00	82.00	8.00	0.112	0.150	0.2
			94.00	115.63	21.63	0.137	0.194	0.3
			121.28	143.74	22.46	0.171	0.221	0.5
			153.22	268.00	114.78	0.199	0.195	0.4
316.36	322.00	5.64	0.093	0.130	3.4			
23-1491*	North Slope Section A	Exploration drilling for Au-Cu porphyry mineralization associated with the North Slope dyke complex.	51.80	56.00	4.20	0.368	0.073	0.5
			62.00	73.00	11.00	0.113	0.143	0.5
			79.86	86.26	6.40	0.151	0.107	0.4
			91.82	94.00	2.18	0.132	0.118	0.7
			120.00	127.00	7.00	0.255	0.039	1.3
			208.58	211.00	2.42	0.087	0.113	0.7
			233.00	241.00	8.00	0.175	0.015	0.2
			263.00	267.00	4.00	0.188	0.027	0.5
			298.00	304.00	6.00	0.228	0.016	0.3
			308.61	319.00	10.39	0.162	0.013	0.4
			349.00	366.98	17.98	0.114	0.117	2.2
			401.00	404.67	3.67	0.116	0.112	0.7
			411.50	418.34	6.84	0.109	0.115	1.4
			422.58	430.75	8.17	0.133	0.135	1.4
443.33	501.33	58.00	0.171	0.102	2.5			
<i>including</i> 471.00	473.35	2.35	1.388	0.337	18.4			
537.00	541.36	4.36	0.115	0.091	2.3			
			6.79	10.21	3.42	0.024	0.110	0.6
			31.00	36.00	5.00	0.105	0.056	0.9
			60.00	86.75	26.75	0.048	0.121	0.7
			91.15	94.00	2.85	0.066	0.109	0.6
			127.00	130.00	3.00	0.114	0.105	0.7
			187.40	194.46	7.06	0.104	0.146	1.1



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: October 1st to December 31st, 2023

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
23-1493*	North Slope Section B	Exploration drilling for Au-Cu porphyry mineralization associated with the North Slope dyke complex.	198.00	210.84	12.84	0.116	0.139	2.0
			215.00	217.32	2.32	0.086	0.165	1.3
			233.60	236.00	2.40	0.089	0.119	0.5
			244.00	250.47	6.47	0.060	0.128	0.5
			304.60	306.65	2.05	0.281	0.069	0.5
			317.00	327.00	10.00	0.041	0.126	0.4
			337.84	340.00	2.16	0.108	0.074	2.8
			369.87	372.00	2.13	0.061	0.124	5.4
			388.00	397.00	9.00	0.134	0.029	0.3
			405.23	427.00	21.77	0.245	0.124	1.8
			429.00	459.00	30.00	0.117	0.141	1.5
			465.20	484.45	19.25	0.208	0.153	1.8
			488.97	539.50	50.53	0.199	0.219	5.1
23-1496*	North Slope Section C	Exploration drilling for Au-Cu porphyry mineralization associated with the North Slope dyke complex.	3.66	6.10	2.44	0.107	0.007	0.2
			53.00	55.02	2.02	0.212	0.010	0.3
			296.72	299.47	2.75	0.034	0.127	0.6
			348.00	356.00	8.00	0.090	0.107	1.5
			362.00	383.00	21.00	0.134	0.025	1.2
473.25	520.00	46.75	0.099	0.160	1.7			
23-1499*	Saddle West Section G	Brownfield exploration geophysics target.	160.88	178.00	17.12	0.089	0.143	1.0
			186.00	220.00	34.00	0.076	0.128	1.0
			230.00	233.54	3.54	0.063	0.146	0.8
			259.00	267.00	8.00	0.153	0.189	1.8
			310.00	314.00	4.00	0.204	0.301	2.7
			341.52	345.47	3.95	0.385	0.429	3.0
			350.00	360.00	10.00	0.545	0.572	4.5
			<i>including</i> 352.00	<i>354.00</i>	<i>2.00</i>	<i>1.208</i>	<i>1.420</i>	<i>13.0</i>
			<i>and</i> 356.00	<i>358.00</i>	<i>2.00</i>	<i>1.075</i>	<i>1.100</i>	<i>7.2</i>
508.00	517.37	9.37	0.055	0.183	0.4			
523.00	567.00	44.00	0.064	0.125	0.4			
23-1500*	North Slope Section A	Exploration drilling for for Au-Cu porphyry mineralization associated with shallow North Slope stock and North Slope dyke complex at depth.	14.00	18.00	4.00	0.282	0.041	0.8
			48.00	55.50	7.50	0.044	0.125	0.5
			65.25	81.00	15.75	0.044	0.132	0.4
			90.00	101.75	11.75	0.065	0.120	0.4
			109.80	120.00	10.20	0.046	0.134	0.5
			182.00	189.48	7.48	0.249	0.016	1.7
			220.00	226.93	6.93	0.271	0.075	1.2
			236.82	245.00	8.18	0.201	0.095	1.2
			365.80	382.37	16.57	0.222	0.079	1.1
			403.00	405.08	2.08	0.090	0.107	2.0
23-1500* continued			439.22	453.00	13.78	0.068	0.123	2.2
			466.50	470.00	3.50	0.077	0.111	1.4
			516.00	526.00	10.00	0.096	0.127	1.4
			538.00	601.00	63.00	0.110	0.129	1.4
			97.38	102.27	4.89	0.332	0.152	6.8
237.28	244.00	6.72	0.144	0.182	1.7			
256.00	260.00	4.00	0.181	0.173	1.4			
271.00	276.74	5.74	1.819	0.192	2.3			
285.00	288.00	3.00	0.241	0.269	3.2			



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: October 1st to December 31st, 2023

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
23-1501*	North Slope Section A	mineralization associated with shallow North Slope stock and North Slope dyke complex at depth.	301.00	313.30	12.30	0.288	0.322	5.0
			367.00	383.00	16.00	0.240	0.272	3.2
			417.00	425.00	8.00	0.113	0.033	0.4
			442.00	445.19	3.19	0.368	0.507	6.6
			451.00	455.00	4.00	0.064	0.120	0.6
			485.00	513.00	28.00	0.124	0.137	1.7
			522.00	551.00	29.00	0.133	0.161	2.6
23-1502*	North Slope Section B	Exploration drilling for for Au-Cu porphyry mineralization associated with shallow North Slope stock and North Slope dyke complex at depth.	61.87	64.00	2.13	0.170	0.067	2.3
			86.00	94.00	8.00	0.054	0.163	1.2
			116.40	130.00	13.60	0.037	0.108	0.4
			159.41	163.00	3.59	0.094	0.153	4.9
			378.00	396.00	18.00	0.058	0.131	0.9
			402.00	433.00	31.00	0.142	0.279	1.1
			459.00	489.00	30.00	0.182	0.174	2.7
			502.01	506.47	4.46	0.199	0.272	8.6
			511.52	550.77	39.25	0.210	0.245	3.0
23-1503*	North Slope Section C	Exploration drilling for for Au-Cu porphyry mineralization associated with the North Slope dyke complex.	17.70	20.00	2.30	0.072	0.194	2.5
			28.00	36.00	8.00	0.081	0.163	1.2
			106.00	110.00	4.00	0.121	0.030	0.8
			149.00	153.00	4.00	0.244	0.082	1.6
			328.00	334.00	6.00	0.042	0.118	1.7
			348.50	352.00	3.50	0.100	0.248	1.6
			358.00	365.00	7.00	0.027	0.133	0.4
			382.00	385.70	3.70	0.324	0.550	2.5
			<i>including</i> 382.00	<i>382.60</i>	<i>0.60</i>	<i>1.294</i>	<i>1.890</i>	<i>9.5</i>
			392.50	401.00	8.50	0.137	0.185	1.2
			417.50	428.70	11.20	0.303	0.460	3.1
			<i>including</i> 419.00	<i>420.00</i>	<i>1.00</i>	<i>1.054</i>	<i>1.260</i>	<i>8.9</i>
			438.75	482.50	43.75	0.207	0.303	2.4
			<i>including</i> 457.60	<i>458.20</i>	<i>0.60</i>	<i>1.564</i>	<i>0.473</i>	<i>7.0</i>
			<i>and</i> 480.50	<i>481.75</i>	<i>1.25</i>	<i>0.875</i>	<i>1.550</i>	<i>15.2</i>
484.35	491.20	6.85	0.643	0.891	8.4			
<i>including</i> 484.35	<i>488.50</i>	<i>4.15</i>	<i>0.748</i>	<i>1.084</i>	<i>10.6</i>			
502.00	506.00	4.00	0.065	0.145	3.6			
547.00	554.00	7.00	0.109	0.119	0.6			
23-1504*	North Slope Section C	Exploration drilling for for Au-Cu porphyry mineralization associated with the North Slope dyke complex.	17.00	20.86	3.86	0.256	0.065	2.0
			264.69	270.00	5.31	0.197	0.014	0.7
			344.00	346.08	2.08	0.299	0.003	0.1
			393.00	396.00	3.00	0.056	0.118	0.9
			408.00	416.00	8.00	0.045	0.152	0.8
			424.00	426.85	2.85	0.038	0.142	0.4
			454.62	467.82	13.20	0.020	0.114	0.2
			470.50	473.00	2.50	0.022	0.101	0.5
			558.00	572.13	14.13	0.195	0.157	1.6
584.74	594.00	9.26	0.135	0.154	1.5			
	North Slope	Exploration drilling for for Au-Cu porphyry	345.00	350.00	5.00	0.086	0.164	1.5
			400.00	408.00	8.00	0.160	0.182	2.0
			441.00	449.70	8.70	0.047	0.121	1.3
			469.00	471.53	2.53	0.153	0.284	2.9



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: October 1st to December 31st, 2023

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
23-1505*	North Slope Section B	mineralization associated with the North Slope dyke complex.	484.00	495.56	11.56	0.118	0.092	0.9
			525.17	548.80	23.63	0.233	0.302	4.5
			<i>Including</i> 529.50	530.20	0.70	1.328	1.500	17.2
			537.00	548.80	11.80	0.289	0.369	6.1
			557.00	576.68	19.68	0.163	0.181	2.2
23-1506	Saddle West Section G	Brownfield exploration geophysics target.	64.01	87.00	22.99	0.146	0.011	0.1
			139.32	141.50	2.18	2.759	0.022	1.6
			153.00	160.00	7.00	0.163	0.025	0.4
			178.38	182.00	3.62	0.144	0.022	0.3
			186.74	187.53	0.79	1.809	0.024	0.4
			334.00	340.00	6.00	0.108	0.044	1.0
			370.22	424.58	54.36	0.142	0.118	1.6
			429.00	458.00	29.00	0.171	0.118	1.1
			462.08	480.00	17.92	0.172	0.177	1.4
519.00	562.96	43.96	0.078	0.156	0.5			
23-1507	Boundary Section G	Exploration drilling for the western extension of Au-Cu porphyry mineralization associated with the shallow Boundary stock and underlying Southern Star stock.	102.46	104.70	2.24	1.433	0.371	27.5
			151.00	156.00	5.00	0.052	0.119	1.9
			168.00	172.00	4.00	0.049	0.117	1.7
			370.00	374.00	4.00	0.158	0.101	0.9
			388.00	398.00	10.00	0.176	0.103	1.0
			416.00	422.00	6.00	0.251	0.207	2.3
			428.00	438.00	10.00	0.207	0.208	2.9
			455.00	490.60	35.60	0.219	0.216	2.5
			495.04	504.00	8.96	0.131	0.140	0.4
520.00	564.00	44.00	0.062	0.141	0.5			
570.00	588.00	18.00	0.119	0.164	3.2			
23-1508	M6 Section J	Brownfield exploration geophysics target.	196.00	198.00	2.00	1.766	0.030	20.6
			440.43	442.80	2.37	0.367	0.005	3.4
			474.00	484.00	10.00	0.103	0.014	0.5
23-1509	Boundary Section H	Brownfield exploration geophysics and surface Cu geochemistry target.	45.67	55.00	9.33	0.287	0.058	2.2
			100.00	124.42	24.42	0.274	0.031	1.1
			<i>including</i> 107.65	108.18	0.53	3.298	0.130	11.4
			141.00	145.45	4.45	0.262	0.053	2.8
			173.93	183.50	9.57	0.339	0.040	4.6
			<i>including</i> 173.93	174.70	0.77	1.398	0.023	1.1
			195.50	208.60	13.10	0.635	0.111	24.9
			<i>including</i> 200.03	202.70	2.67	2.328	0.344	101.2
			215.26	289.00	73.74	0.336	0.066	4.1
			<i>including</i> 242.03	243.25	1.22	1.392	0.097	2.2
			<i>and</i> 262.00	267.00	5.00	2.003	0.059	13.7
			<i>and</i> 287.00	289.00	2.00	1.798	0.058	35.7
			295.65	298.00	2.35	0.147	0.028	0.5
			455.80	460.30	4.50	0.171	0.187	1.0
			523.14	528.11	4.97	0.047	0.120	0.5
			544.00	552.00	8.00	0.213	0.225	2.5
			560.00	566.47	6.47	0.080	0.138	1.3
590.00	598.00	8.00	0.100	0.117	0.9			
			71.12	76.00	4.88	0.463	0.187	7.2
			101.00	119.00	18.00	0.055	0.133	1.4



**Centerra Gold Inc. - Mount Milligan Project**  
**Diamond Drill Hole Assay Results**  
 Period: October 1st to December 31st, 2023

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
23-1510	Boundary Section G	Exploration drilling for the western extension of Au-Cu porphyry mineralization associated with the shallow Boundary stock and underlying Southern Star stock.	192.10	199.00	6.90	0.278	0.100	9.3
			202.88	205.00	2.12	0.080	0.121	1.6
			346.10	348.23	2.13	0.038	0.102	1.2
			352.00	356.75	4.75	0.058	0.110	1.6
			369.00	371.43	2.43	0.055	0.124	1.4
			373.00	375.12	2.12	0.043	0.101	1.1
			469.00	481.00	12.00	0.129	0.112	0.6
			487.00	507.00	20.00	0.113	0.147	0.5
23-1511	Orica Section J	Brownfield exploration geophysics target.	511.57	554.00	42.43	0.202	0.322	1.0
			561.59	601.35	39.76	0.072	0.177	0.6
			131.50	132.20	0.70	1.512	0.174	5.9
			291.00	295.20	4.20	1.254	0.047	2.5
			<i>including</i> 294.50	295.20	0.70	5.726	0.170	11.8
			<i>including</i> 303.92	322.00	18.08	0.548	0.026	1.9
23-1512	M6 Section I	Brownfield exploration geophysics target.	303.92	308.05	4.13	1.952	0.082	4.3
			380.00	384.00	4.00	0.155	0.005	1.7
			218.00	220.34	2.34	0.159	0.004	0.1
			521.00	534.50	13.50	0.155	0.053	3.3
			<i>including</i> 540.00	548.70	8.70	0.538	0.363	15.6
23-1513	Orica Section J	Brownfield exploration geophysics target.	<i>including</i> 545.00	548.70	3.70	1.048	0.570	28.7
			562.80	565.00	2.20	0.722	0.014	0.4
			247.66	250.00	2.34	0.528	0.060	4.5
23-1514	Boundary Section G	Exploration drilling for the western extension of Au-Cu porphyry mineralization associated with the shallow Boundary stock and underlying Southern Star stock.	309.00	325.00	16.00	0.125	0.038	0.8
			495.00	499.00	4.00	0.162	0.010	0.4
			42.00	66.66	24.66	0.034	0.125	0.6
			129.00	154.00	25.00	0.152	0.181	3.0
			329.00	341.00	12.00	0.141	0.163	1.8
			370.00	384.00	14.00	0.148	0.205	0.7
			394.00	402.00	8.00	0.111	0.149	1.3
			436.00	439.08	3.08	0.063	0.139	0.7
489.28	505.79	16.51	0.147	0.180	1.9			
526.00	548.83	22.83	0.133	0.234	1.3			

Notes: \* Indicates drill hole completed in previous quarter, assay results returned in current quarter.

Assays are reported true values without top cutting. Reported intervals are longer than 2.0 m, grade greater than 0.1 g/t Au or 0.1% Cu and include maximum internal waste of 4.0 m where it exists. Intervals less than 2.0 m but with grade above 1.0 g/t Au are also reported. Significant assay intervals reported represent apparent widths due to the undefined geometry of mineralization in this zone, relationship between fault blocks, and conceptual nature of the exploration target.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of February 22, 2024.



**Centerra Gold Inc. - Goldfield District Project  
Drill Hole Locations**

Period: from October 1, 2023 to December 31, 2023

Hole ID	Location	Location Easting**	Location Northing**	Elevation (m)	Length (ft)	Length (m)	Collar Azimuth***	Collar Dip	Purpose
GEM-22-TS04*	Gemfield	478318.72	4176395.34	1704.43	755.00	230.12	252.52	-71.50	Geotechnical
GEM-22-TS05*	Gemfield	478175.61	4176161.04	1708.36	599.50	182.73	57.12	-59.20	Geotechnical
GEM-22-TS07*	Gemfield	478512.62	4176429.36	1695.96	492.50	150.11	264.25	-87.62	Geotechnical
GEM23D21*	Gemfield	478928.54	4177106.56	1680.91	998.80	304.43	272.33	-79.00	Exploration
GEM23D42*	Callisto	479548.39	4178807.33	1656.83	259.00	78.94	90.48	-65.71	Exploration
GEM23D42A*	Callisto	479547.94	4178804.88	1657.27	1317.00	401.42	92.72	-64.70	Exploration
GEM23D45*	Callisto	479852.89	4178988.17	1653.44	1271.00	387.40	92.30	-68.63	Exploration
GEM23D46*	Callisto	479497.48	4178358.46	1656.35	1206.50	367.74	270.20	-74.23	Exploration
GEM23D47*	Callisto	479497.48	4178358.20	1656.30	1275.50	388.77	90.08	-68.16	Exploration
GEM23D48*	Jupiter	479537.60	4177314.10	1676.56	727.00	221.59	92.79	-54.85	Exploration
GEM23D49*	Jupiter	479541.90	4177313.70	1676.75	828.00	252.37	268.51	-65.09	Exploration
GEM23D50*	Jupiter	479724.10	4177682.20	1677.26	497.00	151.49	89.86	-54.37	Exploration
GEM23D51*	Jupiter	479680.21	4177770.15	1668.70	500.00	152.40	89.65	-60.12	Exploration
GEM23D52*	Jupiter	479836.86	4177675.72	1676.27	402.00	122.53	89.99	-58.51	Exploration
GEM23D53*	Jupiter	479669.74	4177595.71	1672.58	227.00	69.19	91.33	-60.46	Exploration
GEM23D53A*	Jupiter	479666.97	4177595.83	1672.39	427.00	130.15	90.80	-60.27	Exploration
GEM23D54*	Jupiter	479668.06	4178159.54	1677.00	577.00	175.87	90.13	-59.33	Exploration
GEM23D55	Jupiter	479532.92	4178115.58	1671.36	627.00	191.11	90.14	-60.17	Exploration
GEM23D56	Jupiter	479673.80	4178015.00	1694.28	557.00	169.77	89.75	-59.96	Exploration
GEM23D57	Jupiter	479765.30	4177994.50	1700.92	595.00	181.36	89.22	-59.45	Exploration
GEM23D58	Jupiter	479821.60	4177799.80	1675.46	347.00	105.77	80.95	-59.63	Exploration
GEM23D59	Jupiter	479711.60	4177624.00	1677.99	244.00	74.37	91.44	-58.26	Exploration
GEM23D60	Jupiter	479599.40	4177842.00	1666.44	576.50	175.72	89.55	-60.24	Exploration
GEM23D61	Gemfield East	479678.21	4177544.68	1676.25	428.50	130.61	91.11	-65.31	Exploration
GEM23D62	Jupiter	479594.70	4177808.46	1667.98	525.50	160.17	88.73	-59.43	Exploration
GFM-22-D01*	Goldfield Main	480507.90	4174237.29	1731.41	993.00	302.67	301.54	-67.45	Exploration
GFM-22-D02*	Goldfield Main	480583.81	4174628.66	1743.30	950.70	289.77	272.12	-67.67	Exploration
GFM-22-TS01*	Goldfield Main	480565.94	4174435.07	1732.00	625.00	190.50	108.15	-67.11	Geotechnical
GFM-22-TS02*	Goldfield Main	480579.49	4174643.53	1743.78	600.00	182.88	70.24	-75.40	Geotechnical
GFM-22-TS03*	Goldfield Main	480549.87	4174193.31	1740.27	900.30	274.41	120.24	-75.68	Geotechnical
GFM-22-TS04*	Goldfield Main	480445.59	4174516.97	1729.94	623.00	189.89	233.17	-65.56	Geotechnical
GFM-22-TS05*	Goldfield Main	480405.87	4174367.85	1730.33	692.00	210.92	211.98	-69.14	Geotechnical
GFM-22-TS06*	Goldfield Main	480264.45	4174409.19	1723.44	497.50	151.64	318.63	-61.69	Geotechnical
GFM-23-D03*	Goldfield Main	480338.18	4174975.78	1716.44	701.40	213.79	125.92	-74.48	Exploration
GFM-23-TS09*	Goldfield Main	480670.96	4174407.38	1736.01	743.00	226.47	59.90	-60.27	Geotechnical
GOL23D04*	Goldfield Main	480691.12	4173866.25	1738.32	1200.00	365.76	238.77	-62.25	Exploration

Notes: Drillholes marked with an asterisk were completed in the previous quarter, but assay results received in Q4.  
Richard Adofo, a member of the Professional Association of Geoscientist Ontario, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of February 22, 2024.

\*\*Projection: NAD83 UTM Zone 11N

\*\*\*Azimuth: Relative to True North





**Centerra Gold Inc. - Goldfield District Project**  
**Drill Hole Assay Results**  
 Period: from Oct 01, 2023 to Dec 31, 2023

Drill Hole	Location	Purpose	From (ft)	To (ft)	Length (ft)	Au (ppm)
GEM-22-TS04*	on table	Geotechnical	No significant intercepts			
GEM-22-TS05*	on table	Geotechnical	No significant intercepts			
GEM-22-TS07*	Section N46900	Geotechnical	21.0	162.0	141.0	0.41
GEM23D21*	Section N49100	Exploration	553.6	566.0	12.4	0.36
GEM23D42A*	Section N54600 - 54700	Exploration	683.0	703.0	20.0	0.19
			1148.0	1158.0	10.0	0.22
			1258.0	1268.4	10.4	0.20
GEM23D45*	Section N55300	Exploration	784.0	799.0	15.0	0.18
			843.0	875.0	32.0	0.35
			1002.0	1099.0	97.0	0.23
			1130.0	1140.0	10.0	0.32
GEM23D46*	Section N53200	Exploration	915.0	967.0	52.0	0.54
			1033.0	1070.0	37.0	0.24
GEM23D47*	Section N53200	Exploration	605.0	641.0	36.0	0.20
			844.0	856.0	12.0	0.21
			942.0	957.0	15.0	0.60
			1076.0	1143.0	67.0	0.21
			1158.0	1168.0	10.0	0.33
GEM23D48*	Section N49800	Exploration	0.0	24.0	24.0	0.49
GEM23D49*	Section N49800	Exploration	0.0	27.0	27.0	0.59
GEM23D50*	Section N51000	Exploration	26.0	70.0	44.0	0.30
			114.0	124.2	10.2	0.29
			178.0	203.0	25.0	0.23
GEM23D51*	Section N51300	Exploration	52.0	92.0	40.0	0.22
			123.0	142.0	19.0	0.30
GEM23D52*	Section N51000	Exploration	No significant intercepts			
GEM23D53A*	Section N50700	Exploration	144.0	176.0	32.0	0.17
			206.0	222.5	16.5	0.21
GEM23D54*	on table	Exploration	No significant intercepts			
GEM23D55	Section N52400	Exploration	272.0	282.0	10.0	0.31
GEM23D56	on table	Exploration	No significant intercepts			
GEM23D57	Section N52000	Exploration	406.0	418.0	12.0	0.17
GEM23D58	Section N51400	Exploration	209.0	223.0	14.0	0.20
GEM23D59	Section N50800	Exploration	10.0	53.0	43.0	0.24
			127.0	177.0	50.0	0.20
GEM23D60	Section N51500	Exploration	126.0	211.2	85.2	0.30
GEM23D61	on table	Exploration	No significant intercepts			
GEM23D62	Section N51400	Exploration	147.0	222.0	75.0	0.23
GFM-22-D01*	Section 17	Exploration	508.0	581.0	73.0	0.49
			623.9	643.0	19.1	0.71
GFM-22-D02*	Section 25 - 26	Exploration	515.6	609.0	93.4	4.00
			<i>includes</i> 574.3	577.3	3.0	116.30
GFM-22-TS01*	Section 19 - 20	Geotechnical	0.0	12.8	12.8	0.42
			122.0	146.0	24.0	0.53
GFM-22-TS02*	Section 25	Geotechnical	39.0	50.8	11.8	0.26
GFM-22-TS03*	Section 12	Geotechnical	494.6	509.0	14.4	1.22
			535.0	549.0	14.0	0.38
GFM-22-TS04*	Section 24	Geotechnical	0.0	33.0	33.0	0.24
			299.1	341.5	42.4	0.40
			343.0	432.5	89.5	0.73
			434.0	448.5	14.5	0.32
			455.5	472.8	17.3	0.87
			376.0	452.0	76.0	1.58



## Centerra Gold Inc. - Goldfield District Project

### Drill Hole Assay Results

Period: from Oct 01, 2023 to Dec 31, 2023

Drill Hole	Location	Purpose	From (ft)	To (ft)	Length (ft)	Au (ppm)
GFM-22-TS05*	Section 20	Geotechnical	<i>includes</i> 403.8	423.9	20.1	3.98
			503.0	523.0	20.0	0.57
			<i>includes</i> 547.7	554.0	6.3	8.69
GFM-22-TS06*	Section 24 - 25	Geotechnical	95.0	122.5	27.5	0.22
			282.0	299.3	17.3	0.61
GFM-23-D03*	Section 39	Exploration	340.0	363.2	23.2	0.40
			368.2	395.3	27.1	0.35
GFM-23-TS09*	Section 17	Geotechnical	No significant intercepts			
GOL23D04*	Section 2	Exploration	185.0	200.0	15.0	0.29
			239.0	261.3	22.3	1.20
			<i>includes</i> 259.8	261.3	1.5	3.42
			339.0	360.0	21.0	0.19
			414.0	428.0	14.0	0.22
462.0	497.5	35.5	0.26			

Notes:

\* Indicates drill hole completed in previous quarter, assay results returned in current quarter.

Assays are reported true values without top cutting. Reported intervals are equal to or longer than 10.0 ft, grade greater than 0.15 g/t Au and include maximum internal waste of 10.0 ft where it exists. Including intervals are greater than 3.0 g/t Au grade. Regarding true width – for GEM ~70-90%.

Richard Adofo, a member of the Professional Association of Geoscientist Ontario, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release as of February 22, 2024.



**Centerra Gold Inc. - Goldfield District Project**  
**Drill Hole Assay Results**  
 Period: from Oct 01, 2023 to Dec 31, 2023

Drill Hole	Location	Purpose	From (m)	To (m)	Length (m)	Au (ppm)
GEM-22-TS04*	on table	Geotechnical	No significant intercepts			
GEM-22-TS05*	on table	Geotechnical	No significant intercepts			
GEM-22-TS07*	Section N46900	Geotechnical	6.40	49.38	42.98	0.41
GEM23D21*	Section N49100	Exploration	168.74	172.52	3.78	0.36
GEM23D42A*	Section N54600 - 54700	Exploration	208.18	214.27	6.10	0.19
			349.91	352.96	3.05	0.22
			383.44	386.61	3.17	0.20
GEM23D45*	Section N55300	Exploration	238.96	243.54	4.57	0.18
			256.95	266.70	9.75	0.35
			305.41	334.98	29.57	0.23
			344.42	347.47	3.05	0.32
GEM23D46*	Section N53200	Exploration	278.89	294.74	15.85	0.54
			314.86	326.14	11.28	0.24
GEM23D47*	Section N53200	Exploration	184.40	195.38	10.97	0.20
			257.25	260.91	3.66	0.21
			287.12	291.69	4.57	0.60
			327.96	348.39	20.42	0.21
			352.96	356.01	3.05	0.33
GEM23D48*	Section N49800	Exploration	0.00	7.32	7.32	0.49
GEM23D49*	Section N49800	Exploration	0.00	8.23	8.23	0.59
GEM23D50*	Section N51000	Exploration	7.92	21.34	13.41	0.30
			34.75	37.86	3.11	0.29
			54.25	61.87	7.62	0.23
GEM23D51*	Section N51300	Exploration	15.85	28.04	12.19	0.22
			37.49	43.28	5.79	0.30
GEM23D52*	Section N51000	Exploration	No significant intercepts			
GEM23D53A*	Section N50700	Exploration	43.89	53.64	9.75	0.17
			62.79	67.82	5.03	0.21
GEM23D54*	on table	Exploration	No significant intercepts			
GEM23D55	Section N52400	Exploration	82.91	85.95	3.05	0.31
GEM23D56	on table	Exploration	No significant intercepts			
GEM23D57	Section N52000	Exploration	123.75	127.41	3.66	0.17
GEM23D58	Section N51400	Exploration	63.70	67.97	4.27	0.20
GEM23D59	Section N50800	Exploration	3.05	16.15	13.11	0.24
			38.71	53.95	15.24	0.20
GEM23D60	Section N51500	Exploration	38.40	64.37	25.97	0.30
GEM23D61	on table	Exploration	No significant intercepts			
GEM23D62	Section N51400	Exploration	44.81	67.70	22.86	0.23
GFM-22-D01*	Section 17	Exploration	154.84	177.09	22.25	0.49
			190.16	195.99	5.82	0.71
GFM-22-D02*	Section 25 - 26	Exploration	157.15	185.62	28.47	4.00
			<i>includes</i> 175.05	<i>175.96</i>	<i>0.91</i>	<i>116.30</i>
GFM-22-TS01*	Section 19 - 20	Geotechnical	0.00	3.90	3.90	0.42
			37.19	44.50	7.32	0.53
GFM-22-TS02*	Section 25	Geotechnical	11.89	15.48	3.60	0.26
GFM-22-TS03*	Section 12	Geotechnical	150.75	155.14	4.39	1.22
			163.07	167.34	4.27	0.38
GFM-22-TS04*	Section 24	Geotechnical	0.00	10.06	10.06	0.24
			91.17	104.09	12.92	0.40
			104.55	131.83	27.28	0.73
			132.28	136.70	4.42	0.32
			138.84	144.11	5.27	0.87
GFM-22-TS05*	Section 20	Geotechnical	114.60	137.77	23.16	1.58
			<i>includes</i> 123.08	<i>129.05</i>	<i>6.13</i>	<i>3.98</i>
			153.31	159.41	6.10	0.57



## Centerra Gold Inc. - Goldfield District Project

### Drill Hole Assay Results

Period: from Oct 01, 2023 to Dec 31, 2023

Drill Hole	Location	Purpose	From (m)	To (m)	Length (m)	Au (ppm)	
			<i>includes</i> 166.94	168.86	1.92	8.69	
GFM-22-TS06*	Section 24 - 25	Geotechnical	28.96	37.34	8.38	0.22	
			85.95	91.23	5.27	0.61	
GFM-23-D03*	Section 39	Exploration	103.63	110.70	7.07	0.40	
			112.23	120.49	8.26	0.35	
GFM-23-TS09*	Section 17	Geotechnical	No significant intercepts				
GOL23D04*	Section 2	Exploration	56.39	60.96	4.57	0.29	
			72.85	79.64	6.80	1.20	
			<i>includes</i> 79.19	79.64	0.46	3.42	
			103.33	109.73	6.40	0.19	
			126.19	130.45	4.27	0.22	
			140.82	151.64	10.82	0.26	

Notes:

\* Indicates drill hole completed in previous quarter, assay results returned in current quarter.

Assays are reported true values without top cutting. Reported intervals are equal to or longer than 10.0 ft, grade greater than 0.15 g/t Au and include maximum internal waste of 10.0 ft where it exists. Including intervals are greater than 3.0 g/t Au grade. Regarding true width – for GEM ~70-90%.

Richard Adofo, a member of the Professional Association of Geoscientist Ontario, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release as of February 22, 2024.



**Centerra Gold Inc. - Goldfield District Project**  
**Drill Hole Assay Results**  
 Period: from Oct 01, 2023 to Dec 31, 2023

Drill Hole	Location	Purpose	From (ft)	From (m)	To (ft)	To (m)	Length (ft)	Length (m)	Au (ppm)	
GEM-22-TS04*	on table	Geotechnical	No significant intercepts							
GEM-22-TS05*	on table	Geotechnical	No significant intercepts							
GEM-22-TS07*	Section N46900	Geotechnical	21.0	6.40	162.0	49.38	141.0	42.98	0.41	
GEM23D21*	Section N49100	Exploration	553.6	168.74	566.0	172.52	12.4	3.78	0.36	
GEM23D42A*	Section N54600 - 54700	Exploration	683.0	208.18	703.0	214.27	20.0	6.10	0.19	
			1148.0	349.91	1158.0	352.96	10.0	3.05	0.22	
			1258.0	383.44	1268.4	386.61	10.4	3.17	0.20	
GEM23D45*	Section N55300	Exploration	784.0	238.96	799.0	243.54	15.0	4.57	0.18	
			843.0	256.95	875.0	266.70	32.0	9.75	0.35	
			1002.0	305.41	1099.0	334.98	97.0	29.57	0.23	
			1130.0	344.42	1140.0	347.47	10.0	3.05	0.32	
GEM23D46*	Section N53200	Exploration	915.0	278.89	967.0	294.74	52.0	15.85	0.54	
			1033.0	314.86	1070.0	326.14	37.0	11.28	0.24	
GEM23D47*	Section N53200	Exploration	605.0	184.40	641.0	195.38	36.0	10.97	0.20	
			844.0	257.25	856.0	260.91	12.0	3.66	0.21	
			942.0	287.12	957.0	291.69	15.0	4.57	0.60	
			1076.0	327.96	1143.0	348.39	67.0	20.42	0.21	
			1158.0	352.96	1168.0	356.01	10.0	3.05	0.33	
GEM23D48*	Section N49800	Exploration	0.0	0.00	24.0	7.32	24.0	7.32	0.49	
GEM23D49*	Section N49800	Exploration	0.0	0.00	27.0	8.23	27.0	8.23	0.59	
GEM23D50*	Section N51000	Exploration	26.0	7.92	70.0	21.34	44.0	13.41	0.30	
			114.0	34.75	124.2	37.86	10.2	3.11	0.29	
			178.0	54.25	203.0	61.87	25.0	7.62	0.23	
GEM23D51*	Section N51300	Exploration	52.0	15.85	92.0	28.04	40.0	12.19	0.22	
			123.0	37.49	142.0	43.28	19.0	5.79	0.30	
GEM23D52*	Section N51000	Exploration	No significant intercepts							
GEM23D53A*	Section N50700	Exploration	144.0	43.89	176.0	53.64	32.0	9.75	0.17	
			206.0	62.79	222.5	67.82	16.5	5.03	0.21	
GEM23D54*	on table	Exploration	No significant intercepts							
GEM23D55	Section N52400	Exploration	272.0	82.91	282.0	85.95	10.0	3.05	0.31	
GEM23D56	on table	Exploration	No significant intercepts							
GEM23D57	Section N52000	Exploration	406.0	123.75	418.0	127.41	12.0	3.66	0.17	
GEM23D58	Section N51400	Exploration	209.0	63.70	223.0	67.97	14.0	4.27	0.20	
GEM23D59	Section N50800	Exploration	10.0	3.05	53.0	16.15	43.0	13.11	0.24	
			127.0	38.71	177.0	53.95	50.0	15.24	0.20	
GEM23D60	Section N51500	Exploration	126.0	38.40	211.2	64.37	85.2	25.97	0.30	
GEM23D61	on table	Exploration	No significant intercepts							
GEM23D62	Section N51400	Exploration	147.0	44.81	222.0	67.70	75.0	22.86	0.23	
GFM-22-D01*	Section 17	Exploration	508.0	154.84	581.0	177.09	73.0	22.25	0.49	
			623.9	190.16	643.0	195.99	19.1	5.82	0.71	
GFM-22-D02*	Section 25 - 26	Exploration	515.6	157.15	609.0	185.62	93.4	28.47	4.00	
			<i>includes</i> 574.3	<i>175.05</i>	<i>577.3</i>	<i>175.96</i>	<i>3.0</i>	<i>0.91</i>	<i>116.30</i>	
GFM-22-TS01*	Section 19 - 20	Geotechnical	0.0	0.00	12.8	3.90	12.8	3.90	0.42	
			122.0	37.19	146.0	44.50	24.0	7.32	0.53	
GFM-22-TS02*	Section 25	Geotechnical	39.0	11.89	50.8	15.48	11.8	3.60	0.26	
GFM-22-TS03*	Section 12	Geotechnical	494.6	150.75	509.0	155.14	14.4	4.39	1.22	
			535.0	163.07	549.0	167.34	14.0	4.27	0.38	
GFM-22-TS04*	Section 24	Geotechnical	0.0	0.00	33.0	10.06	33.0	10.06	0.24	
			299.1	91.17	341.5	104.09	42.4	12.92	0.40	
			343.0	104.55	432.5	131.83	89.5	27.28	0.73	
			434.0	132.28	448.5	136.70	14.5	4.42	0.32	
			455.5	138.84	472.8	144.11	17.3	5.27	0.87	
GFM-22-TS05*	Section 20	Geotechnical	376.0	114.60	452.0	137.77	76.0	23.16	1.58	
			<i>includes</i> 403.8	<i>123.08</i>	<i>423.9</i>	<i>129.05</i>	<i>20.1</i>	<i>6.13</i>	<i>3.98</i>	
			503.0	153.31	523.0	159.41	20.0	6.10	0.57	

## Centerra Gold Inc. - Goldfield District Project

## Drill Hole Assay Results

Period: from Oct 01, 2023 to Dec 31, 2023

Drill Hole	Location	Purpose	From (ft)	From (m)	To (ft)	To (m)	Length (ft)	Length (m)	Au (ppm)	
			<i>includes</i> 547.7	166.94	554.0	168.86	6.3	1.92	8.69	
GFM-22-TS06*	Section 24 - 25	Geotechnical	95.0	28.96	122.5	37.34	27.5	8.38	0.22	
			282.0	85.95	299.3	91.23	17.3	5.27	0.61	
GFM-23-D03*	Section 39	Exploration	340.0	103.63	363.2	110.70	23.2	7.07	0.40	
			368.2	112.23	395.3	120.49	27.1	8.26	0.35	
GFM-23-TS09*	Section 17	Geotechnical	No significant intercepts							
			185.0	56.39	200.0	60.96	15.0	4.57	0.29	
			239.0	72.85	261.3	79.64	22.3	6.80	1.20	
GOL23D04*	Section 2	Exploration	<i>includes</i> 259.8	79.19	261.3	79.64	1.5	0.46	3.42	
			339.0	103.33	360.0	109.73	21.0	6.40	0.19	
			414.0	126.19	428.0	130.45	14.0	4.27	0.22	
			462.0	140.82	497.5	151.64	35.5	10.82	0.26	

## Notes:

\* Indicates drill hole completed in previous quarter, assay results returned in current quarter.  
Assays are reported true values without top cutting. Reported intervals are equal to or longer than 10.0 ft, grade greater than 0.15 g/t Au and include maximum internal waste of 10.0 ft where it exists. Including intervals are greater than 3.0 g/t Au grade. Regarding true width – for GEM ~70-90%.  
Richard Adofo, a member of the Professional Association of Geoscientist Ontario, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release as of February 22, 2024.



## Centerra Gold Inc. - Oakley Project Drill Hole Locations

Period: October 1, 2023 to December 31, 2023

Hole ID	Location	Location Easting**	Location Northing**	Elevation (m)	Length (m)	Collar Azimuth***	Collar Dip
BHC-23-28*	Blue Hill	261063.53	4656284.24	1861.50	203.60	181.03	-69.86
BHC-23-29*	Blue Hill	260648.16	4656587.47	1795.41	27.15	90.00	-70.00
BHC-23-29A*	Blue Hill	260647.18	4656587.59	1796.67	183.80	103.28	-69.22

Notes:

Drillholes marked with an asterisk were completed in the previous quarter, but assay results received in Q4.  
Richard Adofo, a member of the Professional Association of Geoscientist Ontario, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of February 22, 2024.

\*\*Projection: NAD83 UTM Zone 12N

\*\*\*Azimuth: Relative to True North



**Centerra Gold Inc. - Oakley Project**  
**Drill Hole Assay Results**  
 Period: October 1, 2023 to December 31, 2023

Drill Hole	Location	Purpose	From (m)	To (m)	Length (m)	Au (ppm)
BHC-23-28*	Section 1	Exploration	156.20	167.20	11.00	0.17
			168.45	185.90	17.45	0.55
BHC-23-29*		Exploration	Failed			
BHC-23-29A*	Section 2	Exploration	65.30	81.80	16.50	0.16

## Notes:

\* Indicates drill hole completed in previous quarter, assay results returned in current quarter. Assays are reported true values without top cutting. Reported intervals are equal to or longer than 3.0 m with a grade greater 0.15 g/t Au and include maximum internal waste of 3.0 m, where it exists. Including intervals are greater than 3.0 g/t Au grade. Regarding true width - for Oakley ~60-80%.

Richard Adofo, a member of the Professional Association of Geoscientist Ontario, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release as of February 22, 2024.





**Centerra Gold Inc. - Öksüt Gold Project**  
**Drill Hole Locations**  
 Period October 1, 2023 to December 31, 2023

Drill Hole	Location	Purpose	Location Easting *	Location Northing *	Elevation (m)	Length (m)	Collar Azimuth **	Collar Dip
<b>ODD0743*</b>	Keltepe	Geophysical Target	719,156	4,240,097	1721.90	650.0	93.80	-77.10
<b>ODD0744</b>	Keltepe NW	Geophysical Target	718,377	4,240,895	1627.80	681.0	53.00	-61.10
<b>ODD0745</b>	Boztepe North	Geophysical Target	718,001	4,240,619	1697.00	10.8	90.00	-60.00
<b>ODD0745A</b>	Boztepe North	Geophysical Target	717,998	4,240,620	1693.78	581.3	87.30	-60.60
<b>ODD0746</b>	Buyuktepe	Geophysical Target	718,878	4,240,373	1818.96	271.1	91.50	-60.20
<b>ODD0747</b>	Keltepe	Geophysical Target	719,165	4,240,334	1769.00	693.5	91.50	-80.50

Richard Adofo, a Member of the Professional Association of Geoscientist Ontario, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of February 22, 2024. Table is current as of December 31, 2023  
 Indicates drill hole completed in previous quarter, assay results returned in current quarter.

\* Projection: UTM ED50 Zone 36  
 \*\* Azimuth: relative to grid



**Centerra Gold Inc. - Öksüt Gold Project**  
**Drill Hole Assay Results**  
 Period October 1, 2023 to December 31, 2023

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Oxidation	
ODD0743*	Keltepe (Section D)	Geophysical Target	217.9	224.2	6.3	0.39	Sulphide	
ODD0744	Keltepe NW (Section A)	Geophysical Target	77.0	83.0	6.0	0.26	Oxide	
ODD0745	Boztepe North	Geophysical Target - Abandoned	<i>No Significant Intercept</i>					
ODD0745A	Boztepe North (Section B)	Geophysical Target	286.3	298.0	11.7	0.46	Sulphide	
			<i>Assay Results Pending</i>					
ODD0746	Buyuktepe (Section C)	Geophysical Target	<i>Assay Results Pending</i>					
ODD0747	Keltepe (Section C)	Geophysical Target	<i>Assay Results Pending</i>					

**Notes:** Assay results are true values without top cutting. Reported intervals are longer than 5 metres and greater than 0.20 g/t Au with a maximum of 5 metres internal dilution allowed. True widths for mineralized zones are about 60% to 90% of stated down hole interval. Oxidation assignment is a visual discrimination from core logging.

Richard Adofo, a Member of the Professional Association of Geoscientist Ontario, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of February 22, 2024. Table is current as of December 31, 2023.

\* Indicates drill hole completed in previous quarter, assay results returned in current quarter.