

Significant Assay Intervals in the Santo Tomas 2021-2022 Program

Drill Hole No.	Dip	From (m)	To (m)	Length (m)	Cu %	Mo %	Au g/t	Ag g/t*	CuEQ %
N001	-55	272.6	299.6	27.0	0.18	0.012	0.018	0.82	0.24
"	-55	310.0	565.0	255.0	0.39	0.010	0.045	2.20	0.46
"	-55	571.0	620.0	49.0	0.17	0.003	0.008	1.31	0.18
N002	-55	349.9	630.0	280.1	0.38	0.012	0.025	2.85	0.44
N003	-55	295.0	306.8	11.8	0.31	0.009	0.014	2.85	0.36
"	-55	315.3	333.0	17.7	0.33	0.008	0.017	1.49	0.37
"	-55	339.0	364.5	25.5	0.29	0.015	0.020	2.81	0.36
"	-55	370.0	384.3	14.3	0.50	0.008	0.026	3.33	0.56
"	-55	390.0	597.7	207.7	0.39	0.014	0.019	2.82	0.45
"	-55	601.8	678.0	76.2	0.18	0.002	0.007	2.53	0.20
N004	-55	434.3	498.0	63.7	0.38	0.012	0.017	2.12	0.44
N006	-55	31.0	219.5	188.5	0.39	0.004	0.051	2.29	0.44
"	-55	223.4	277.0	53.7	0.17	0.005	0.011	1.55	0.20
N007	-55	213.9	405.2	191.3	0.32	0.005	0.029	2.93	0.37
"	-55	408.1	518.0	109.9	0.32	0.012	0.018	3.06	0.38
N008	-55	159.8	488.0	328.3	0.38	0.010	0.038	2.60	0.45
N009	-55	438.0	470.0	32.0	0.76	0.011	0.021	4.90	0.82
"	-55	516.2	538.0	21.9	0.31	0.027	0.013	2.00	0.42
"	-55	542.0	665.6	123.6	0.29	0.014	0.011	1.76	0.35
"	-55	671.4	686.6	15.2	0.45	0.016	0.022	2.61	0.53
"	-55	692.1	752.0	59.9	0.27	0.010	0.020	2.70	0.32
N010	-55	137.0	448.0	311.0	0.36	0.011	0.029	2.33	0.42
"	-55	454.0	476.0	22.0	0.21	0.002	0.005	1.59	0.22
N011	-55	48.2	279.0	230.8	0.39	0.007	0.039	2.84	0.45
N012	-55	309.1	606.0	296.9	0.35	0.015	0.025	2.58	0.42
N013	-62	247.0	375.0	128.0	0.27	0.009	0.023	1.82	0.32
"	-62	397.0	427.3	30.3	0.38	0.008	0.043	3.49	0.44
"	-62	439.0	534.0	95.0	0.36	0.020	0.018	2.50	0.45
"	-62	574.0	700.0	126.0	0.24	0.009	0.014	2.40	0.29
N014	-74	266.0	293.0	27.0	0.30	0.010	0.019	2.62	0.35
"	-74	312.3	330.0	17.7	0.34	0.009	0.024	2.57	0.39
"	-74	355.0	367.0	12.0	0.40	0.016	0.020	1.44	0.47
"	-74	373.0	499.0	126.0	0.19	0.008	0.016	1.73	0.23
N015	-55	126.0	418.0	292.0	0.31	0.009	0.025	2.20	0.36
N016	-62	351.0	446.4	95.4	0.32	0.006	0.032	2.06	0.37
"	-62	464.0	508.6	44.7	0.39	0.016	0.022	3.68	0.46
"	-62	518.4	607.1	88.7	0.26	0.010	0.014	1.82	0.31
N017	-55	80.0	143.8	63.8	0.31	0.011	0.020	1.73	0.37
"	-55	153.8	313.0	159.2	0.22	0.010	0.020	1.38	0.28
N018	-55	203.0	224.0	21.0	0.36	0.011	0.017	2.54	0.42
"	-55	238.0	248.0	10.0	0.65	0.002	0.019	3.26	0.68
"	-55	263.8	306.1	42.3	0.33	0.012	0.017	1.96	0.38