



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Locations
 Period: July 1st to September 30th, 2022

Hole ID	Location Easting*	Location Northing*	Elevation (m)	Length (m)	Collar Azimuth**	Collar Dip	Purpose
22-1375*	433587.76	6109675.27	1196.97	510.00	82.79	-80.59	Near-pit exploration
22-1385*	433668.62	6109428.97	1179.14	732.00	271.80	-72.71	Near-pit exploration
22-1389*	433507.17	6109558.40	1223.08	793.00	103.84	-69.81	Brownfield exploration
22-1390*	433674.12	6109454.12	1178.66	846.70	87.92	-71.24	Near-pit exploration
22-1392*	433765.30	6109556.72	1168.19	738.00	93.86	-78.70	Near-pit exploration
22-1393*	433523.97	6109226.62	1161.63	744.00	275.89	-79.37	Near-pit exploration
22-1394*	433741.48	6109186.70	1139.18	750.42	286.77	-85.11	Near-pit exploration
22-1395*	433756.58	6109516.83	1171.76	750.00	80.83	-83.45	Near-pit exploration
22-1396*	433587.21	6109582.11	1208.14	705.00	95.30	-77.00	Near-pit exploration
22-1397*	433777.38	6109196.07	1140.43	764.59	101.26	-85.51	Near-pit exploration
22-1398*	433589.93	6109576.00	1210.14	832.50	258.11	-67.82	Near-pit exploration
22-1399*	433733.09	6109393.34	1168.18	760.78	253.32	-79.69	Near-pit exploration
22-1400*	433589.41	6109576.87	1208.36	690.50	266.77	-85.19	Near-pit exploration
22-1401*	433730.51	6109396.59	1167.79	768.40	80.92	-78.55	Near-pit exploration
22-1402*	435241.39	6109482.13	1058.81	595.00	69.74	-84.52	Brownfield exploration
22-1403*	433814.34	6109806.65	1155.54	432.00	138.53	-73.73	Near-pit exploration
22-1404*	433667.61	6109534.35	1191.56	636.00	240.51	-84.37	Near-pit exploration
22-1405*	435112.91	6109276.57	1055.30	387.86	281.18	-85.95	Near-pit exploration
22-1406	435162.21	6109458.18	1072.25	633.00	110.26	-70.07	Brownfield exploration
22-1407	434046.78	6110229.80	1157.02	530.00	134.66	-64.14	Brownfield exploration
22-1408	435075.40	6109253.43	1056.06	306.63	280.89	-84.58	Near-pit exploration
22-1409	434021.84	6110085.09	1154.09	540.00	137.22	-64.60	Brownfield exploration
22-1410	435219.24	6109433.65	1065.66	645.00	208.62	-79.31	Brownfield exploration
22-1411	432935.60	6107971.26	1373.61	529.44	121.30	-65.37	Brownfield exploration
22-1412	433868.00	6110087.01	1169.86	501.00	134.65	-64.22	Brownfield exploration
22-1413	433177.00	6108137.00	1333.00	14.02	120.00	-65.00	Brownfield exploration
22-1414	433170.11	6108141.28	1339.21	511.15	118.62	-65.45	Brownfield exploration
22-1415	434202.20	6110060.49	1127.54	750.00	136.19	-64.77	Brownfield exploration
22-1416	434368.06	6109880.89	1083.71	624.00	139.08	-75.15	Brownfield exploration
22-1417	433073.23	6108203.69	1306.44	501.09	259.06	-60.30	Brownfield exploration
22-1418	434309.50	6110224.73	1135.07	504.00	135.46	-65.39	Brownfield exploration
22-1419	434753.93	6110166.04	1106.52	510.00	134.79	-63.32	Brownfield exploration
22-1420	433996.38	6109857.92	1132.65	483.00	102.61	-75.08	Brownfield exploration
22-1421	433355.57	6108227.20	1294.52	543.76	110.21	-75.42	Brownfield exploration
22-1422	433912.87	6109924.50	1145.89	492.00	105.99	-75.21	Brownfield exploration
22-1423	434544.28	6110429.02	1112.98	396.00	281.68	-81.78	Brownfield exploration
22-1424	433838.47	6109649.68	1156.29	312.00	111.73	-81.19	Near-pit exploration
22-1425	433877.43	6109501.99	1155.87	720.00	93.09	-79.89	Near-pit exploration
22-1426	434570.14	6110759.00	1093.29	351.00	274.78	-75.02	Brownfield exploration
22-1427	433481.07	6108236.15	1277.56	803.76	98.74	-74.24	Brownfield exploration
22-1428	433798.44	6109595.25	1164.68	270.00	295.83	-78.11	Near-pit exploration
22-1429	433871.91	6109419.66	1161.06	279.00	89.22	-67.11	Near-pit exploration
22-1430	433801.54	6109397.23	1167.11	732.00	100.37	-77.23	Near-pit exploration
22-1431	433961.40	6109308.40	1134.78	651.00	105.94	-77.20	Near-pit exploration
22-1432	433517.63	6108371.71	1241.33	811.68	270.00	-75.30	Brownfield exploration
22-1433	433561.99	6109278.26	1189.81	303.00	289.43	-65.26	Brownfield exploration
22-1434	432516.52	6109581.90	1341.56	662.00	30.96	-79.22	Brownfield exploration
22-1435	432261.95	6109586.59	1316.27	633.00	90.66	-69.76	Brownfield exploration
22-1436	433443.07	6108719.39	1147.84	632.76	250.38	-83.93	Brownfield exploration



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Locations
 Period: July 1st to September 30th, 2022

Hole ID	Location Easting*	Location Northing*	Elevation (m)	Length (m)	Collar Azimuth**	Collar Dip	Purpose
22-1438	433429.93	6101745.77	1153.94	402.00	89.36	-89.83	Greenfield exploration
22-1439	433505.00	6108674.00	1156.00	477.32	259.16	-69.95	Brownfield exploration
22-1440	434071.53	6102004.58	1188.19	402.00	219.39	-63.10	Greenfield exploration

Notes: * Indicates hole completed in previous quarter, assay results returned in current quarter.
 Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of November 7, 2022.

*Projection: NAD83 UTM Zone 10N
 **Azimuth: Relative to True North



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1375*	Goldmark / DWBX Section A	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	37.00	54.81	17.81	0.419	0.074	3.3
			<i>including</i> 49.86	51.79	1.93	1.427	0.046	1.2
			69.00	74.00	5.00	0.158	0.169	1.4
			479.00	510.00	31.00	0.202	0.040	0.8
22-1385*	Goldmark / DWBX Section D	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	23.00	29.00	6.00	0.689	0.025	1.6
			<i>including</i> 27.00	29.00	2.00	1.699	0.017	2.7
			46.00	55.06	9.06	0.225	0.034	1.1
			67.00	69.40	2.40	0.106	0.027	0.7
			77.00	117.00	40.00	0.246	0.090	1.2
			<i>including</i> 101.00	102.80	1.80	1.998	0.101	2.3
			146.00	150.00	4.00	0.061	0.136	0.4
			180.00	184.00	4.00	0.126	0.020	2.1
			195.00	199.00	4.00	0.152	0.090	2.7
			206.00	216.00	10.00	0.082	0.102	3.2
			232.50	250.00	17.50	0.348	0.138	5.6
			<i>including</i> 248.45	250.00	1.55	1.168	0.195	21.1
			279.77	282.00	2.23	0.131	0.290	6.6
			348.00	353.15	5.15	0.159	0.065	24.9
			364.30	367.02	2.72	0.192	0.055	1.4
			408.50	412.00	3.50	0.154	0.062	1.0
			433.00	444.00	11.00	0.101	0.151	1.4
			457.60	489.00	31.40	0.147	0.211	1.2
			<i>including</i> 582.00	583.62	1.62	2.416	0.024	1.0
			592.00	614.00	22.00	0.189	0.121	0.8
			620.00	628.00	8.00	0.156	0.121	0.6
			643.50	649.00	5.50	0.209	0.085	0.7
			678.30	680.32	2.02	0.121	0.145	0.6
			686.00	715.62	29.62	0.194	0.147	0.7
22-1389*	Goldmark / DWBX Section B	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	62.82	94.11	31.29	0.20	0.16	1.16
			126.00	134.00	8.00	0.17	0.09	0.88
			<i>including</i> 150.00	152.15	2.15	1.46	0.05	2.20
			164.00	168.00	4.00	0.14	0.04	0.55
			168.00	184.00	16.00	0.06	0.11	0.70
			245.00	251.00	6.00	0.08	0.17	2.00
			269.42	314.09	44.67	0.20	0.31	5.61
			341.00	351.99	10.99	0.10	0.20	3.61
			<i>including</i> 358.26	359.75	1.49	1.08	0.05	6.10
			358.26	373.00	14.74	0.23	0.06	2.41
			383.00	409.04	26.04	0.21	0.03	2.89
			<i>including</i> 489.00	490.50	1.50	1.62	0.05	1.70
			498.00	506.00	8.00	0.06	0.11	0.50



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1390*	Goldmark / DWBX Section D	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	20.90	23.00	2.10	0.20	0.01	1.00
			60.00	71.00	11.00	0.23	0.01	1.22
			<i>including</i> 70.00	71.00	1.00	1.16	0.02	5.70
			117.00	125.00	8.00	0.14	0.04	0.53
			136.25	160.00	23.75	0.33	0.01	4.27
			<i>including</i> 136.25	137.00	0.75	1.27	0.00	4.00
			<i>and</i> 142.00	144.00	2.00	1.06	0.01	3.00
			<i>and</i> 156.90	158.00	1.10	1.52	0.12	67.40
			200.77	221.48	20.71	0.16	0.17	2.75
			229.22	233.56	4.34	0.31	0.55	3.14
			247.83	281.00	33.17	0.17	0.19	2.90
			306.55	309.00	2.45	0.31	0.02	2.51
			322.00	324.00	2.00	3.36	0.12	12.70
			342.00	352.00	10.00	0.10	0.02	2.56
			360.42	363.15	2.73	2.12	0.06	9.78
			<i>including</i> 360.42	362.00	1.58	3.43	0.06	15.00
			369.00	376.75	7.75	0.57	0.03	5.15
			383.00	387.00	4.00	0.23	0.03	0.65
			411.00	417.75	6.75	0.14	0.10	2.80
			424.00	476.00	52.00	0.17	0.16	0.92
			<i>including</i> 445.20	446.50	1.30	1.94	0.10	4.50
			484.00	505.00	21.00	0.11	0.22	0.96
			656.30	664.00	7.70	0.24	0.06	0.73
			671.50	677.50	6.00	0.14	0.15	0.30
			689.50	693.00	3.50	0.15	0.16	0.37
			699.00	707.00	8.00	0.21	0.14	1.92
			713.00	719.00	6.00	0.12	0.11	0.50
			736.30	761.00	24.70	0.34	0.11	5.52
			<i>including</i> 742.35	745.00	2.65	1.94	0.18	44.19
			782.10	790.00	7.90	0.18	0.03	0.72
			831.75	840.12	8.37	0.13	0.04	0.45
22-1391*	Goldmark / DWBX Section E	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	15.58	26.00	10.42	0.11	0.06	1.25
			32.00	35.00	3.00	0.12	0.13	0.87
			57.00	61.00	4.00	0.08	0.13	0.70
			71.02	91.00	19.98	0.16	0.17	0.87
			102.57	104.70	2.13	0.13	0.15	0.80
			113.23	143.00	29.77	0.20	0.11	1.25
			<i>including</i> 116.18	117.28	1.10	2.34	0.05	5.60
			149.00	274.00	125.00	0.16	0.17	3.27
			294.00	305.78	11.78	0.15	0.04	0.86
			373.88	386.00	12.12	0.14	0.03	0.98
			402.18	404.65	2.47	0.17	0.01	0.90
			428.00	432.00	4.00	1.91	0.03	0.25
			<i>including</i> 428.00	430.00	2.00	3.59	0.03	0.30
			478.96	502.00	23.04	0.08	0.14	0.49
			508.00	512.00	4.00	0.05	0.16	1.10
			536.00	548.00	12.00	0.31	0.09	1.52
			<i>including</i> 536.00	538.00	2.00	1.18	0.05	3.60
			577.00	581.00	4.00	0.50	0.11	3.60



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1391* continued			633.00	641.00	8.00	0.14	0.21	0.54
			655.00	663.00	8.00	0.15	0.13	0.29
22-1392*	Goldmark and DWBX Section B	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	51.60	67.00	15.40	0.137	0.028	0.2
			85.00	91.30	6.30	2.684	0.293	46.2
			<i>including</i> 86.74	<i>91.30</i>	<i>4.56</i>	<i>3.591</i>	<i>0.377</i>	<i>59.7</i>
			119.00	140.00	21.00	0.526	0.067	1.4
			<i>including</i> 132.61	<i>136.00</i>	<i>3.39</i>	<i>2.460</i>	<i>0.038</i>	<i>1.5</i>
			146.00	170.00	24.00	0.699	0.094	2.7
			<i>including</i> 156.00	<i>165.00</i>	<i>9.00</i>	<i>1.550</i>	<i>0.161</i>	<i>5.5</i>
			<i>and</i> 160.01	<i>163.00</i>	<i>2.99</i>	<i>3.691</i>	<i>0.111</i>	<i>9.4</i>
			173.00	177.00	4.00	0.080	0.110	0.2
			187.00	197.00	10.00	0.219	0.026	0.3
			235.00	242.00	7.00	0.451	0.058	0.9
			294.00	305.00	11.00	0.368	0.053	3.1
			<i>including</i> 299.00	<i>301.00</i>	<i>2.00</i>	<i>1.073</i>	<i>0.098</i>	<i>2.1</i>
			311.40	316.00	4.60	0.153	0.134	1.1
			326.00	364.00	38.00	0.164	0.153	2.2
			370.00	387.20	17.20	6.049	0.125	5.5
			<i>including</i> 378.00	<i>380.00</i>	<i>2.00</i>	<i>50.700</i>	<i>0.214</i>	<i>36.7</i>
			393.55	396.00	2.45	0.103	0.012	0.2
			398.00	402.00	4.00	0.082	0.107	0.4
			407.00	474.23	67.23	0.381	0.230	2.2
			<i>including</i> 415.00	<i>417.22</i>	<i>2.22</i>	<i>6.837</i>	<i>0.516</i>	<i>15.3</i>
			524.92	527.00	2.08	0.105	0.112	0.7
			535.65	538.00	2.35	0.064	0.107	0.5
			542.00	545.00	3.00	0.053	0.111	0.7
			581.81	584.00	2.19	0.382	0.025	4.6
			594.00	597.00	3.00	1.343	0.171	24.5
			<i>including</i> 594.00	<i>596.00</i>	<i>2.00</i>	<i>1.918</i>	<i>0.219</i>	<i>36.1</i>
			610.00	614.00	4.00	0.085	0.147	1.2
			631.95	648.00	16.05	0.265	0.236	2.0
			666.00	668.00	2.00	1.768	0.041	5.3
			681.00	683.45	2.45	0.101	0.016	0.4
			688.00	729.94	41.94	2.449	0.031	5.7
			<i>including</i> 710.00	<i>716.00</i>	<i>6.00</i>	<i>1.186</i>	<i>0.001</i>	<i>0.6</i>
			<i>and</i> 722.00	<i>728.00</i>	<i>6.00</i>	<i>14.133</i>	<i>0.181</i>	<i>35.1</i>
22-1393*	Goldmark and DWBX Section F	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	103.00	111.00	8.00	0.152	0.148	2.4
			127.00	146.00	19.00	0.196	0.071	2.0
			<i>including</i> 138.00	<i>140.00</i>	<i>2.00</i>	<i>1.146</i>	<i>0.418</i>	<i>13.5</i>
			152.00	165.20	13.20	0.705	0.160	8.7
			<i>including</i> 161.20	<i>163.20</i>	<i>2.00</i>	<i>3.371</i>	<i>0.584</i>	<i>43.8</i>
			171.00	177.00	6.00	0.062	0.131	2.6
			202.00	207.00	5.00	0.164	0.118	5.0
			328.00	334.03	6.03	0.130	0.014	0.4
			438.00	467.04	29.04	0.110	0.168	0.6



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1393* continued			467.04	483.92	18.92	0.284	0.059	1.7
			563.00	573.00	10.00	0.268	0.100	0.8
			611.00	614.00	3.00	0.120	0.038	0.9
			664.00	671.50	7.50	0.428	0.060	0.8
			<i>including</i> 666.00	667.82	1.82	1.159	0.024	0.9
			689.00	691.05	2.05	0.202	0.020	0.6
22-1394*	Goldmark Section F	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock.	6.10	10.00	3.90	0.125	0.174	3.1
			23.00	27.00	4.00	0.110	0.204	1.0
			45.92	48.00	2.08	0.067	0.104	0.9
			62.00	66.00	4.00	0.068	0.105	0.7
			76.00	82.00	6.00	0.063	0.150	1.5
			88.00	92.00	4.00	0.071	0.107	1.2
			107.00	123.96	16.96	0.368	0.101	5.0
			<i>including</i> 120.50	122.30	1.80	2.001	0.479	30.8
			130.20	134.00	3.80	0.107	0.086	2.6
			142.00	148.00	6.00	0.201	0.154	5.5
			192.00	194.00	2.00	1.051	0.728	30.3
			224.00	226.00	2.00	1.558	0.311	12.5
			240.30	251.00	10.70	0.140	0.057	2.4
			273.00	277.00	4.00	0.315	0.062	1.4
			387.00	393.00	6.00	0.153	0.076	0.5
			403.00	407.00	4.00	0.142	0.062	0.4
			442.00	448.00	6.00	0.205	0.076	2.3
			487.00	549.50	62.50	0.352	0.137	1.7
			<i>including</i> 498.40	500.48	2.08	1.579	0.059	6.0
			<i>and</i> 526.00	528.00	2.00	1.119	0.046	1.4
			653.00	657.45	4.45	0.219	0.034	0.8
			717.00	720.66	3.66	0.356	0.034	2.1
22-1395*	Goldmark and DWBX Section C	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	50.00	62.00	12.00	0.217	0.012	0.4
			70.00	76.00	6.00	0.395	0.009	6.5
			86.44	93.80	7.36	1.672	0.042	3.0
			<i>including</i> 88.00	93.80	5.80	2.003	0.042	3.1
			112.00	118.00	6.00	0.542	0.621	2.9
			<i>including</i> 116.00	118.00	2.00	1.037	1.280	5.2
			148.00	160.00	12.00	0.163	0.161	0.4
			170.00	174.00	4.00	0.133	0.039	0.4
			194.00	198.00	4.00	0.172	0.114	3.9
			260.00	264.00	4.00	0.127	0.050	0.8
			292.00	300.00	8.00	0.159	0.086	25.4
			374.00	391.26	17.26	0.155	0.239	1.9
			411.00	441.00	30.00	0.181	0.146	1.0
			460.40	465.70	5.30	0.096	0.271	1.4
			481.63	484.00	2.37	0.045	0.105	0.3
			494.00	508.00	14.00	0.062	0.121	0.3
			526.00	530.00	4.00	0.107	0.075	0.4
			570.00	574.00	4.00	0.112	0.079	1.0



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1395* continued			610.00	638.00	28.00	0.156	0.076	1.3
			646.00	654.00	8.00	0.146	0.126	1.4
			666.00	678.00	12.00	0.166	0.123	1.3
			696.00	709.00	13.00	0.111	0.054	0.6
			725.85	740.00	14.15	0.823	0.010	25.2
			<i>including</i> 725.85	732.00	6.15	1.571	0.022	56.3
22-1396*	Goldmark and DWBX Section B	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	33.00	43.00	10.00	0.464	0.092	1.9
			<i>including</i> 39.00	41.00	2.00	1.278	0.313	4.5
			84.00	95.00	11.00	0.135	0.041	0.6
			121.00	123.00	2.00	2.043	0.078	2.1
			202.00	257.00	55.00	0.208	0.334	3.9
			336.00	344.45	8.45	0.244	0.035	1.2
			379.00	383.00	4.00	0.087	0.149	3.6
			413.00	417.00	4.00	0.223	0.066	3.1
			473.00	627.00	154.00	0.363	0.263	2.9
			<i>including</i> 489.00	492.00	3.00	7.618	0.102	14.9
			635.00	658.53	23.53	0.227	0.245	1.7
			663.56	669.00	5.44	0.139	0.118	0.7
			687.00	703.00	16.00	0.236	0.068	1.4
			<i>including</i> 691.00	693.00	2.00	1.023	0.198	3.3
22-1397*	Goldmark Section F	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock.	8.00	12.00	4.00	0.182	0.130	0.9
			17.37	43.00	25.63	0.069	0.132	1.1
			81.00	101.00	20.00	0.299	0.086	6.8
			<i>including</i> 81.00	83.00	2.00	2.034	0.054	54.4
			120.70	140.00	19.30	0.259	0.073	1.2
			<i>including</i> 136.00	138.00	2.00	1.273	0.375	4.2
			176.00	180.00	4.00	0.168	0.085	2.7
			191.71	215.37	23.66	0.696	0.080	2.0
			<i>including</i> 191.71	194.00	2.29	5.833	0.356	10.5
			308.00	312.00	4.00	0.116	0.025	2.4
			341.00	347.00	6.00	0.117	0.028	0.9
			362.00	368.00	6.00	0.132	0.031	0.8
			384.00	406.00	22.00	0.154	0.097	10.8
			412.00	416.00	4.00	0.092	0.153	1.7
			436.00	543.00	107.00	0.330	0.185	4.6
			<i>including</i> 445.62	453.05	7.43	1.494	0.180	27.5
			556.01	558.51	2.50	0.141	0.253	0.6
			561.98	564.00	2.02	0.130	0.282	0.5
			576.00	579.38	3.38	0.171	0.271	0.7
			636.42	644.92	8.50	1.561	0.101	33.7
			<i>including</i> 643.59	644.92	1.33	7.458	0.250	178.0



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1398*	Goldmark and DWBX Section B	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	22.00	24.50	2.50	1.511	0.033	24.6
			<i>including</i> 23.95	24.50	0.55	6.513	0.082	107.0
			41.00	44.87	3.87	0.208	0.060	0.7
			44.87	51.24	6.37	0.074	0.157	0.9
			65.00	69.00	4.00	0.061	0.129	1.0
			91.00	103.00	12.00	0.242	0.067	1.2
			109.00	113.00	4.00	0.124	0.228	1.0
			123.00	131.00	8.00	0.116	0.106	0.9
			145.00	159.00	14.00	0.130	0.103	1.0
			172.00	188.00	16.00	0.091	0.107	0.8
			200.00	209.00	9.00	0.191	0.266	2.2
			217.00	315.00	98.00	0.137	0.290	3.8
			321.00	352.54	31.54	0.080	0.125	2.6
			386.21	400.00	13.79	0.096	0.164	2.9
			412.00	438.37	26.37	1.172	0.177	12.0
			<i>including</i> 414.45	416.00	1.55	2.208	0.311	27.6
			<i>and</i> 426.73	430.00	3.27	5.419	0.248	49.0
			<i>and</i> 435.00	437.00	2.00	1.757	0.167	4.4
			474.00	478.00	4.00	0.575	0.095	0.7
			<i>including</i> 474.00	476.00	2.00	1.051	0.036	0.5
			490.00	558.00	68.00	0.145	0.197	1.3
			636.00	642.00	6.00	0.050	0.102	0.6
			679.10	684.00	4.90	0.054	0.100	0.3
			744.00	751.50	7.50	0.166	0.067	2.8
			761.00	772.00	11.00	0.133	0.094	1.2
			782.86	814.00	31.14	0.116	0.194	0.5
22-1399*	Goldmark and DWBX Section E	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	9.75	22.00	12.25	0.060	0.115	0.6
			24.08	26.21	2.13	0.104	0.066	1.4
			90.51	132.00	41.49	0.228	0.029	0.6
			138.00	141.90	3.90	0.217	0.123	2.3
			164.00	260.00	96.00	0.359	0.420	7.3
			<i>including</i> 206.00	208.00	2.00	2.105	0.166	12.5
			<i>and</i> 214.00	220.00	6.00	1.021	0.698	19.5
			296.00	304.00	8.00	1.747	0.107	9.6
			<i>including</i> 296.00	302.00	6.00	2.293	0.125	12.0
			318.00	324.00	6.00	1.504	0.192	11.8
			<i>including</i> 318.00	320.00	2.00	4.190	0.405	28.1
			330.22	347.80	17.58	0.347	0.046	3.0
			<i>including</i> 346.00	347.80	1.80	2.085	0.015	5.9
			374.64	380.00	5.36	3.600	0.015	1.7
			<i>including</i> 377.83	380.00	2.17	8.805	0.014	3.7
			402.00	408.00	6.00	0.267	0.004	0.5
			418.00	422.00	4.00	1.274	0.219	5.2
			<i>including</i> 420.00	422.00	2.00	2.392	0.412	9.8
			456.00	524.00	68.00	0.183	0.273	1.0



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1399* continued			532.00	550.00	18.00	0.103	0.097	1.0
			630.00	640.00	10.00	0.926	0.026	0.2
			<i>including</i> 632.00	<i>640.00</i>	<i>8.00</i>	<i>1.091</i>	<i>0.030</i>	<i>0.3</i>
			664.00	722.00	58.00	0.166	0.130	1.6
			742.00	750.00	8.00	0.150	0.103	2.7
22-1400*	Goldmark and DWBX Section B	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	16.50	23.00	6.50	1.636	0.037	1.7
			<i>including</i> 16.50	<i>17.50</i>	<i>1.00</i>	<i>8.781</i>	<i>0.012</i>	<i>5.6</i>
			34.00	44.00	10.00	0.543	0.102	3.5
			<i>including</i> 40.00	<i>42.00</i>	<i>2.00</i>	<i>1.846</i>	<i>0.055</i>	<i>8.9</i>
			60.60	78.00	17.40	0.121	0.075	2.4
			87.90	96.00	8.10	0.670	0.073	0.6
			<i>including</i> 94.00	<i>96.00</i>	<i>2.00</i>	<i>2.454</i>	<i>0.040</i>	<i>0.6</i>
			108.10	114.00	5.90	0.134	0.037	0.6
			149.00	155.00	6.00	0.058	0.134	1.0
			175.38	177.50	2.12	0.137	0.065	1.3
			196.65	201.00	4.35	0.114	0.065	5.1
			225.00	272.00	47.00	0.154	0.418	5.4
			251.00	273.00	22.00	0.248	0.726	9.4
			291.00	295.00	4.00	0.060	0.114	2.9
			310.00	312.65	2.65	0.115	0.277	7.5
			328.00	331.00	3.00	0.333	0.093	9.2
			347.00	349.50	2.50	0.046	0.109	2.4
			376.12	384.41	8.29	0.426	0.067	11.1
			<i>including</i> 380.05	<i>382.00</i>	<i>1.95</i>	<i>1.128</i>	<i>0.084</i>	<i>11.4</i>
			<i>and</i> 383.82	<i>384.41</i>	<i>0.59</i>	<i>1.179</i>	<i>0.117</i>	<i>92.2</i>
			392.00	394.74	2.74	0.118	0.055	0.9
			397.90	400.00	2.10	0.133	0.034	1.0
			410.00	416.68	6.68	0.126	0.025	0.6
			435.00	456.00	21.00	0.319	0.104	0.9
			<i>including</i> 441.00	<i>443.02</i>	<i>2.02</i>	<i>1.161</i>	<i>0.119</i>	<i>1.4</i>
			<i>and</i> 447.00	<i>447.94</i>	<i>0.94</i>	<i>1.813</i>	<i>0.004</i>	<i>0.6</i>
			477.00	485.00	8.00	0.121	0.135	0.6
			520.00	653.00	133.00	0.194	0.277	1.5
			659.60	669.00	9.40	0.206	0.203	0.8
22-1401*	Goldmark and DWBX Section E	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	54.00	58.00	4.00	0.117	0.022	0.2
			68.00	78.00	10.00	0.461	0.015	6.6
			<i>including</i> 76.00	<i>78.00</i>	<i>2.00</i>	<i>1.124</i>	<i>0.010</i>	<i>6.6</i>
			87.10	93.10	6.00	0.179	0.028	1.1
			98.34	101.80	3.46	0.324	0.011	1.3
			138.00	140.22	2.22	0.119	0.050	1.8
			154.00	174.00	20.00	0.376	0.120	3.3
			<i>including</i> 164.00	<i>166.00</i>	<i>2.00</i>	<i>1.006</i>	<i>0.057</i>	<i>3.3</i>
			180.00	214.00	34.00	0.184	0.216	2.5
			220.00	224.00	4.00	0.142	0.220	3.6
			261.21	271.92	10.71	1.003	0.056	5.1



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1401* continued			<i>including</i> 261.21	265.00	3.79	2.497	0.058	11.2
			286.00	292.00	6.00	0.522	0.048	8.0
			<i>including</i> 288.00	290.00	2.00	1.028	0.084	19.4
			312.00	319.00	7.00	0.241	0.066	2.6
			324.00	352.00	28.00	0.220	0.024	0.4
			386.00	408.00	22.00	0.199	0.196	2.0
			414.00	417.12	3.12	0.137	0.292	2.1
			423.00	475.49	52.49	0.153	0.247	2.5
			484.46	514.00	29.54	0.111	0.130	22.6
			520.00	524.00	4.00	0.231	0.114	0.7
			534.00	551.00	17.00	0.129	0.081	1.1
			623.10	679.00	55.90	0.147	0.138	0.7
			710.00	744.00	34.00	0.384	0.040	3.9
			<i>including</i> 740.48	742.00	1.52	4.805	0.076	43.5
22-1402*	GE Stock Section C	Targeting Au-Cu porphyry mineralization associated with the GE stock and hanging/footwall margins	263.00	297.00	34.00	0.552	0.200	1.3
			<i>including</i> 263.00	264.40	1.40	1.606	0.173	1.4
			<i>and</i> 286.00	290.00	4.00	1.168	0.542	2.4
			306.00	444.00	138.00	0.305	0.118	1.1
			<i>including</i> 374.00	376.00	2.00	1.161	0.007	1.1
			<i>and</i> 400.00	402.00	2.00	1.044	0.630	4.2
			<i>and</i> 408.00	410.00	2.00	1.061	0.582	5.0
			463.00	483.00	20.00	0.310	0.213	0.9
			<i>including</i> 477.00	479.00	2.00	1.296	0.818	2.6
			503.00	507.00	4.00	0.332	0.075	1.3
			511.25	552.00	40.75	1.069	0.286	0.7
			<i>including</i> 511.25	513.00	1.75	17.300	0.296	2.1
			<i>and</i> 528.32	530.00	1.68	1.682	0.148	1.6
			560.00	571.00	11.00	0.364	0.343	8.6
			578.00	591.00	13.00	0.225	0.189	1.0
22-1403*	DWBX Section J	Resource expansion drilling on western pit margins associated with the shallow DWBX.	78.00	94.00	16.00	0.124	0.026	0.2
			120.00	124.00	4.00	0.116	0.045	0.2
			183.00	187.00	4.00	0.112	0.060	1.4
			223.00	227.00	4.00	0.274	0.020	0.3
			244.00	254.00	10.00	0.197	0.062	0.2
			408.00	414.00	6.00	0.149	0.048	1.0
22-1404*	Goldmark and DWBX Section C	Resource expansion drilling on western pit margins associated with the shallow Goldmark stock and underlying DWBX composite stock.	12.74	55.00	42.26	0.115	0.237	2.1
			95.00	111.00	16.00	0.085	0.121	2.1
			190.00	241.92	51.92	0.230	0.304	5.3
			247.72	268.00	20.28	0.201	0.229	5.9
			274.00	278.41	4.41	0.096	0.120	2.9
			279.51	283.25	3.74	0.242	0.241	7.9
			289.16	293.00	3.84	0.127	0.223	4.6
			311.00	313.00	2.00	2.799	0.072	9.2
			341.00	361.00	20.00	0.244	0.046	2.0
			<i>including</i> 351.00	353.00	2.00	1.414	0.046	3.7



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1404* continued			377.00	400.00	23.00	0.158	0.061	1.1
			435.00	443.00	8.00	0.150	0.066	0.9
			449.00	460.50	11.50	0.134	0.080	2.0
			466.00	512.00	46.00	0.170	0.239	4.2
			557.00	578.00	21.00	0.112	0.073	0.4
			591.32	636.00	44.68	0.248	0.228	0.8
22-1405*	GEF Shallow Section M	Targeting shallow mineralization associated with the GEF.	24.70	31.00	6.30	0.048	0.149	1.0
			41.56	48.36	6.80	0.221	0.183	2.3
			65.67	81.38	15.71	0.231	0.266	2.2
			87.00	97.00	10.00	0.139	0.030	0.3
			136.00	146.20	10.20	0.134	0.023	1.0
			194.00	198.00	4.00	0.306	0.340	1.2
			210.00	222.00	12.00	0.145	0.152	0.4
			265.73	268.00	2.27	0.062	0.105	0.6
22-1406	GE Stock Section L	Targeting Au-Cu porphyry mineralization associated with the GE stock and hanging/footwall margins	275.15	279.00	3.85	0.059	0.114	1.1
			203.00	211.00	8.00	0.289	0.033	2.5
			256.00	263.00	7.00	0.287	0.023	5.2
			269.00	283.00	14.00	0.109	0.022	0.9
			286.63	291.00	4.37	0.070	0.196	1.9
			297.00	354.90	57.90	0.158	0.084	0.7
			360.00	388.00	28.00	0.519	0.355	2.1
			483.20	511.00	27.80	0.116	0.164	0.5
			530.00	542.00	12.00	0.110	0.129	0.4
			555.00	558.41	3.41	0.168	0.232	0.7
22-1407	Oliver Section G	Exploration drilling north of the ultimate pit boundary and the Oliver fault.	564.00	571.00	7.00	0.163	0.249	0.9
			579.00	597.95	18.95	0.119	0.180	0.6
			<i>No significant intersections.</i>					
22-1408	GEF Shallow Section M	Targeting shallow mineralization associated with the GEF.	21.00	42.21	21.21	0.326	0.318	2.1
			49.00	65.87	16.87	0.208	0.174	1.0
			80.16	110.11	29.95	0.244	0.060	0.3
			119.33	131.96	12.63	0.143	0.024	0.6
			188.30	240.54	52.24	0.182	0.283	2.5
			261.00	269.00	8.00	0.130	0.124	0.5
22-1409	Oliver Section H	Exploration drilling north of the ultimate pit boundary and the Oliver fault.	13.00	17.00	4.00	0.115	0.018	0.6
			50.00	71.00	21.00	0.311	0.068	3.8
			including 55.00	56.00	1.00	1.404	0.037	6.5
			81.00	95.90	14.90	0.195	0.034	0.8
			112.50	117.00	4.50	0.138	0.019	0.7
			123.00	152.70	29.70	0.292	0.012	0.4
			including 123.00	125.00	2.00	1.366	0.022	0.6
			158.00	165.00	7.00	0.464	0.017	0.4
			including 158.00	160.00	2.00	1.104	0.033	1.0
			178.00	265.00	87.00	0.570	0.021	0.5



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1409 continued			<i>including</i> 200.00	204.00	4.00	1.175	0.015	0.5
			<i>and</i> 211.50	212.40	0.90	4.844	0.016	0.7
			<i>and</i> 217.00	229.00	12.00	1.538	0.011	0.4
			<i>and</i> 251.30	253.00	1.70	1.311	0.056	1.4
			271.00	290.00	19.00	0.143	0.037	0.9
22-1410	GE Stock Section L	Targeting Au-Cu porphyry mineralization associated with the GE stock and hanging/footwall margins	182.00	196.00	14.00	0.131	0.017	1.1
			214.00	218.00	4.00	0.109	0.121	1.1
			243.00	249.00	6.00	0.059	0.251	2.2
			262.40	266.56	4.16	0.077	0.176	0.9
			317.00	327.00	10.00	0.083	0.143	0.8
			333.00	364.00	31.00	0.157	0.161	1.5
			374.00	377.80	3.80	0.179	0.266	0.8
			387.00	432.08	45.08	0.171	0.284	1.2
			450.60	456.80	6.20	0.122	0.274	1.0
			473.00	487.00	14.00	0.205	0.296	1.4
			491.65	567.00	75.35	0.146	0.239	0.8
22-1411	South Boundary Section O	Exploration for new porphyry target, source for shallow HGLC mineralization.	573.00	595.00	22.00	0.033	0.134	0.6
			609.60	614.00	4.40	0.264	0.043	0.5
			<i>including</i> 112.42	129.00	16.58	0.590	0.043	1.9
			<i>and</i> 114.00	115.73	1.73	1.137	0.134	4.0
			<i>and</i> 121.00	123.00	2.00	2.332	0.046	3.2
			238.05	240.60	2.55	0.175	0.007	3.0
			278.89	312.60	33.71	0.539	0.015	0.6
			<i>including</i> 287.22	289.00	1.78	1.448	0.009	0.3
			<i>and</i> 299.00	303.00	4.00	1.608	0.018	0.4
			<i>and</i> 311.00	312.60	1.60	2.327	0.097	8.1
			348.00	350.17	2.17	0.137	0.007	0.3
			358.00	362.00	4.00	0.105	0.009	0.1
			450.00	465.00	15.00	0.139	0.012	0.3
			489.00	496.81	7.81	1.338	0.071	1.3
22-1412	Oliver Section I	Exploration drilling north of the ultimate pit boundary and the Oliver fault.	<i>including</i> 491.00	493.00	2.00	4.113	0.210	3.4
			503.00	515.00	12.00	0.484	0.016	0.2
			<i>including</i> 509.00	511.00	2.00	2.278	0.035	0.6
			76.00	82.00	6.00	0.293	0.005	0.6
			112.00	114.00	2.00	1.474	0.196	11.8
22-1413	South Boundary	Northern extension of known South Boundary HGLC vein trends.	242.00	248.70	6.70	0.119	0.017	0.2
			309.00	313.00	4.00	0.308	0.006	0.1
			355.20	376.00	20.80	0.284	0.003	0.1
			390.00	398.00	8.00	0.118	0.011	0.1
			<i>including</i> 390.00	398.00	8.00	0.118	0.011	0.1
22-1413	South Boundary	Northern extension of known South Boundary HGLC vein trends.	<i>Abandoned in overburden, no assays.</i>					



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1414	South Boundary Section N	Northern extension of known South Boundary HGLC vein trends.	20.12	22.45	2.33	0.939	0.039	1.0
			<i>including</i> 20.12	21.34	1.22	1.691	0.043	1.2
			33.00	41.00	8.00	0.119	0.005	0.2
			135.27	142.00	6.73	0.140	0.011	0.2
			238.00	255.42	17.42	0.101	0.136	0.8
			265.32	291.24	25.92	0.202	0.174	1.4
			296.72	320.20	23.48	0.393	0.121	1.4
			<i>including</i> 298.09	299.82	1.73	3.642	0.167	3.2
			343.28	370.46	27.18	0.559	0.061	1.3
			388.46	392.00	3.54	1.062	0.045	1.4
			408.00	412.65	4.65	0.386	0.105	1.8
			441.00	464.52	23.52	0.509	0.024	0.4
			469.52	476.00	6.48	1.263	0.036	0.8
			495.00	511.15	16.15	0.378	0.019	0.6
22-1415	Oliver Section G	Exploration drilling north of the ultimate pit boundary and the Oliver fault.	387.00	432.00	45.00	0.328	0.017	0.9
			<i>including</i> 420.00	422.12	2.12	2.705	0.003	0.5
			473.64	531.00	57.36	0.393	0.048	2.1
			<i>including</i> 520.00	522.00	2.00	2.063	0.023	11.6
			<i>and</i> 527.00	531.00	4.00	1.588	0.418	11.5
22-1416	Oliver Section G	Exploration drilling north of the ultimate pit boundary and the Oliver fault.	560.31	578.00	17.69	0.101	0.077	1.2
			18.00	39.00	21.00	0.187	0.109	0.4
			45.00	69.00	24.00	0.137	0.050	0.2
			76.00	119.00	43.00	0.236	0.094	0.4
			153.05	180.00	26.95	0.349	0.140	0.6
			263.00	267.00	4.00	0.216	0.050	2.5
			294.00	322.20	28.20	0.152	0.024	1.0
			328.90	348.70	19.80	0.195	0.014	0.8
			395.00	399.70	4.70	0.107	0.003	0.5
			407.00	421.75	14.75	0.331	0.009	0.8
			<i>including</i> 411.00	412.50	1.50	1.691	0.004	1.0
			429.50	465.60	36.10	0.289	0.016	1.4
			490.00	505.50	15.50	0.289	0.295	1.6
			<i>including</i> 504.65	505.50	0.85	1.768	2.530	10.7
22-1417	South Boundary Section N	Northern extension of known South Boundary HGLC vein trends.	516.00	601.00	85.00	0.155	0.243	0.6
			607.00	623.00	16.00	0.184	0.240	0.7
			55.28	58.24	2.96	0.204	0.029	0.6
			78.63	82.00	3.37	8.434	0.620	29.1
			90.00	97.00	7.00	0.775	0.058	2.5
			<i>including</i> 90.00	92.00	2.00	2.433	0.122	5.6
			117.00	123.00	6.00	0.169	0.016	0.1
			137.00	148.44	11.44	0.178	0.022	0.3
			182.33	186.00	3.67	0.202	0.029	1.5
			203.00	213.00	10.00	0.146	0.015	0.4
22-1417	South Boundary Section N	Northern extension of known South Boundary HGLC vein trends.	225.90	239.88	13.98	0.645	0.077	3.0
			<i>including</i> 225.90	229.15	3.25	1.470	0.215	7.6



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1417 continued			247.00	249.78	2.78	1.261	0.330	11.2
			273.00	281.00	8.00	0.201	0.037	0.2
			295.00	299.00	4.00	0.198	0.044	0.3
			311.00	318.06	7.06	0.165	0.037	0.3
			324.00	346.00	22.00	0.192	0.028	0.3
			363.03	398.83	35.80	0.310	0.037	0.3
			<i>including</i> 375.00	<i>379.00</i>	<i>4.00</i>	<i>1.087</i>	<i>0.017</i>	<i>0.1</i>
			<i>and</i> 391.00	<i>393.00</i>	<i>2.00</i>	<i>1.202</i>	<i>0.206</i>	<i>1.8</i>
			405.00	408.00	3.00	0.114	0.008	0.5
			415.46	418.00	2.54	2.839	0.180	8.4
			<i>including</i> 416.46	<i>418.00</i>	<i>1.54</i>	<i>4.212</i>	<i>0.235</i>	<i>12.3</i>
22-1418	Oliver	Exploration drilling north of the ultimate pit boundary and the Oliver fault.	<i>No significant intersections.</i>					
22-1419	Oliver	Exploration drilling north of the ultimate pit boundary and the Oliver fault.	<i>No significant intersections.</i>					
22-1420	Oliver Section I	Exploration drilling north of the ultimate pit boundary and the Oliver fault.	36.00	40.00	4.00	0.106	0.025	0.1
			75.00	109.00	34.00	0.146	0.021	0.2
			114.50	134.50	20.00	0.110	0.047	0.3
			160.00	186.90	26.90	0.343	0.208	0.8
			<i>including</i> 160.00	<i>162.00</i>	<i>2.00</i>	<i>1.863</i>	<i>0.179</i>	<i>1.9</i>
			191.30	224.00	32.70	0.258	0.063	2.3
			314.00	321.85	7.85	0.109	0.079	0.3
			348.00	351.00	3.00	0.169	0.030	0.4
			362.00	368.00	6.00	0.135	0.030	0.4
22-1421	South Boundary Section P	Northern extension of known South Boundary HGLC vein trends.	49.00	57.00	8.00	0.126	0.036	0.4
			97.46	102.02	4.56	0.211	0.016	0.3
			158.00	164.00	6.00	0.256	0.149	2.9
			205.50	239.00	33.50	0.060	0.117	0.6
			254.90	258.00	3.10	0.125	0.107	1.6
			282.00	285.00	3.00	0.137	0.019	0.3
			299.00	304.00	5.00	0.253	0.065	0.5
			311.80	314.00	2.20	0.166	0.044	0.4
			318.06	320.20	2.14	0.145	0.057	0.6
			329.85	333.00	3.15	0.137	0.061	0.6
			354.00	410.00	56.00	0.225	0.044	0.6
			<i>including</i> 357.00	<i>359.10</i>	<i>2.10</i>	<i>1.334</i>	<i>0.715</i>	<i>8.0</i>
			436.00	482.93	46.93	0.068	0.141	1.0
			491.00	502.52	11.52	0.063	0.110	3.1
			529.00	543.76	14.76	0.075	0.146	1.8



Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1422	Oliver Section I	Exploration drilling north of the ultimate pit boundary and the Oliver fault.	48.90	51.00	2.10	0.445	0.010	0.5
			66.00	72.00	6.00	0.107	0.017	0.4
			97.00	197.00	100.00	0.626	0.120	6.0
			<i>including</i> 112.40	<i>113.90</i>	<i>1.50</i>	<i>3.043</i>	<i>0.085</i>	<i>105.0</i>
			<i>and</i> 118.00	<i>125.03</i>	<i>7.03</i>	<i>3.428</i>	<i>0.052</i>	<i>22.8</i>
			<i>and</i> 141.00	<i>148.08</i>	<i>7.08</i>	<i>1.367</i>	<i>0.114</i>	<i>15.3</i>
			<i>and</i> 157.73	<i>158.80</i>	<i>1.07</i>	<i>5.476</i>	<i>0.130</i>	<i>31.3</i>
			217.00	221.00	4.00	0.139	0.036	0.2
			237.24	245.00	7.76	0.101	0.039	0.1
			435.00	437.22	2.22	0.155	0.002	1.2
			449.00	459.00	10.00	0.408	0.008	2.6
			<i>including</i> 453.00	<i>455.00</i>	<i>2.00</i>	<i>1.191</i>	<i>0.010</i>	<i>7.4</i>
22-1423	Oliver	Exploration drilling north of the ultimate pit boundary and the Oliver fault.	No significant intersections.					
22-1424	DWBX shallow Section A	Resource infill drilling on western pit margins associated with the DWBX shallow breccia.	49.30	108.00	58.70	0.223	0.194	0.6
			71.00	138.68	67.68	0.190	0.147	0.4
			156.00	168.00	12.00	0.198	0.240	0.5
			198.00	244.87	46.87	0.207	0.179	0.9
			<i>including</i> 240.15	<i>242.00</i>	<i>1.85</i>	<i>1.497</i>	<i>0.236</i>	<i>0.4</i>
			306.00	312.00	6.00	1.048	0.027	0.5
			<i>including</i> 306.00	<i>308.00</i>	<i>2.00</i>	<i>2.909</i>	<i>0.026</i>	<i>0.7</i>
22-1425	DWBX Section C	Resource infill drilling on western pit margins associated with the DWBX shallow breccia and deeper DWBX stock.	5.00	11.00	6.00	0.729	0.021	0.1
			<i>including</i> 7.00	<i>9.00</i>	<i>2.00</i>	<i>1.942</i>	<i>0.012</i>	<i>0.1</i>
			17.00	40.00	23.00	0.939	0.088	0.9
			<i>including</i> 17.00	<i>25.84</i>	<i>8.84</i>	<i>2.194</i>	<i>0.053</i>	<i>1.1</i>
			49.85	52.00	2.15	0.777	0.049	0.7
			79.00	89.04	10.04	0.232	0.165	0.3
			105.05	127.70	22.65	0.253	0.181	1.2
			133.00	141.72	8.72	0.800	0.081	7.8
			<i>including</i> 133.00	<i>138.00</i>	<i>5.00</i>	<i>1.115</i>	<i>0.071</i>	<i>11.8</i>
			185.03	193.00	7.97	0.135	0.029	0.7
			201.00	291.00	90.00	0.690	0.160	2.9
			<i>including</i> 213.00	<i>221.00</i>	<i>8.00</i>	<i>1.670</i>	<i>0.201</i>	<i>21.8</i>
			<i>including</i> 246.00	<i>254.00</i>	<i>8.00</i>	<i>3.997</i>	<i>0.126</i>	<i>2.2</i>
			297.00	349.00	52.00	0.182	0.215	0.8
22-1426	Oliver	Exploration drilling north of the ultimate pit boundary and the Oliver fault.	No significant intersections.					




Centerra Gold Inc. - Mount Milligan Project
Diamond Drill Hole Assay Results
 Period: July 1st to September 30th, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (ppm)	Cu (%)	Ag (ppm)
22-1427	South Boundary Section P	Northern extension of known South Boundary HGLC vein trends.	70.00	73.00	3.00	0.166	0.071	1.7
			92.00	128.00	36.00	0.112	0.133	1.0
			134.00	146.00	12.00	0.055	0.101	1.0
			156.00	164.00	8.00	0.079	0.107	1.5
			220.00	242.55	22.55	0.125	0.023	0.4
			259.12	286.00	26.88	0.415	0.073	2.0
			<i>including</i> 264.00	<i>265.94</i>	<i>1.94</i>	<i>3.601</i>	<i>0.206</i>	<i>8.7</i>
			342.00	348.57	6.57	0.175	0.248	3.2
			512.00	532.00	20.00	0.353	0.073	1.2
			540.00	544.00	4.00	0.116	0.120	1.8
			629.00	640.00	11.00	0.156	0.176	1.1
			663.00	685.00	22.00	0.158	0.138	1.6
			722.00	735.00	13.00	0.130	0.247	1.0
			795.00	799.00	4.00	0.122	0.011	0.2

Notes: * Indicates drill hole completed in previous quarter, assay results returned in current quarter.


Assays are reported true values without top cutting. Reported intervals are longer than 2.0 m, grade greater than 0.1 g/t Au or 0.1% Cu and include maximum internal waste of 4.0 m where it exists. Intervals less than 2.0 m but with grade above 1.0 g/t Au are also reported. Significant assay intervals reported represent apparent widths due to the undefined geometry of mineralization in this zone, relationship between fault blocks, and conceptual nature of the exploration target.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of November 7, 2022.



This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of November 7, 2022

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.

433,250mE

433,500mE

433,750mE

434,000mE

W

E

1,250mRL

1,000mRL

750mRL

500mRL

17.81m
0.419 g/t Au
0.074 % Cu
3.3 g/t Ag

Including
1.93m
1.427 g/t Au
0.046 % Cu
1.2 g/t Ag

31.00m
0.202 g/t Au
0.040 % Cu
0.8 g/t Ag

22-1375

22-1424

17.00m
0.330 g/t Au
0.263 % Cu
1.0 g/t Ag

67.68m
0.190 g/t Au
0.147 % Cu
0.4 g/t Ag

312.00m

46.87m
0.207 g/t Au
0.179 % Cu
0.9 g/t Ag

510.00m

Including
2.00m
2.909 g/t Au
0.026 % Cu
0.7 g/t Ag

Including
1.85m
1.497 g/t Au
0.236 % Cu
0.4 g/t Ag

Legend

Drilling

- Pre-2022 Q3 Drill Holes
- 2022 Q3 Significant Intercepts
- > 1.0 gpt Au Intercepts

Geology

- Overburden
- Sediments
- Monzonite
- Trachyte (or bedded epiclastic)
- Latite (k-altered andesite)
- Andesitic volcanics

Mt. Milligan Mine

- Fault
- Ultimate Pit Boundary

100 m


centerragold



Figure 3
2022 Q3 Mount Milligan
Section A (+/- 25m)
Looking North


This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.


NW

SE




This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of August 10, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.




This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.

NW

SE

1,500mRL
1,250mRL
1,000mRL
750mRL
500mRL

22-1411

33.71m
0.539 g/t Au
0.015 % Cu
0.6 g/t Ag

Including
4.00m
1.608 g/t Au
0.018 % Cu
0.4 g/t Ag

16.58m
0.590 g/t Au
0.043 % Cu
1.9 g/t Ag

Including
2.00m
2.332 g/t Au
0.046 % Cu
3.2 g/t Ag

Including
1.73m
1.137 g/t Au
0.134 % Cu
4.0 g/t Ag

529.44m

Legend

Drilling

- Pre-2022 Q3 Drill Holes
- 2022 Q3 Significant Intercepts
- > 1.0 gpt Au Intercepts

Geology

- Overburden
- Sediments
- Monzonite
- Trachyte (or bedded epiclastic)
- Latite (k-altered andesite)
- Andesitic volcanics

Mt. Milligan Mine

- Fault
- Ultimate Pit Boundary

centerragold




MOUNTMILLIGAN

Figure 17
2022 Q3 Mount Milligan
Section O (+/- 25m)
Looking Northeast

100 m

NW

SE



This information should be read together with our news release of November 7, 2022.

Cheyenne Sica, a Member of Engineers and Geoscientists British Columbia, is Centerra's qualified person for the purpose of National Instrument 43-101.



Centerra Gold Inc. - Öksüt Gold Project
Diamond Drill Hole & Reverse Circulation Drill Hole Locations
Period July 1, 2022 to September 30, 2022

Drill Hole	Location	Purpose	Location Easting *	Location Northing *	Elevation (m)	Length (m)	Collar Azimuth **	Collar Dip
ODD0665*	Keltepe NW	Step out	718,517	4,240,893	1654	191.0	79.18	-44.59
ODD0666*	Keltepe	Step out	719,154	4,240,706	1774	163.9	259.88	-60.42
ODD0667*	Keltepe N	Step out	718,909	4,240,659	1744	218.6	0.00	-90.00
ODD0668*	Keltepe	Step out	719,068	4,240,770	1780	145.8	78.65	-45.58
ODD0669*	Keltepe N	Infill	718,836	4,240,726	1740	302.7	79.12	-61.24
ODD0670*	Keltepe NNW	Step out	719,076	4,241,005	1779	139.0	80.50	-46.11
ODD0671*	Keltepe	Step out	719,962	4,240,206	1913	344.0	257.00	-45.00
ODD0672*	Keltepe NNW	Step out	719,091	4,240,891	1775	360.0	77.00	-45.00
ODD0673*	Büyüktepe	Geology Target	718,827	4,240,324	1848	135.0	240.00	-50.00
ODD0674*	Keltepe NNW	Infill	719,079	4,241,162	1783	124.0	77.00	-60.00
ODD0675*	Büyüktepe	Geology Target	718,770	4,240,694	1765	110.0	77.00	-60.00
ODD0676*	Keltepe NNW	Step out	719,085	4,240,894	1766	230.0	257.60	-60.59
ODD0677*	Güneytepe	Step out	719,671	4,239,785	1802	171.7	239.33	-61.64
ODD0678	Keltepe N	Stepout	718,760	4,240,695	1757.60	342.7	252.78	-51.99
ODD0679	Keltepe NNW	Stepout	718,936	4,241,284	1696.55	272.0	75.69	-61.83
ODD0680	Güneytepe	Stepout	719,666	4,239,787	1799.43	232.9	59.71	-46.68
ODD0681	Buyuktepe	Geology Target	718,473	4,240,614	1759.17	397.7	57.53	-45.98
ODD0682	Buyuktepe	Exploration	718,907	4,240,159	1834.91	176.8	257.56	-45.06
ODD0683	Keltepe NNW	Stepout	718,935	4,241,283	1696.49	362.0	259.74	-72.71
ODD0684	Keltepe	Stepout	719,479	4,240,043	1773.99	355.8	253.93	-46.58
ODD0685	Keltepe N	Geology Target	718,809	4,240,634	1777.52	138.5	77	-45
ODD0685A	Keltepe N	Geology Target	718,811	4,240,632	1777.70	386.0	74.38	-43.47
ODD0686	Keltepe NW	Stepout	718,377	4,240,893	1627.81	527.0	238.86	-45.76
ODD0687	Buyuktepe	Geology Target	718,774	4,239,935	1774.65	308.0	260.82	-46.91
ODD0688	Keltepe NNW	Stepout	719,064	4,241,347	1706.98	220.5	199.89	-45.81
ODD0689	Keltepe	Stepout	719,412	4,240,074	1767.70	311.0	255.34	-47.16
ODD0690	Keltepe NW	Stepout	718,403	4,240,800	1665.54	282.5	78.12	-61.52
ODD0691	Keltepe NW	Geology Target	718,469	4,241,388	1599.60	325.0	255.89	-47.05
ODD0692	Keltepe NW	Stepout	718,378	4,240,895	1627.70	266.3	74.39	-44.39
ODD0693	Keltepe	Stepout	719,066	4,240,511	1765.01	170.8	258.94	-59.34
ODD0694	Güneytepe	Stepout	719,333	4,240,014	1725.29	333.8	260.13	-44.16
ODD0695	Buyuktepe	Geology Target	718,601	4,240,432	1809.37	367.8	258.79	-45
ODD0696	Keltepe NW	Geology Target	718,519	4,241,518	1651.09	275.0	21.32	-46.95
ODD0697	Buyuktepe	Stepout	718,863	4,240,441	1804.97	285.9	74.67	-60.23
ODD0698	Keltepe	Stepout	719,009	4,240,349	1798.17	242.6	260.01	-59.98
ODD0699	Keltepe NNW	Stepout	719,048	4,241,091	1772.99	226.0	257	-60
ODD0700	Keltepe	Stepout	719,298	4,240,120	1741.80	144.7	256.09	-59.07
ODD0701	Güneytepe	Stepout	719,350	4,240,003	1726.44	289.0	69.41	-45.75
ODD0702	Keltepe N	Stepout	718,770	4,240,670	1764.89	267.2	77.4	-44.01
ODD0703	Keltepe NW	Stepout	718,499	4,240,847	1676.85	277.0	75.16	-46.38
ODD0704	Keltepe	Stepout	719,047	4,240,330	1791.81	324.7	76.66	-61.19
ODD0705	Yelibelen	Geology Target	719,227	4,239,271	1700.26	332.0	12.15	-52.96
ODD0706	Keltepe	Stepout	719,130	4,240,237	1761.17	245.0	262.87	-62.28
ODD0707	Keltepe	Stepout	719,609	4,240,072	1787.60	251.0	256.92	-48.62
ODD0708	Boztepe South	Geology Target	718,358	4,240,363	1709.84	299.0	260	-44.46
ODD0709	Keltepe	Stepout	718,966	4,240,435	1782.69	269.0	244.42	-47.37
ODD0710	Yelibelen	Geology Target	719,161	4,239,417	1626.07	300.0	341	-47.16
ODD0711	Keltepe	Stepout	719,650	4,239,993	1798.80	178.0	238.28	-46.89
ODD0712	Güneytepe	Stepout	719,126	4,239,906	1702.59	335.0	260.08	-44.54
ODD0713	Buyuktepe	Geology Target	718,394	4,240,257	1694.46	299.6	79	-44.5
ODD0714	Yelibelen	Geology Target	719,267	4,239,411	1670.82	263.5	60.81	-45.63
ODD0715	Keltepe N	Stepout	718,844	4,240,482	1801.00	203.6	80.74	-59.37
ODD0716	Buyuktepe	Geology Target	718,212	4,240,280	1671.00	279.1	79.54	-44.95
ODD0717	Güneytepe	Stepout	719,657	4,239,884	1812.00	186.4	64.85	-45.55
ODD0718	Yelibelen	Geology Target	719,104	4,239,331	1632.00	316.5	59.43	-49.05
ODD0719	Güneytepe	Stepout	719,072	4,239,824	1701.00	218.5	245.42	-60.71

Centerra Gold Inc. - Öksüt Gold Project
Diamond Drill Hole & Reverse Circulation Drill Hole Locations
Period July 1, 2022 to September 30, 2022

Drill Hole	Location	Purpose	Location Easting *	Location Northing *	Elevation (m)	Length (m)	Collar Azimuth **	Collar Dip
ODD0721	Buyuktepe	Geochem Target	718,272	4,240,149	1629.00	277.2	79.33	-48.32
ODD0722	Guneytepe	Stepout	720,048	4,239,784	1873.00	43.3	240	-45
RCD0002	Boztepe North	Geology Target	718,150	4,241,007	1556.00	242.0	200	-60
RCD0003	Boztepe North	Geology Target	718,141	4,240,850	1603.00	200.0	200	-60
RCD0004	Boztepe North	Geology Target	717,955	4,240,809	1612.00	112.0	200	-60
RCD0005	Boztepe North	Geology Target	717,737	4,240,819	1604.00	180.0	200	-60
RCD0006	Boztepe North	Geology Target	718,278	4,240,704	1709.00	229.0	77	-60
RCD0007	Boztepe North	Geology Target	717,940	4,240,674	1656.00	250.0	200	-60
RCD0008	Boztepe North	Geology Target	717,703	4,240,658	1678.00	294.0	200	-60
RCD0009	Boztepe North	Geology Target	718,145	42,405,633	1716.00	220.0	200	-60
RCD0010	Boztepe North	Geology Target	718,297	4,240,544	1732.00	153.0	240	-60
RCD0011	Boztepe North	Geology Target	718,299	4,240,547	1731.00	200.0	60	-60
RCD0012	Boztepe North	Geology Target	718,181	4,240,457	1721.00	200.0	20	-60
RCD0014	Boztepe North	Geology Target	717,562	4,240,378	1722.00	180.0	20	-60
RCD0017	Boztepe South	Geochem Target	718,205	4,239,952	1575.00	200.0	77	-60
RCD0018	Boztepe South	Geochem Target	718,298	4,239,758	1574.00	200.0	77	-60
RCD0019	Boztepe South	Geochem Target	718,353	4,239,682	1574.00	184.0	77	-60
RCD0020	Boztepe South	Geochem Target	718,446	4,239,605	1577.00	200.0	77	-60
RCD0021	Boztepe South	Geochem Target	718,145	4,239,736	1534.00	140.0	77	-60
RCD0022	Boztepe South	Geochem Target	717,890	4,239,551	1474.00	200.0	150	-60

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of November 7, 2022. Table is current as of September 30, 2022.

* Indicates drill hole completed in previous quarter, assay results returned in current quarter.

* Projection: UTM ED50 Zone 36

** Azimuth: relative to grid

Centerra Gold Inc. - Öksüt Gold Project
Diamond Drill Hole Assay Results
Period July 1, 2022 to September 30, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Oxidation
*ODD0665	Keltepe NW	Step out	No Significant Intercepts				
*ODD0666	Keltepe	Step out	No Significant Intercepts				
*ODD0667	Keltepe N Section KT-2	Step out	194.0	218.6	24.6	0.43	Oxide
*ODD0668	Keltepe Section KT-1	Step out	136.3	141.9	5.6	0.27	Oxide
*ODD0669	Keltepe N Section KT-1	Infill	232.5	238.0	5.5	0.21	Oxide
			263.0	279.6	16.6	0.27	Oxide
*ODD0670	Keltepe NNW	Step out	No significant intercepts				
*ODD0671	Keltepe Section KT-3	Step out	146.7	166.3	19.6	0.30	Oxide
			208.5	214.3	5.8	0.37	Oxide
*ODD0672	Keltepe NNW Section KTN-2	Step out	286.4	296.1	9.7	0.33	Oxide
*ODD0673	Buyuktepe	Geology Target	No significant intercepts				
*ODD0674	Keltepe NNW	Infill	No significant intercepts				
*ODD0675	Buyuktepe Section KT-1	Geology Target	166.9	182.4	15.5	0.22	Oxide
*ODD0676	Keltepe NNW Section KTN-2	Step out	No significant intercepts				
*ODD0677	Guneytepe Section GT-1	Step out	72.8	80.2	7.4	0.22	Oxide
			132.1	139.5	7.4	0.79	Oxide
ODD0678	Keltepe N	Step out	No significant intercepts				
ODD0679	Keltepe NNW Section KTNW-1	Step out	153.0	173.4	20.4	0.27	Oxide
			230.5	239.5	9.0	0.23	Sulphide
ODD0680	Guneytepe	Step out	No significant intercepts				
ODD0681	Keltepe N Section KT-1	Geology Target	219.9	235.4	15.5	0.54	Oxide
ODD0682	Buyuktepe	Geology Target	No significant intercepts				
ODD0683	Keltepe NNW Section KTNW-1	Step out	89.0	113.7	24.7	0.34	Oxide
			133.5	155.3	21.8	0.25	Sulphide
ODD0684	Keltepe N	Step out	No significant intercepts				
ODD0685	Keltepe N Section KT-2	Geology Target	No significant intercepts				
ODD0685A	Keltepe N Section KT-2	Geology Target	182.0	196.8	14.8	0.32	Oxide
			219.8	231.7	11.9	0.43	Oxide
			244.0	283.2	39.2	0.24	Oxide
			299.0	310.2	11.2	0.29	Oxide
ODD0686	Keltepe NW Section KTNW-1	Step out	No significant intercepts				
ODD0687	Buyuktepe	Geology Target	No significant intercepts				
ODD0688	Keltepe NNW Section KTNW-1	Step out	69.0	74.3	5.3	0.32	Oxide
			119.6	134.2	14.6	0.22	Sulphide
ODD0689	Keltepe N	Step out	No significant intercepts				
ODD0690	Keltepe NW Section KTN-1	Geology Target	155.0	172.0	17.0	0.21	Sulphide
ODD0691	Keltepe NW	Geochem Target	No significant intercepts				
ODD0692	Keltepe NW Section KTNW-1	Geology Target	19.2	44.0	24.8	0.22	Oxide
			68.0	76.1	8.0	0.20	Oxide

Centerra Gold Inc. - Öksüt Gold Project
Diamond Drill Hole Assay Results
Period July 1, 2022 to September 30, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Oxidation
ODD0693	Keltepe	Geology Target	No significant intercepts				
ODD0694	Güneytepe	Step out	No significant intercepts				
ODD0695	Buyuktepe	Geology Target	No significant intercepts				
ODD0696	Keltepe	Geology Target	No significant intercepts				
ODD0697	Buyuktepe	Step out	No significant intercepts				
ODD0698	Keltepe	Step out	No significant intercepts				
ODD0699	Keltepe NNW Section KTNW-1	Step out	170.0	176.0	6.0	0.38	Partially Oxide
ODD0700	Keltepe	Step out	No significant intercepts				
ODD0701	Güneytepe	Step out	No significant intercepts				
ODD0702	Keltepe N	Step out	No significant intercepts				
ODD0703	Keltepe NW Section KTN-1	Step out	53.7	61.7	8.0	0.30	Oxide
			84.0	91.7	7.7	0.36	Oxide
ODD0704	Keltepe	Stepout	Assay Results Pending				
ODD0705	Yelibelen	Geology Target	Assay Results Pending				
ODD0706	Keltepe	Stepout	Assay Results Pending				
ODD0707	Keltepe	Stepout	Assay Results Pending				
ODD0708	Boztepe South	Geology Target	Assay Results Pending				
ODD0709	Keltepe	Stepout	Assay Results Pending				
ODD0710	Yelibelen	Geology Target	Assay Results Pending				
ODD0711	Keltepe	Stepout	Assay Results Pending				
ODD0712	Güneytepe	Stepout	Assay Results Pending				
ODD0713	Büyüktepe	Geology Target	Assay Results Pending				
ODD0714	Yelibelen	Geology Target	Assay Results Pending				
ODD0715	Keltepe N	Stepout	Assay Results Pending				
ODD0716	Büyüktepe	Geology Target	Assay Results Pending				
ODD0717	Güneytepe	Stepout	Assay Results Pending				
ODD0718	Yelibelen	Geology Target	Assay Results Pending				
ODD0719	Güneytepe	Stepout	Assay Results Pending				
ODD0721	Buyuktepe	Geochem Target	Assay Results Pending				
ODD0722	Güneytepe	Stepout	Assay Results Pending				
RCD0002	Boztepe North	Geology Target	Assay Results Pending				
RCD0003	Boztepe North	Geology Target	Assay Results Pending				
RCD0004	Boztepe North	Geology Target	Assay Results Pending				
RCD0005	Boztepe North	Geology Target	Assay Results Pending				
RCD0006	Boztepe North	Geology Target	Assay Results Pending				
RCD0007	Boztepe North	Geology Target	Assay Results Pending				
RCD0008	Boztepe North	Geology Target	Assay Results Pending				
RCD0009	Boztepe North	Geology Target	Assay Results Pending				
RCD0010	Boztepe North	Geology Target	Assay Results Pending				
RCD0011	Boztepe North	Geology Target	Assay Results Pending				
RCD0012	Boztepe North	Geology Target	Assay Results Pending				
RCD0014	Boztepe North	Geology Target	Assay Results Pending				
RCD0017	Boztepe South	Geochem Target	Assay Results Pending				

Centerra Gold Inc. - Öksüt Gold Project
Diamond Drill Hole Assay Results
Period July 1, 2022 to September 30, 2022


Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Oxidation
RCD0018	Boztepe South	Geochem Target	<i>Assay Results Pending</i>				
RCD0019	Boztepe South	Geochem Target	<i>Assay Results Pending</i>				
RCD0020	Boztepe South	Geochem Target	<i>Assay Results Pending</i>				
RCD0021	Boztepe South	Geochem Target	<i>Assay Results Pending</i>				
RCD0022	Boztepe South	Geochem Target	<i>Assay Results Pending</i>				

Notes: Mineralized intervals are greater than 0.20 g/t Au. Higher grade sub-intervals are greater than 1.00 g/t Au or 1.0 % Cu. Maximum of 5 metres internal dilution is allowed for mineralized intervals and high grade intervals. True widths for mineralized zones are about 60% to 90% of stated down hole interval. Oxidation assignment is a visual discrimination from core logging.


Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of November 7, 2022. Table is current as of September 30, 2022.

* Indicates drill hole completed in previous quarter, assay results returned in current quarter.

Öksüt Gold Project – Q3 2022 Drill Hole Plan View Map




Öksüt Gold Project – Section KTNNW-1



This information should be read together with our news release of November 7th 2022.
Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.


Öksüt Gold Project – Section KTNW-1



This information should be read together with our news release of November 7th 2022.


Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Öksüt Gold Project – Section KTN-1




This information should be read together with our news release of November 7th 2022.
Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Öksüt Gold Project – Section KTN-2




This information should be read together with our news release of November 7th 2022.
Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Öksüt Gold Project – Section KT-1




This information should be read together with our news release of November 7th 2022.
Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Öksüt Gold Project – Section KT-2




This information should be read together with our news release of November 7th 2022.
Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Öksüt Gold Project – Section KT-3



This information should be read together with our news release of November 7th 2022.
Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Öksüt Gold Project – Section GT-1



This information should be read together with our news release of November 7th 2022.
Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.



Centerra Gold Inc. - Sivritepe Project
Diamond Drill Hole Locations
Period July 1, 2022 to September 30, 2022

Drill Hole	Location	Purpose	Location Easting *	Location Northing *	Elevation (m)	Length (m)	Collar Azimuth **	Collar Dip
STE0040*	Kizilcibik	Geophysical Target	253,004	4,500,614	1139	245.0	255.0	-50.0
STE0041*	Karaburun	Geochem Target	253,342	4,501,430	1003	413.0	30.0	-50.0
STE0042*	Kizilcibik	Geochem Target	252,736	4,500,542	1122	284.0	136.9	-44.3
STE0043*	Karaburun	Geology Target	253,342	4,501,430	1003	89.8	175.0	-50.0
STE0043A*	Karaburun	Geology Target	253,342	4,501,430	1003	233.0	182.2	-49.0
STE0044*	Sivritepe East	Geology Target	253,087	4,500,523	1144	446.0	75.0	-46.0
STE0045*	Karaburun	Geology Target	253,626	4,501,307	1002	283.8	222.6	-46.0
STE0046*	Kizilcibik	Geochem Target	253,167	4,500,368	1125	380.0	74.6	-45.5
STE0047*	Karaburun	Geology Target	253,564	4,500,901	939	114.6	215.0	-45.0
STE0048*	Karaburun	Geochem Target	253,565	4,500,906	943	337.3	171.7	-50.0
STE0049	Sivritepe East	Geology Target	253,311	4,499,724	1061	344.9	220.0	-45.0
STE0050	Karaburun	Geology Target	253,425	4,500,832	968	351.7	110.0	-50.0
STE0051	Kizilcibik	Geology Target	252,688	4,500,388	1078	363.9	210.0	-45.0
STE0052	Karaburun	Geology Target	253,192	4,501,527	1021	151.8	220.0	-45.0
STE0052A	Karaburun	Geology Target	253,192	4,501,530	1021	327.6	220.0	-45.0
STE0053	Kizilcibik	Geology Target	252,797	4,500,460	1086	350.0	240.0	-60.0
STE0054	Kizilcibik	Geology Target	252,859	4,500,463	1091	342.9	138.0	-48.0
STE0055	Sogukpinar	Geology Target	254,021	4,499,907	847	290.0	165.0	-50.0
STE0056	Sivritepe East	Geology Target	252,712	4,500,113	1022	308.9	142.0	-45.0
STE0057	Sogukpinar	Geology Target	254,020	4,499,902	847	264.3	50.0	-50.0
STE0058	Sivritepe East	Geology Target	252,702	4,500,119	1022	182.6	210.0	-51.0
STE0058A	Sivritepe East	Geology Target	252,703	4,500,119	1022	423.5	200.0	-55.0
STE0059	Sogukpinar	Geophysical Target	253,996	4,499,763	818	298.8	340.0	-45.0
STE0060	Sogukpinar	Geology Target	254,133	4,499,924	869	210.7	245.0	-70.0
STE0061	Sivritepe East	Geology Target	252,678	4,500,224	1030	349.5	105.0	-45.0
STE0062	Karaburun	Geology Target	253,408	4,501,379	1016	269.0	185.0	-51.0
STE0063	Sivritepe East	Geology Target	252,681	4,499,835	1017	366.1	242.0	-45.0
STE0064	Karaburun	Geology Target	253,207	4,501,327	1017	237.1	45.0	-45.0
STE0065	Sivritepe East	Geochem Target	252,619	4,499,829	986	275.0	185.0	-45.0
STE0066	Sivritepe East	Geochem Target	252,617	4,499,767	967	285.6	65.0	-50.0
STE0067	Karaburun	Geochem Target	253,409	4,501,274	962	145.7	185.0	-45.0
STE0068	Karaburun	Geochem Target	253,656	4,501,197	970	230.0	185.0	-55.0
STE0069	Karaburun	Geochem Target	253,775	4,501,135	987	349.4	195.0	-45.0
STE0070	Karaburun	Geochem Target	253,772	4,501,135	987	398.0	78.0	-70.0
STE0071	Karaburun	Geology Target	253,540	4,500,622	974	363.3	50.0	-65.0
STE0072	Karaburun	Geology Target	253,539	4,500,618	970	355.3	165.0	-45.0
STW0041*	Sivritepe West	Geology Target	252,239	4,499,582	939	344.9	83.3	-47.2
STW0042*	Sivritepe West	Geology Target	252,149	4,499,418	898	351.7	70.0	-45.0
STW0043*	Sivritepe West	Geochem Target	252,251	4,500,362	1053	363.9	70.6	-50.2
STW0044	Sivritepe West	Geochem Target	251,552	4,500,188	883	295.6	15.0	-50.0
STW0045	Sivritepe West	Geochem Target	251,553	4,500,187	882	339.4	195.0	-60.0
STW0046	Sivritepe West	Geology Target	251,593	4,499,733	811	277.1	350.0	-50.0

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of November 7, 2022. Table is current as of September 30, 2022.

* Indicates hole completed in previous quarter, assay results returned in current quarter.



Centerra Gold Inc. - Sivritepe Project
Diamond Drill Hole Assay Results
Period July 1, 2022 to September 30, 2022

Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Oxidation
*STE0040	Kizilcibik	Geophysical Target	No significant intercepts				
*STE0041	Karaburun	Geochem Target	No significant intercepts				
*STE0042	Kizilcibik (Section KB-1)	Geochem Target	34.9	51.9	17.0	0.23	Oxide
*STE0043	Karaburun	Geology Target	No significant intercepts				
*STE0043A	Karaburun (Section KB-2)	Geology Target	46.1	66.0	19.9	1.19	Sulfide
			including 461.0	47.1	1.0	3.04	Sulfide
			and 51.3	54.3	3.0	1.24	Sulfide
			and 55.4	56.5	1.1	1.05	Sulfide
			and 63.0	65.0	2.0	6.61	Sulfide
			76.0	92.9	16.9	0.80	Partially Oxide
			including 80.5	81.5	1.0	1.08	Partially Oxide
			and 85.7	91.7	6.0	1.56	Partially Oxide
			100.5	101.5	1.0	3.30	Partially Oxide
*STE0044	Sivritepe East	Geology Target	No significant intercepts				
*STE0045	Karaburun	Geology Target	No significant intercepts				
*STE0046	Kizilcibik	Geochem Target	No significant intercepts				
*STE0047	Karaburun (Section KB-1)	Geology Target	98.0	114.6	16.6	0.58	Sulfide
			including 90.5	91.5	1.0	1.23	Sulfide
			and 111.0	114.6	3.6	1.46	Sulfide
*STE0048	Karaburun (Section KB-1)	Geochem Target	88.0	89.0	1.0	8.17	Sulfide
			121.5	127.5	6.0	1.19	Sulfide
			including 125.5	126.5	1.0	6.38	Sulfide
STE0049	Sivritepe East	Geology Target	No significant intercepts				
STE0050	Karaburun (Section KB-1)	Geology Target	53.0	66.0	13.0	0.22	Sulfide
			223.5	228.5	5.0	0.21	Sulfide
			281.0	288.0	7.0	1.06	Sulfide
			including 281.0	282.0	1.0	4.11	Sulfide
			and 285.5	286.7	1.2	1.71	Sulfide
STE0051	Kizilcibik (Section KB-1)	Geology Target	123.0	129.7	6.7	0.56	Oxide
STE0052	Karaburun	Geology Target	No significant intercepts				
STE0052A	Karaburun (Section KB-2)	Geology Target	209.0	237.0	28.0	0.81	Sulfide
			including 211.0	212.0	1.0	1.18	Sulfide
			and 216.0	217.0	1.0	1.03	Sulfide
			and 222.0	224.0	2.0	1.35	Sulfide
			and 228.0	236.0	8.0	1.30	Sulfide
STE0053	Kizilcibik	Geology Target	No significant intercepts				
STE0054	Kizilcibik (Section KB-1)	Geology Target	121.0	133.0	12.0	0.20	Sulfide
			292.5	300.4	7.9	0.40	Sulfide
STE0055	Soğukpınar	Geology Target	No significant intercepts				
STE0056	Sivritepe East (Section KZC-1)	Geology Target	192.5	202.5	10.0	0.22	Sulfide
			237.5	245.5	8.0	0.27	Sulfide
			251.5	262.5	11.0	0.27	Sulfide
STE0057	Soğukpınar	Geology Target	No significant intercepts				
STE0058	Sivritepe East	Geology Target	No significant intercepts				
STE0058A	Sivritepe East	Geology Target	No significant intercepts				
STE0059	Soğukpınar	Geophysical Target	No significant intercepts				
STE0060	Soğukpınar	Geology Target	Assay Result Pending				



Centerra Gold Inc. - Sivritepe Project
Diamond Drill Hole Assay Results
Period July 1, 2022 to September 30, 2022



Drill Hole	Location	Purpose	From (m)	To (m)	Core Length (m)	Au (g/t)	Oxidation
STE0061	Sivritepe East	Geology Target					Assay Result Pending
STE0062	Karaburun	Geology Target					Assay Result Pending
STE0063	Sivritepe East	Geology Target					Assay Result Pending
STE0064	Karaburun	Geology Target					Assay Result Pending
STE0065	Sivritepe East	Geochem Target					Assay Result Pending
STE0066	Sivritepe East	Geochem Target					Assay Result Pending
STE0067	Karaburun	Geochem Target					Assay Result Pending
STE0068	Karaburun	Geochem Target					Assay Result Pending
STE0069	Karaburun	Geochem Target					Assay Result Pending
STE0070	Karaburun	Geochem Target					Assay Result Pending
STE0071	Karaburun	Geology Target					Assay Result Pending
STE0072	Karaburun	Geology Target					Assay Result Pending
*STW0041	Sivritepe West	Geology Target					No significant intercepts
*STW0042	Sivritepe West	Geology Target					No significant intercepts
*STW0043	Sivritepe West	Geology Target					No significant intercepts
STW0044	Sivritepe West	Geochem Target					Assay Result Pending
STW0045	Sivritepe West	Geochem Target					Assay Result Pending
STW0046	Sivritepe West	Geology Target					Assay Result Pending

Notes: Mineralized intervals are greater than 0.20 g/t Au. Maximum of 5 metres internal dilution is allowed. Higher grade sub-intervals are greater than 1.00 g/t Au. True widths for mineralized zones are about 60% to 90% of stated down hole interval. Oxidation assignment is a visual discrimination from core logging.

Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101. This information should be read together with our news release of November 7, 2022. Table is current as of September 30, 2022.

* Indicates hole completed in previous quarter, assay results returned in current quarter.

Sivritepe Project – Q3 Drill Hole Plan Map




LEGEND

- Alluvium
- Travertine
- Trachyandesite, leucite trachyte volcanoclastics
- Mixed trachyandesite, leucite trachyte and orthoclase trachyte volcanoclastics
- High Nb leucite and derived volcanoclastics
- Trachyandesite and derived volcanoclastics
- Orthoclase trachyte dominated volcanoclastics
- Orthoclase trachyte
- Faults
- Q3 2022 DDH
- Q2 2022 DDH (Results received in Q3 2022)
- 2022 Completed DDH
- Pre-2022 Completed DDH


This information should be read together with our news release of November 7th 2022. Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Sivritepe Project Q3 2022 – Cross Section KB - 1




This information should be read together with our news release of November 7th 2022.
Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Sivritepe Project Q3 2022 – Cross Section KB - 2



This information should be read together with our news release of November 7th 2022.
Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.

Sivritepe Project Q3 2022 – Cross Section KZC - 1



This information should be read together with our news release of November 7th 2022.
Malcolm Stallman, a Member of the Australian Institute of Geoscientists (AIG), is Centerra's qualified person for the purpose of National Instrument 43-101.